

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
SALT LAKE CITY, UTAH

Fee and Patented.....
State
Lease No.
Public Domain
Lease No.
Indian
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	<input checked="" type="checkbox"/>	Subsequent Report of Water Shut-off.....	<input type="checkbox"/>
Notice of Intention to Change Plans.....	<input type="checkbox"/>	Subsequent Report of Altering Casing.....	<input type="checkbox"/>
Notice of Intention to Redrill or Repair.....	<input type="checkbox"/>	Subsequent Report of Redrilling or Repair.....	<input type="checkbox"/>
Notice of Intention to Pull or Alter Casing.....	<input type="checkbox"/>	Supplementary Well History.....	<input type="checkbox"/>
Notice of Intention to Abandon Well.....	<input type="checkbox"/>		<input type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... January 5....., 19.60.....

Well No. Ben Lomond #1 located 740 ft. from N line and 2120 ft. from W line of Sec. 28

NE 1/4, NW 1/4 (1/4 Sec. and Sec. No.) 5N (Twp.) 1W (Range) SLEM (Meridian)
Wildcat (Field) Weber (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 4245 feet.

A drilling and plugging bond has been filed with UO&GC

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Geological reports indicate possibilities between 1500' to 2000'. T.D. 2,000' or oil. At least 120' of 8" ID API F-25 24# surface casing, cemented bottom to top with neat cement. Hole size 6 1/8". Rotary Rig. Surface formation, valley fill of sand, clay and gravel. If successful, hole will be finished with 4 1/2" O.D. API J-55, 9.5# casing, cemented bottom to top. Anticipated spudding date, January 6, 1960.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company..... JOHN A. NAK
Address..... 2102 Berkely Street By John A. Nak
..... Salt Lake City, Utah Title Contractor

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

FILE NOTATIONS

Entered in WFD File Checked by Chief _____
 Entered on R Sheet Copy NID to Field Office _____
 Location Map Placed _____ Approval Letter _____
 Card Indexed Disapproval Letter _____
 IWR for State or Fee Land _____

COMPLETION DATA:

Date WMI Completed 2-5-60 *application for this well to be used as a water well* Location Inspected _____
 @W _____ WW _____ TA _____ Bond released _____
 @W _____ @S _____ @A State of Fee Land _____

LOGS FILED

D Miller's Log Electric Logs (No. 1) *no logs run*
 E _____ E-I _____ GR _____ GR-N _____ Misc _____
 Uat _____ Mi-L _____ Sonic _____ Others _____

Prepare to skid rig

Bob Ropelato
 Route 1, Ogden, Utah

12-18-60

Called Donald Stewart, state Engineers office. Mr Ropelato's application cannot be approved for at least 3 months. They will call as soon as approved or disapproved. Do not release bond until approved
 12-27-60

January 2 - 1st Publication Date - for 3 weeks
 Prototyping Period ends Feb 15 -

February 1, 1960

John A. Nak
2102 Berkely Street
Salt Lake City, Utah

Dear Mr. Nak:

This letter is to confirm our verbal approval to drill Well No. Ben Leonard 1, 740 feet from the north line and 2120 feet from the west line of Section 28, Township 5 North, Range 1 West, SLEM, Weber County, Utah.

Please take note that should it be necessary to plug and abandon said well you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals, by phone or otherwise, in order that our petroleum engineer may be present to inspect the manner in which the well is being plugged:

H. G. HENDERSON, Chief Petroleum Engineer
Office: DA 8-0701, or DA 2-4721, Extension 438
Home: DA 2-4496

C. B. FEIGHT, Executive Secretary
Office: DA 8-0901, or DA 2-4721, Extension 438
Home: HU 5-2721

Address all other forms of communication to the Oil and Gas Conservation Commission at the 310 Newhouse Building, Salt Lake City, Utah.

Please forward your plat showing the location of all leases, property lines and the well site as required by Rule C-4 of our rules and regulations as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE SECRETARY

CBF:co

February 18, 1960

John A. Nak
2102 Berkely Street
Salt Lake City, Utah

Dear Mr. Nak:

Re: Well No. Ben Lomond 1, NE¹/₄ NW¹/₄,
Sec. 28, T. 5 N, R. 1 W, SLEM,
Weber County, Utah

It has come to the attention of this office that the above mentioned location has been changed to Section 28, Township 6 North, Range 2 West.

Would you please advise us as to the exact location of this well.

Thank you.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE SECRETARY

CBF:cp

HU 51452

February 23, 1960

6N-2W is
correct

Mr. John A. Nak
2102 Berkely Street
Salt Lake City, Utah

Dear Mr. Nak:

Re: Well No. Ben Lomond 1,
Sec. 28, T. 5 N, R. 1 W, SLBM,
Weber County, Utah.

Your attention is directed to Rule C-22, General Rules and Regulations and Rules of Practice and Procedure. Said rule provides for the submitting of a report of operations and well status report to the Oil and Gas Conservation Commission.

Your compliance with said rule is hereby requested.

We are enclosing some copies of Form OGCC-4, "Report of Operations and Well Status Report", for completion and return. For your convenience, Rule C-22 has been printed on the back of said form. Federal Form 9-329, Lessee's Monthly Report of Operations, may be used in lieu of Form OGCC-4.

Please note that if two legible copies, carbon or otherwise, of the report filed monthly with the United States Geological Survey on Form 9-329, are also filed each month with this Commission, it will be deemed compliance with Rule C-22, Paragraphs 1, 2, 3 and 4.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE SECRETARY

CBF:cp

Encls: (Forms)

TD 625'

4-26-60
called Mr. Nak 7 he said
he would file these reports in
next few days
WJ

STATE OF UTAH
 OIL & GAS CONSERVATION COMMISSION
 State Capitol Building
 Salt Lake City 14, Utah

REPORT OF OPERATIONS AND WELL STATUS REPORT

West Weber-Taylor Cem.Maint.Dist

State Utah County Weber Field or Lease Battista Ropelato

The following is a correct report of operations and production (including drilling and producing wells) for
2-15 until 4-15, 19 60

Agent's address John A.Nak Company John A.Nak

2102 Berkeley Street, S.L.C. Signed _____

Phone Hunter 51452 Agent's title owner

State Lease No. _____ Federal Lease No. _____ Indian Lease No. _____ Fee & Pat.

Sec. & 1/4 of 1/4	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS (If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
28 NE 1/4 NW 1/4	6N	2W	1	dead	---	1 gal.p/m	--	Water flowing at a rate of one gallon per minute. Hole has sandet in, all of about 100' Total dept encountered 629' Surface casing 110' cemented in Formation: Lake fill.

NOTE: Report on this form as provided for in Rule C-22. (See back of form.)


FILE IN DUPLICATE

*STATUS: F-Flowing P-Pumping GL-Gas Lift
 SI-Shut In D-Dead
 GI-Gas Injection TA-Temp. Aban.
 WI-Water Injection

133

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah



LOCATE WELL CORRECTLY

To be kept Confidential until _____
(Not to exceed 4 months after filing date)

LOG OF OIL OR GAS WELL

Operating Company JOHN A. NAK Address 2102 Berkeley Street, Salt Lake
Lease or Tract West Weber-Taylor Cem. Maint. Dist. Battista Ropelato State Utah
Well No. 1 Sec. 28 T. 6 N. R. 2 W. Meridian SLBM County Weber
Location 740 ft. [N.] of N. Line and 2120 ft. [E.] of W. Line of Section 28 Elevation 4245 DF
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed *John A. Nak*

Date May 18, 1960

Title _____

The summary on this page is for the condition of the well at above date.

Commenced drilling Feb 15, 1960 Finished drilling April 15, 1960

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from 80' to 45' No. 3, from _____ to _____
No. 2, from 590' to 615' No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
8' 7 1/2'				110'			0		

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used

MARK

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set

Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 629 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

DATES

Date P & A, 19..... Put to producing, 19.....

The production for the first 24 hours was barrels of fluid of which% was oil;% emulsion;% water; and% sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

Alfred Sanchez, Driller , Driller
, Driller , Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
			At the end of complete Driller's Log add Geologic Tops. State whether from Electric Logs or samples.
			<u>no logs</u>

May 20, 1960

Mr. Francis T. Mayo, Chief
Water Resources Branch
Office of the State Engineer
403 State Capitol Building
Salt Lake City 14, Utah

Dear Mr. Mayo:

Mr. John A. Nak of Salt Lake City has drilled an exploratory well, the Ben Leonard No. 1, in the NE¼ of the NW¼ of Section 28, Township 6 North, Range 2 West, SLEM, Weber County, Utah. Drilling operations were suspended on April 15, 1960, at a total depth of 629 feet. Eight-inch casing was cemented at 110 feet, and the well has subsequently caved in and filled the hole to the bottom of the casing. The well is flowing fresh water at the rate of approximately one gallon per minute. The landowner, Mr. Bob Ropalato, Route 1, Ogden, Utah, has indicated he might be interested in retaining the well as a water well. We informed Mr. Ropalato that it would be necessary for him to file an application with your office for utilization of this well, and requested that he do so within thirty days if he desires the use of this well. If Mr. Ropalato does not file for this well in that period, we believe the well should be permanently plugged, and we will require Mr. Nak to accomplish that.

Would you please send Mr. Ropalato the forms necessary to file an application for this water well.

We are forwarding a copy of the log on this well for your information.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

ROBERT L. SCHMIDT
CHIEF ENGINEER

RLS:ce
Enclosure

June 2, 1960

0080
for R. K. H.
O.G.C.C.

Mr. Bob Ropalato
Route 1
Ogden, Utah

Dear Mr. Ropalato:

This office has recently been given information by the State Oil and Gas Conservation Commission, that a Mr. John A. Nak recently drilled an exploratory well in the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 28, T6N, R2W, S124N, on property owned by you. It is our understanding that you might be interested in retaining the well as a water well. The State Oil and Gas Conservation Commission has, no doubt, informed you that it will be necessary for you to file an application, with this office, for use of the water and that such application should be filed within the next two or three weeks or they will require Mr. Nak to seal the well.

For your convenience, there is enclosed herewith an application form, which can be used in filing on this well, if you desire.

Yours truly,

R. K. Higginson
APPROPRIATION ENGINEER

RKH:js
Encl: Application form

July 13, 1960

According to Mrs. Nelson State
Engineer's Office, Mr. Ropelato filed
an application for the use of this
well as a water well on July 5, 1960

RLS.

The Employers' Group
OF INSURANCE COMPANIES

WATKINS, MUIR & RINGHOLZ
TEN WEST BROADWAY, SALT LAKE CITY 1, UTAH

The EMPLOYERS' LIABILITY Insurance Corporation, Ltd.
AMERICAN EMPLOYERS' Insurance Company
The EMPLOYERS' FIRE Insurance Company
The HALIFAX Insurance Company of Massachusetts
The EMPLOYERS' LIFE Insurance Company of America

The State of Utah
Oil and Gas Conservation Commission
State Capitol Building
Salt Lake City, Utah

December 23, 1960

Gentlemen:


RE: John A. Nak
Oil Drilling Bond
Bond No. SY-188258

Our principal, Mr. John A. Nak, advises us that this bond is not to be continued. If this is the case, will you please send us your usual letter of release. If the bond is not able to be released, will you please let us know.

Thank you very much.

Sincerely yours,

THE EMPLOYERS' LIABILITY ASSURANCE CORP., LTD.

By 
Attorney-in-Fact

JFR:js



The EMPLOYERS' GROUP MAN is The Man with the Plan

December 27, 1960

The Employers' Liability
Assurance Corporation, Ltd.
Ten West Broadway
Salt Lake City 1, Utah

Attention: Mr. Ringholz

Re: John A. Nak - Oil Drilling Bond
Bond No. SY-188258

Gentlemen:

With reference to your letter of December 23, 1960, regarding the above-mentioned bond, please be advised that the copy of the bond filed with this office by Mr. Nak does not have any serial number. However, if we are correct, this bond covers the Ben Leonard Well No. 1 which was drilled in the NE¼ NW¼ of Section 28, Township 5 North, Range 1 West, SLEM, Weber County. This well has not yet been plugged due to the fact that it is to be filed upon by a Mr. Ropelato for use as a water well.

I have contacted the State Engineer's Office and Mr. Ropelato has filed on the well and the first publication date will be on January 2. The period for filing protests will run until the middle of February.

We will not be able to release the bond on this well until it has been approved for use as a water well by the State Engineers' Office.

We shall appreciate your contacting us around the 20th of February in order that we may determine whether Mr. Ropelato's application has been approved.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLEON B. FREIGHT
EXECUTIVE SECRETARY

cc: Nak

The Employers' Group
OF INSURANCE COMPANIES

WATKINS, MUIR & RINGHOLZ
TEN WEST BROADWAY, SALT LAKE CITY 1, UTAH

The EMPLOYERS' LIABILITY Insurance Corporation, Ltd.
AMERICAN EMPLOYERS' Insurance Company
The EMPLOYERS' FIRE Insurance Company
The HALIFAX Insurance Company of Massachusetts

Mr. Cleon B. Feight
The State of Utah
Oil and Gas Conservation Commission
310 Newhouse Building
Salt Lake City, Utah

July 6, 1961

Dear Mr. Feight:

RE: John A. Nak
Oil Drilling Bond
Bond No. SY-188258


On December 27, 1960 you wrote to us with regard to this bond stating that we should contact you around the 20th of February. in order to see if the bond could be released. We called your office on March 20th and found that this bond must still continue in force. If, however, the bond may now be released, will you please write us your usual letter terminating the bond and releasing the surety.

Thank you very much.

Sincerely yours,

AMERICAN EMPLOYERS' INSURANCE COMPANY

By


Attorney-in-Fact

JFR:js



The EMPLOYERS' GROUP MAN is The Man
with the Plan

MEMO FOR THE FILE

July 10, 1961

Mr. Feight contacted the State Engineer's Office on July 10, 1961. He was informed that Mr. Ropelato had filed application on the water being produced from the Nak Ben Lomond Well 1, NE NW 28-5N-1W, SLBM, in Weber County, and that insofar as the State Engineer's Office was concerned, liability under the drilling and plugging bond on file with this office could be terminated.

CBF

CBF:cop

July 10, 1961

The Employers' Group
American Employers' Insurance Company
Ten West Broadway
Salt Lake City 1, Utah

Attention: Mr. Ringholz

Re: John A. Nak - Oil Drilling Bond
No. SY 188258 - Well No. Lomond 1

Gentlemen:

With reference to your letter of July 6, 1961, we have been informed by the State Engineer's Office that Mr. Ropellato has filed an application on the water being produced from the Lomond No. 1 well and is being approved by the Engineer's Office for use as a water well. Therefore, liability under the drilling and plugging bond filed on January 29, 1960, is hereby terminated.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
EXECUTIVE SECRETARY

CBF:cop

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
OIL AND GAS INSPECTION RECORD

OPERATOR John A. Oak ~~ADAK~~ LEASE Free
 WELL NO. Ben Lamand #1 API 43057-10270
 SEC. 28 T. 10N R. 2W CONTRACTOR _____
 COUNTY Weber FIELD wildcat

DRILLING/COMPLETION/WORKOVER:

<input type="checkbox"/> APD	<input type="checkbox"/> WELL SIGN	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> BOPE
<input type="checkbox"/> SAFETY	<input type="checkbox"/> POLL. CONTROL	<input type="checkbox"/> SURFACE USE	<input type="checkbox"/> PITS
<input type="checkbox"/> OPERATIONS	<input type="checkbox"/> OTHER		

SHUT-IN / TA :

<input type="checkbox"/> WELL SIGN	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> EQUIPMENT*	<input type="checkbox"/> SAFETY
<input type="checkbox"/> OTHER			

ABANDONED:

<input type="checkbox"/> MARKER	<input checked="" type="checkbox"/> HOUSEKEEPING	<input checked="" type="checkbox"/> REHAB.	<input checked="" type="checkbox"/> OTHER
---------------------------------	--	--	---

PRODUCTION:

<input type="checkbox"/> WELL SIGN	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> EQUIPMENT*	<input type="checkbox"/> FACILITIES*
<input type="checkbox"/> METERING*	<input type="checkbox"/> POLL. CONTROL	<input type="checkbox"/> PITS	<input type="checkbox"/> DISPOSAL
<input type="checkbox"/> SECURITY	<input type="checkbox"/> SAFETY	<input type="checkbox"/> OTHER	

GAS DISPOSITION:

<input type="checkbox"/> VENTED/FLARED	<input type="checkbox"/> SOLD	<input type="checkbox"/> LEASE USE
--	-------------------------------	------------------------------------

LEGEND: Y - YES OR SATISFACTORY
 N - NO OR UNSATISFACTORY
 NA - NOT APPLICABLE

*FACILITIES INSPECTED: _____

REMARKS: Rancher said it has no marker - cut off below plow line - and location is O.K.

ACTION: No further inspection needed

INSPECTOR: Glenn & Carol R. DATE 8/13/86

