

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING						FORM 3 AMENDED REPORT <input type="checkbox"/>
APPLICATION FOR PERMIT TO DRILL				1. WELL NAME and NUMBER Peters Point Unit Fed 1-36D-12-16		
2. TYPE OF WORK DRILL NEW WELL <input checked="" type="checkbox"/> REENTER P&A WELL <input type="checkbox"/> DEEPEN WELL <input type="checkbox"/>				3. FIELD OR WILDCAT PETERS POINT		
4. TYPE OF WELL Gas Well Coalbed Methane Well: NO				5. UNIT or COMMUNITIZATION AGREEMENT NAME PETERS POINT		
6. NAME OF OPERATOR BILL BARRETT CORP				7. OPERATOR PHONE 303 312-8164		
8. ADDRESS OF OPERATOR 1099 18th Street Ste 2300, Denver, CO, 80202				9. OPERATOR E-MAIL dspencer@billbarrettcorp.com		
10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE) UTU004049A		11. MINERAL OWNERSHIP FEDERAL <input checked="" type="checkbox"/> INDIAN <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/>		12. SURFACE OWNERSHIP FEDERAL <input checked="" type="checkbox"/> INDIAN <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/>		
13. NAME OF SURFACE OWNER (if box 12 = 'fee')				14. SURFACE OWNER PHONE (if box 12 = 'fee')		
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee')				16. SURFACE OWNER E-MAIL (if box 12 = 'fee')		
17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN')		18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS YES <input type="checkbox"/> (Submit Commingling Application) NO <input checked="" type="checkbox"/>		19. SLANT VERTICAL <input type="checkbox"/> DIRECTIONAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>		
20. LOCATION OF WELL	FOOTAGES	QTR-QTR	SECTION	TOWNSHIP	RANGE	MERIDIAN
LOCATION AT SURFACE	2452 FSL 1053 FEL	NESE	36	12.0 S	16.0 E	S
Top of Uppermost Producing Zone	1645 FNL 836 FEL	SENE	36	12.0 S	16.0 E	S
At Total Depth	636 FNL 638 FEL	NENE	36	12.0 S	16.0 E	S
21. COUNTY CARBON		22. DISTANCE TO NEAREST LEASE LINE (Feet) 636		23. NUMBER OF ACRES IN DRILLING UNIT 40		
		25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed) 1185		26. PROPOSED DEPTH MD: 8000 TVD: 7200		
27. ELEVATION - GROUND LEVEL 6732		28. BOND NUMBER WYB000040		29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE Nine Mile Creek		
ATTACHMENTS						
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES						
<input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER			<input checked="" type="checkbox"/> COMPLETE DRILLING PLAN			
<input type="checkbox"/> AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)			<input type="checkbox"/> FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER			
<input checked="" type="checkbox"/> DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)			<input checked="" type="checkbox"/> TOPOGRAPHICAL MAP			
NAME Tracey Fallang		TITLE Regulatory Manager		PHONE 303 312-8134		
SIGNATURE		DATE 01/18/2011		EMAIL tfallang@billbarrettcorp.com		
API NUMBER ASSIGNED 43007501180000		APPROVAL  Permit Manager				

Proposed Hole, Casing, and Cement						
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)		
Cond	24	14	0	40		
Pipe	Grade	Length	Weight			
	Unknown	40	36.0			

Proposed Hole, Casing, and Cement						
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)		
Surf	12.25	9.625	0	1000		
Pipe	Grade	Length	Weight			
	Grade J-55 ST&C	1000	36.0			

Proposed Hole, Casing, and Cement						
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)		
Prod	8.75	4.5	0	8000		
Pipe	Grade	Length	Weight			
	Grade P-110 LT&C	8000	11.6			

T12S, R16E, S.L.B.&M.

1961 Brass Cap
1.0' High, Pile of
Stones

R 16
E 17

BILL BARRETT CORPORATION

Well location, PETERS POINT UNIT FEDERAL
#1-36D-12-16, located as shown in the NE 1/4
SE 1/4 of Section 36, T12S, R16E, S.L.B.&M.,
Carbon County, Utah.

BASIS OF ELEVATION

COTTON TRIANGULATION STATION LOCATED IN THE NW 1/4
OF SECTION 31, T12S, R16E, S.L.B.&M. TAKEN FROM THE
TWIN HOLLOW QUADRANGLE, UTAH, CARBON COUNTY, 7.5
MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE
UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL
SURVEY. SAID ELEVATION IS MARKED AS BEING 7386 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

N00°22'30"W - 2640.75' (Meas.)

N00°20'14"W - 2634.37' (Meas.)

S89°56'50"W - 2633.41' (Meas.)

S89°56'11"W - 2633.88' (Meas.)

N00°22'44"W - 2651.19' (Meas.)

N00°22'28"W - 2626.41' (Meas.)

FROM	TO	BEARING	DISTANCE
#1-36D-12-16	#14-36D-12-16	N00°15'01"E	2254.32'
#1-36D-12-16	#2	S78°40'33"W	2561.75'
#1-36D-12-16	#36-4	S00°51'32"W	1823.87'
#1-36D-12-16	#5-36D-12-16	N51°22'11"W	1368.91'
#1-36D-12-16	#11-36D-12-16	N51°39'27"W	1402.53'
#1-36D-12-16	#7-36D-12-16	N51°57'53"W	1416.96'
#1-36D-12-16	#9-36-12-16	N52°07'21"W	1431.71'
#1-36D-12-16	#3-36-12-16	N40°35'37"E	238.06'
#1-36D-12-16	#2-36D-12-16	N41°12'31"E	253.29'
#1-36D-12-16	#12-31D-12-16	N41°45'45"E	267.70'
#1-36D-12-16	#4-31D-12-16	N42°19'47"E	282.40'

Bottom Hole

N102°18'E
2225.85'

36

PETERS POINT UNIT FEDERAL
#1-36D-12-16
Elev. Ungraded Ground = 6732'

1961 Brass Cap
0.5' High, Pile of
Stones

1961 Brass Cap
1.1' High

1961 Brass Cap
2.0' High, Pile of
Stones

1961 Brass Cap
0.6' High, Pile of
Stones

T12S
T13S


S89°58'11"W - 2633.44' (Meas.)

S89°58'04"W
2635.77' (Meas. to True)

56.10'
(G.L.O.)

2452'

1961 Brass Cap
1.5' High, Pile of
Stones



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH

REVISED: 01-04-11
REVISED: 12-30-10
REVISED: 07-22-10

UNITAR ENGINEERING & LAND SURVEYING
86 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 788-1017

SCALE 1" = 1000'

DATE SURVEYED: 09-30-09 DATE DRAWN: 10-02-09

PARTY D.R. B.H. C.C. REFERENCES G.L.O. PLAT

WEATHER COOL FILE BILL BARRETT CORPORATION

LEGEND:

— = 90° SYMBOL

● = PROPOSED WELL HEAD.

▲ = SECTION CORNERS LOCATED.

△ = SECTION CORNERS RE-ESTABLISHED.

(Not Set on Ground.)

NAD 83 (TARGET BOTTOM HOLE)		NAD 83 (SURFACE LOCATION)	
LATITUDE = 39°44'08.77" (39.735789)	LATITUDE = 39°43'47.15" (39.728764)	LATITUDE = 39°44'08.77" (39.735789)	LATITUDE = 39°43'47.15" (39.728764)
LONGITUDE = 110°03'56.51" (110.0658927)	LONGITUDE = 110°04'01.87" (110.0697131)	LONGITUDE = 110°03'56.51" (110.0658927)	LONGITUDE = 110°04'01.87" (110.0697131)
NAD 27 (TARGET BOTTOM HOLE)		NAD 27 (SURFACE LOCATION)	
LATITUDE = 39°44'08.90" (39.735806)	LATITUDE = 39°43'47.27" (39.728787)	LATITUDE = 39°44'08.90" (39.735806)	LATITUDE = 39°43'47.27" (39.728787)
LONGITUDE = 110°03'53.97" (110.064893)	LONGITUDE = 110°03'56.12" (110.066422)	LONGITUDE = 110°03'53.97" (110.064893)	LONGITUDE = 110°03'56.12" (110.066422)
STATE PLANE NAD 27 N: 914033.39 E: 240334.36	STATE PLANE NAD 27 N: 911856.39 E: 2403166.40	STATE PLANE NAD 27 N: 914033.39 E: 240334.36	STATE PLANE NAD 27 N: 911856.39 E: 2403166.40