

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT
(highlight changes)

APPLICATION FOR PERMIT TO DRILL				5. MINERAL LEASE NO: ML-47059	6. SURFACE State
1A. TYPE OF WORK: DRILL <input checked="" type="checkbox"/> REENTER <input type="checkbox"/> DEEPEN <input type="checkbox"/>				7. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A	
B. TYPE OF WELL: OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER _____ SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input checked="" type="checkbox"/>				8. UNIT or CA AGREEMENT NAME: N/A	
2. NAME OF OPERATOR: XTO Energy, Inc.				9. WELL NAME and NUMBER: KC 10-32E	
3. ADDRESS OF OPERATOR: P.O. Box 1360 Roosevelt UT 84066			PHONE NUMBER: (435) 722-4521	10. FIELD AND POOL, OR WILDCAT: undesignated	
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: 1,290' FSL & 2,053' FEL, SW/4 SE/4, AT PROPOSED PRODUCING ZONE: 2,000' FSL & 1,900' FEL, NW/4 SE/4,				11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: 32 10S 19E S	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE: 14.63 miles southwest of Ouray, Utah				12. COUNTY: Uintah	13. STATE: UTAH
15. DISTANCE TO NEAREST PROPERTY OR LEASE LINE (FEET) 1,290'	16. NUMBER OF ACRES IN LEASE: 560		17. NUMBER OF ACRES ASSIGNED TO THIS WELL: 40		
18. DISTANCE TO NEAREST WELL (DRILLING, COMPLETED, OR APPLIED FOR) ON THIS LEASE (FEET) 25'	19. PROPOSED DEPTH: 10,090		20. BOND DESCRIPTION: 104312 762		
21. ELEVATIONS (SHOW WHETHER DF, RT, GR, ETC.): 5,365' ungraded ground	22. APPROXIMATE DATE WORK WILL START: 2/15/2008		23. ESTIMATED DURATION: 14 days		

24. **PROPOSED CASING AND CEMENTING PROGRAM**

SIZE OF HOLE	CASING SIZE, GRADE, AND WEIGHT PER FOOT	SETTING DEPTH	CEMENT TYPE, QUANTITY, YIELD, AND SLURRY WEIGHT
	14' Cond.	40	
12-1/4"	9-5/8" J-55 ST 36#	2,256	see Drilling Plan
7-7/8"	5-1/2" N-80 LT 17#	10,090	see Drilling Plan
			(10,000' TVD)

25. **ATTACHMENTS**

VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES:

<input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER	<input checked="" type="checkbox"/> COMPLETE DRILLING PLAN
<input type="checkbox"/> EVIDENCE OF DIVISION OF WATER RIGHTS APPROVAL FOR USE OF WATER	<input type="checkbox"/> FORM 5, IF OPERATOR IS PERSON OR COMPANY OTHER THAN THE LEASE OWNER

NAME (PLEASE PRINT) Don Hamilton TITLE Agent for XTO Energy, Inc.

SIGNATURE Don Hamilton DATE 6/11/2008

(This space for State use only)

API NUMBER ASSIGNED: 43-047-39893

Approved by the
Utah Division of
Oil, Gas and Mining

RECEIVED

JUN 11 2008

DIV. OF OIL, GAS & MINING

Date: 07-07-08
By: [Signature]

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT
(highlight changes)

APPLICATION FOR PERMIT TO DRILL			5. MINERAL LEASE NO: ML-47059	6. SURFACE: State
1A. TYPE OF WORK: DRILL <input checked="" type="checkbox"/> REENTER <input type="checkbox"/> DEEPEN <input type="checkbox"/>			7. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A	
B. TYPE OF WELL: OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER _____ SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input checked="" type="checkbox"/>			8. UNIT or CA AGREEMENT NAME: N/A	
2. NAME OF OPERATOR: XTO Energy, Inc.			9. WELL NAME and NUMBER: KC 10-32E	
3. ADDRESS OF OPERATOR: P.O. Box 1360 Roosevelt UT 84066		PHONE NUMBER: (435) 722-4521	10. FIELD AND POOL, OR WILDCAT: undesignated	
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: 1,290' FSL & 2,053' FEL, SW1/4 SE1/4, AT PROPOSED PRODUCING ZONE: 2,000' FSL & 1,900' FEL, NW1/4 SE1/4,			11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: 32 10S 19E S	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE: 14.63 miles southwest of Ouray, Utah			12. COUNTY: Uintah	13. STATE: UTAH
15. DISTANCE TO NEAREST PROPERTY OR LEASE LINE (FEET) 1,290'	16. NUMBER OF ACRES IN LEASE: 560	17. NUMBER OF ACRES ASSIGNED TO THIS WELL: 40		
18. DISTANCE TO NEAREST WELL (DRILLING, COMPLETED, OR APPLIED FOR) ON THIS LEASE (FEET) 25'	19. PROPOSED DEPTH: 10,100	20. BOND DESCRIPTION: 104312 762		
21. ELEVATIONS (SHOW WHETHER DF, RT, GR, ETC.): 5,365' ungraded ground	22. APPROXIMATE DATE WORK WILL START: 2/15/2008	23. ESTIMATED DURATION: 14 days		

24. PROPOSED CASING AND CEMENTING PROGRAM				
SIZE OF HOLE	CASING SIZE, GRADE, AND WEIGHT PER FOOT	SETTING DEPTH	CEMENT TYPE, QUANTITY, YIELD, AND SLURRY WEIGHT	
17-1/2"	13-3/8" H-40 ST 48#	500	see Drilling Plan	
12-1/4"	9-5/8" J-55 ST 36#	3,700	see Drilling Plan	
7-7/8"	5-1/2" N-80 LT 17#	10,100	see Drilling Plan	
			(10,000' TVD)	

25. ATTACHMENTS	
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES:	
<input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER	<input checked="" type="checkbox"/> COMPLETE DRILLING PLAN
<input type="checkbox"/> EVIDENCE OF DIVISION OF WATER RIGHTS APPROVAL FOR USE OF WATER	<input type="checkbox"/> FORM 5, IF OPERATOR IS PERSON OR COMPANY OTHER THAN THE LEASE OWNER

NAME (PLEASE PRINT) <u>Don Hamilton</u>	TITLE <u>Agent for XTO Energy, Inc.</u>
SIGNATURE <u>Don Hamilton</u>	DATE <u>12/21/2007</u>

(This space for State use only)

API NUMBER ASSIGNED: 43-047-39893

APPROVAL: _____

RECEIVED
DEC 24 2007


T10S, R19E, S.L.B.&M.

XTO ENERGY, INC.

Well location, KINGS CANYON #10-32E, located as shown in the SW 1/4 SE 1/4 of Section 32, T10S, R19E, S.L.B.&M., Uintah County Utah.


BASIS OF ELEVATION

SPOT ELEVATION AT THE SOUTHWEST CORNER OF SECTION 20, T10S, R20E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN. NW QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5251 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE DRAWING WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY ME UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. 161319



REVISED: 11-26-07

UINTAH ENGINEERING & LAND SURVEYING

85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

SCALE	1" = 1000'	DATE SURVEYED:	05-19-06	DATE DRAWN:	05-24-06
PARTY	B.B. T.A. A.S. L.K.	REFERENCES	G.L.O. PLAT		
WEATHER	WARM	FILE	XTO ENERGY, INC.		

W.C. 1956 Brass Cap, 1.3" High, Pile of Stones

True Position

N00°47'55"E - 2656.02' (Meas.)

N00°47'51"E - 2654.25' (Meas.)

1956 Brass Cap, 0.4" High, Pile of Stones, Set Stone

11.88' (G.L.O.)

S89°53'48"W - 2610.35' (Meas.)

1956 Brass Cap, 0.3" High, Pile of Stones

1956 Brass Cap, 1.1" High, Pile of Stones

1900'

2053'

2000'

1290'

N89°20'18"W - 2634.11' (Meas.)

S89°23'W - 2636.04' (G.L.O.)

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.
(NAD 83)
LATITUDE = 39°53'59.39" (39.899831)
LONGITUDE = 109°48'12.71" (109.803531)
LATITUDE = 39°53'59.52" (39.899867)
LONGITUDE = 109°48'10.20" (109.802833)

- LEGEND:**
- = 90° SYMBOL
 - = PROPOSED WELL HEAD.
 - ▲ = SECTION CORNERS LOCATED.

LINE TABLE		
LINE	BEARING	LENGTH
L1	N12°59'36"E	726.42'

32

BOTTOM HOLE

KINGS CANYON #10-32E

Elev. Ungraded Ground = 5365'

N00°59'E - 5290.56' (G.L.O.)

T10S
T11S