

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG ☒ ELECTRIC LOGS ☒ WATER SANDS ☐ LOCATION INSPECTED ☐ SUB. REPORT/abd. ☐

DATE FILED JANUARY 5, 1996

LAND: FEE & PATENTED

STATE LEASE NO.

PUBLIC LEASE NO. U-34173

INDIAN

DRILLING APPROVED: MARCH 5, 1996

SPUDDED IN: 7.20.96

COMPLETED: 8.22.96 POW PUT TO PRODUCING:

INITIAL PRODUCTION: 25 BbL 47 mcf 3 BbL

GRAVITY A.P.I.

GOR: 1.9

PRODUCING ZONES: 5018-5363' HRRV

TOTAL DEPTH: 6150'

WELL ELEVATION: 5637' GR

DATE ABANDONED:

FIELD: MONUMENT BUTTE

UNIT:

COUNTY: DUCHESNE

WELL NO. TRAVIS FEDERAL 1-33

API NO. 43-013-31603

LOCATION 660 FNL FT. FROM (N) (S) LINE, 660 FEL

FT. FROM (E) (W) LINE.

NE NE

1/4 - 1/4 SEC. 33

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
				8S	16E	33	INLAND PRODUCTION

QUATERNARY	Star Point	Chinle	Molas
Alluvium	Wahweap	Shinarump	Manning Canyon
Lake beds	Masuk	Moenkopi	Mississippian
Pleistocene	Colorado	Sinbad	Humbug
Lake beds	Sego	PERMIAN	Brazer
TERTIARY	Buck Tongue	Kaibab	Pilot Shale
Pliocene	Castlegate	Coconino	Madison
Salt Lake	Mancos	Cutler	Leadville
Oligocene	Upper	Hoskinnini	Redwall
Norwood	Middle	DeChelly	DEVONIAN
Eocene	Lower	White Rim	Upper
Duchesne River	Emery	Organ Rock	Middle
Uinta	Blue Gate	Cedar Mesa	Lower
Bridger	Ferron	Halgaite Tongue	Ouray
Green River	Frontier	Phosphoria	Eibert
Garden Gulch Mkr 4327	Dakota	Park City	McCracken
Point 3 4584	Burro Canyon	Rico (Goodridge)	Aneth
X Mkr 4823	Cedar Mountain	Supai	Simonson Dolomite
N Mkr 4875	Buckhorn	Wolfcamp	Sevy Dolomite
Douglas CK 4995	JURASSIC	CARBON I FEROUS	North Point
Wegatch B. Carbonate 5261	Morrison	Pennsylvanian	SILURIAN
Stam. Creek B Limestone 5376	Salt Wash	Oquirrh	Laketown Dolomite
Castle Peak 5905	San Rafael Gr.	Weber	ORDOVICIAN
Flagstaff B. Carbonate N. 18	Summerville	Morgan	Eureka Quartzite
North Horn	Bluff Sandstone	Hermosa	Pogonip Limestone
Almy	Curtis		CAMBRIAN
Paleocene	Entrada	Pardox	Lynch
Current Creek	Moab Tongue	Ismay	Bowman
North Horn	Carmel	Desert Creek	Tapeats
CRETACEOUS	Glen Canyon Gr.	Akah	Ophir
Montana	Navajo	Barker Creek	Tintic
Mesaverde	Kayenta		PRE - CAMBRIAN
Price River	Wingate	Cane Creek	
Blackhawk	TRIASSIC		

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒

GAS
WELL ☐

OTHER

SINGLE
ZONE ☐

MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Inland Production Company

3. ADDRESS OF OPERATOR

P.O. Box 1446 Roosevelt, UT 84066

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)

At surface

NE/NE 660' FNL & 660' FEL

At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

11.3 miles southwest of Myton, UT

10. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

660'

16. NO. OF ACRES IN LEASE

320

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

1509'

19. PROPOSED DEPTH

6500'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5637' GR

22. APPROX. DATE WORK WILL START*

First Quarter 1996

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4	8 5/8	24#	300'	120 sx Class G+2% CaCl +2% Gel
7 7/8	5 1/2	15.5#	TD	400 sx Hilift followed by 330 sx Class G w/ 10% CaCl

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED Brad Mechem

TITLE Operations Manager

DATE 12/21/95

(This space for Federal or State office use)

PERMIT NO. 43-013-31603

APPROVAL DATE

APPROVED BY Matthews

TITLE Engineer

DATE 3/5/96


CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side

INLAND PRODUCTION CO.
WELL LOCATION PLAT
TRAVIS FEDERAL #1-33

LOCATED IN THE NE1/4 OF THE NE1/4
SECTION 33, T8S, R16E, S.L.B.&M.


S 89°58' W 79.96 CHS. (G.L.O.)



LEGEND AND NOTES

- ◇ ORIGINAL CORNER MONUMENTS FOUND AND USED BY THIS SURVEY.


THE GENERAL LAND OFFICE (G.L.O.) PLAT WAS USED FOR REFERENCE AND CALCULATIONS, AS WAS THE U.S.G.S. PLAT.



SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAT WAS PREPARED FROM FIELD NOTES OF AN ACTUAL SURVEY PERFORMED BY ME, DURING WHICH THE SHOWN MONUMENTS WERE FOUND OR ESTABLISHED.

Jerry D. Allred
JERRY D. ALLRED, REGISTERED LAND SURVEYOR,
CERTIFICATE NO. 148951 (UTAH)



JERRY D. ALLRED & ASSOCIATES
SURVEYING CONSULTANTS
121 NORTH CENTER STREET
P.O. BOX 975
DUCHESTER, UTAH 84021
(801)-738-5352

18 DECEMBER 1995

84-121-045

DEC 14 1995

JOHNSON WATER DISTRICT
R.R. 3 BOX 3188
ROOSEVELT, UT 84066
TELEPHONE (801) 722-2620


December 18, 1995

TO WHOM IT MAY CONCERN:

Inland Production Company has purchased a 3 inch water connection with Johnson Water District to supply Monument Butte oilfield.

Johnson Water District has given permission to Inland Production Company to use water from our system for the purpose of drilling and completing the Travis Federal 1-33.

Sincerely,


Karen Ashby,
Secretary

**TRAVIS FEDERAL #1-33
NE/NE SEC. 25, T8S, R16E
DUCHESNE COUNTY, UTAH
U-34173**

HAZARDOUS MATERIAL DECLARATION

INLAND PRODUCTION COMPANY guarantees that during the drilling & completion of the above referenced well, we will not use, produce, store, transport or dispose 10,000# annually of any of the hazardous chemicals contained in the Environmental Protection Agency's consolidated list of chemicals subject to reporting under Title III Superfund Amendments and Reauthorization Act (SARA) of 1986.

INLAND PRODUCTION COMPANY guarantees that during the drilling and completion of the above referenced well, we will use, produce, store, transport or dispose less than the threshold planning quantity (T.P.Q.) of any extremely hazardous substances as defined in 40 CFR 355.

**INLAND PRODUCTION COMPANY
TRAVIS FEDERAL # 1-33
NE/NE SECTION 33, T8S, R16E
DUCHESNE COUNTY, UTAH**

TEN POINT WELL PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta	0' - 3030'
Green River	3030'
Wasatch	6500'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 3030' - 6400' - & Oil

4. PROPOSED CASING PROGRAM

8 5/8", J-55, 24# w/ ST&C collars; set at 300' (New)
7 7/8 J-55, 15.5# w/ LT&C collars/ set at TD (New)

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

The operators minimum specifications for pressure control equipment are as follows:

A 8" Series 900 Hydril Bag type BOP and a 8" Double Ram Hydraulic unit with a closing unit will be utilized. Function test of BOPS's will be checked daily.

(See Exhibit F)

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

It is proposed that the hole be drilled with fresh water to the Green River formation @ approximately 3030', and with mud thereafter. The mud system will be a water based gel-chemical, weighted to 10.0 ppg as necessary for gas control.

7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Auxiliary safety equipment will be a Kelly Cock, bit float, and a TIW valve with drill pipe threads.

8. TESTING, LOGGING AND CORING PROGRAMS:

No drill stem testing has been scheduled for this well. It is anticipated at this time that the logging will consist of a Dual Induction Laterolog, Compensated Neutron-Formation Density Log. Logs will run from TD to 3500'. The cement bond log will be run from PBTD to cement top. The use of mud loggers to be determined at a later date.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

The anticipated bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered; nor that any other abnormal hazards such as H₂S will be encountered in this area.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

It is anticipated that the drilling operations will commence the first quarter of 1996, and take approximately eight days to drill.

**INLAND PRODUCTION COMPANY
TRAVIS FEDERAL #1-33
NE/NE SECTION 33, T8S, R16E
DUCHESNE COUNTY, UTAH**

THIRTEEN POINT WELL PROGRAM

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Inland Production Company well location site Travis Federal #1-33 located in the NE NE 1/4 Section 33, T8S, R16E, S.L.B. 7 M. Duchesne County, Utah:

Proceed westerly out of Myton, Utah along Highway 40 - 1.5 miles $\pm$ to the junction of this highway and Utah State Highway 53; proceed southerly along Utah State Highway 6.3 miles to its junction with an existing dirt road to the west, proceed southwesterly along this road 3.3 miles on the existing dirt road to the northeast. Proceed northeasterly along this road .2 miles to the beginning of the proposed access road, to be discussed in item #2.

The highways mentioned in the foregoing paragraph are bituminous surfaced roads to the point where Highway 53 ends, thereafter the roads are constructed with existing materials and gravel. The highways are maintained by Utah State road crews. All other roads are maintained by County Crews.

The aforementioned dirt oilfield service roads and other roads in the vicinity are constructed out of existing native materials that are prevalent to the existing area they are located in and range from clays to a sandy-clay shale material.

The roads required for access during the drilling, completion and production phase will be maintained at the standards required by the BLM or other controlling agencies. This maintenance will consist of some minor grader work for smoothing road surfaces and for snow removal.

2. PLANNED ACCESS ROAD

See Topographic Map "B".

The planned access road leaves the existing location described in Item #1 in the SW 1/4 NW 1/4 Section 34, T8S, R16E, S.L.B., and proceeds in a southerly direction approximately 1600' $\pm$ to the proposed location site.

The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is determined necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%.

There will no culverts required along this access road. There will no water turnouts constructed along this road.

There are no fences encountered along this proposed road. There will no new gates or cattle guards required.

All construction material for this access road will be borrowed material accumulated during construction of the access road.

3. LOCATION OF EXISTING WELLS

There are twelve (12) producing, two (2) injection, and one (1) P&A, Inland Production wells, nine (9) producing, and two (2) injection Ensearch wells, within a one (1) mile radius of this well.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

There are no existing facilities that will be used by this well.

It is anticipated that this well will be a producing gas well.

Upon construction of a tank battery the well pad will be surrounded by a dike of sufficient capacity to contain at minimum the entire contents of the largest tank within the facility battery.

Tank batteries will be placed on a per Sundry Notice if the well is completed as a producer.

All permanent (on site for six (6) months or longer) structures constructed or installed (including pumping units) will be painted Desert Tan. All facilities will be painted within six months of installation.

5. LOCATION AND TYPE OF WATER SUPPLY

At the present time, it is anticipated that the water for this well will be trucked from our pre-approved Inland Production Company water supply line located at the Travis Federal 15-28 (SW/SE Sec. 28, T8S, R16E) location as indicated on Topographic Map - Exhibit C".

In the event this water source is not used an alternate source will be used and all the necessary arrangements will be made with the proper authorities.

There will be no water well drilled at this site.

6. SOURCE OF CONSTRUCTION MATERIALS

See Location Layout Sheet - Exhibit "E".

All construction material for this location shall be borrowed material accumulated during construction of the location site and access road. (Pit lining material is referred to in Item #7.)

A mineral material application is not required for this location.

7. **METHODS FOR HANDLING WASTE DISPOSAL**

See Location Layout Sheet - Exhibit "E".

If the reserve pit is lined, it will be constructed and lined with plastic reinforced lines so as not to leak, break, or allow discharge. It will be a minimum of 12 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The line will overlap the pit wall and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed on in the pit.

After first production, produced water will be confined to a pit or storage tank for a period not to exceed one hundred twenty (120) days. During the one hundred twenty (120) day period, in accordance with the Onshore Order #7, an application for approval of permanent disposal method and location, along with required water analysis, shall be submitted for the Authorized Officers approval.

A portable toilet will be provided for human waste.

A trash basket will be provided for garbage (trash) and hauled away to an approved disposal site at the completion of the drilling activities.

8. **ANCILLARY FACILITIES**

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. **WELL SIT LAYOUT**

See attached Location Layout Sheet - Exhibit "E".

The reserve pit will be located on the north side between stakes 4 & 5.

No flare pit will be used at this location.

The stockpiled topsoil (first six (6) inches) will be stored on the south side, between stakes 1 & 8.

Access to the well pad will be from the southeast corner, near stake #8.

Fencing Requirements

All pits will be fenced according to the following minimum standards:

- a) 39 inch net wire shall be used with at least one strand of barbed wire on top of the net.

- b) The net wire shall be not more than two (2) inches above the ground. The barbed wire shall be three (3) inches above the net wire. Total height of the fence shall be at least forty-two (42) inches.
- c) Corner posts shall be cemented and/or braced in such a manner to keep tight at all times.
- d) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than sixteen (16) feet.
- e) All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three (3) sides during drilling operations and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

10. PLANS FOR RESTORATION OF SURFACE

a) *Producing Location*

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, material, trash and junk not required for production.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before back filling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be re contoured to the approximated natural contours. The reserve pit will be reclaimed within one hundred twenty (120) days from the date of well completion. Before any dirt work takes place, the reserve pit must have all fluids and hydrocarbons, all cans, barrels, pipe, etc., removed.

When the drilling and completion phase ends, reclamation of unused disturbed areas on the well pad/access road no longer needed for operations, such as cut slopes, and fill areas will be accomplished by grading, leveling and seeding as recommended by the Authorized Officer. The seed mixture will be per B.L.M. and stated in the conditions of approval.

b) *Dry Hole Abandoned Location*

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and the B.L.M. will attach the appropriate surface rehabilitation conditions of approval.

11. **SURFACE OWNERSHIP** - Bureau Of Land Management

12. **OTHER ADDITIONAL INFORMATION**

- a) Inland Production Company is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, Inland is to immediately stop work that might further disturb such materials, and contact the Authorized Officer.
- b) Inland Production will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. On B.L.M. administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other possible hazardous chemicals.
- c) Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without B.L.M. authorization. However, if B.L.M. authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities.

There are no dwellings or facilities in the general area. There are no visible archaeological, historical or cultural sites within any reasonable proximity of the proposed location site. The Cultural Resource Survey will be sent it, as soon as it becomes available.

Additional Surface Stipulations

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws and regulations. Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. Inland Production is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A complete copy of the approved APD, if applicable, shall be on location during the construction of the location and drilling activities.

Inland Production Company or a contractor employed by Inland Production shall contact the B.L.M. office at (801) 789-1362, 48 hours prior to construction activities.

The B.L.M. office shall be notified upon site completion prior to moving on the drilling rig.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

Name: Brad Mecham
Address: P.O. Box 1446 Roosevelt, Utah 84066
Telephone: (801) 722-5103

Certification

Please be advised that INLAND PRODUCTION COMPANY is considered to be the operator of Travis Federal #1-33 NE/NE Section 33, Township 8S, Range 16E: Lease U-34173, Duchesne County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4488944.


I hereby certify that I, or persons under my direct supervision have inspected the proposed drillsite and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Inland Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

12-28-95

Date

Brad Mecham

Brad Mecham
Operations Manager



TOPOGRAPHIC
MAP "A"




INLAND PRODUCTION COMPANY

**TRAVIS FEDERAL #1-33
SECTION 33, T8S, R16E, S.L.B.&M.**

18 Dec '95

84-121-045



TOPOGRAPHIC
MAP "B"
SCALE: 1"=2000'



INLAND PRODUCTION COMPANY

TRAVIS FEDERAL #1-33
SECTION 33, T8S, R16E, S.L.B.&M.

18 Dec '95

84-121-045

POWER LINE

JOHNSON WATER LINE

R 2 W

BEN
WATER SOURCE

ALTERNATE ACCESS ROAD


Lomax

RIGHT-OF-WAY and ACCESS
FOR FRESH WATER PIPELINE
DUCESNE CO., UTAH
EXHIBIT C

SCALE 1:24,000

Date: 10/88 REVISED 3/89

BY: D. TAFF



R 16 E

EXHIBIT "D"





Inland
47517th Street, Suite 1507
Denver, Colorado 80202
Phone: (303) 292-9900

Travis Federal #1-33
One Mile Radius
Durham County, Utah

Date: 12-7-95 L.O.




INLAND PRODUCTION CO. WELL LAYOUT PLAT TRAVIS FEDERAL #1-33



APPROXIMATE QUANTITIES

CUT: 4100 CU. YDS. (INCLUDES PIT)
FILL: 3300 CU. YDS.

LOCATED IN THE NE1/4 OF THE NE1/4 OF SECTION 33,
TOWNSHIP 8 SOUTH, RANGE 16 EAST, S.L.B.&M.



	JERRY D. ALLRED AND ASSOCIATES Surveying and Engineering Consultants
	121 NORTH CENTER STREET P.O. BOX 975 DUCHESNE, UTAH 84021 (801) 738-5352

2-M SYSTEM


EXHIBIT F

WAT TYPE B.O.P.

Make:

Size:

Model:



2" Minimum

GAL TO CLOSE


Annular BOP = _____

Ramtype BOP

_____ Rams x _____ = _____

= _____ Gal.

_____ x 2 = _____ Total Gal.



2" Minimum

2" Minimum

2" Minimum

2" Minimum

Rounding off to the next higher
increment of 10 gal. would require

_____ Gal. (total fluid & nitro volume)

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 01/05/96

API NO. ASSIGNED: 43-013-31603

WELL NAME: TRAVIS FEDERAL 1-33
OPERATOR: INLAND PRODUCTION COMPANY (N5160)

PROPOSED LOCATION:

NENE 33 - T08S - R16E
SURFACE: 0660-FNL-0660-FEL
BOTTOM: 0660-FNL-0660-FEL
DUCHESNE COUNTY
MONUMENT BUTTE FIELD (105)

LEASE TYPE: FED
LEASE NUMBER: U-34173

PROPOSED PRODUCING FORMATION: FRSD

INSPECT LOCATION BY: / /

TECH REVIEW	Initials	Date
Engineering		
Geology		
Surface		

RECEIVED AND/OR REVIEWED:

Y Plat
Y Bond: Federal ☒ State ☐ Fee ☐
(Number 4488944)
N Potash (Y/N)
N Oil shale (Y/N)
Y Water permit
(Number TRAVIS FED 15-28 INJECTION)
N RDCC Review (Y/N)
(Date: _____)

LOCATION AND SITING:

___ R649-2-3. Unit: _____
☒ R649-3-2. General.
___ R649-3-3. Exception.
___ Drilling Unit.
___ Board Cause no: _____
___ Date: _____

COMMENTS: _____

STIPULATIONS: _____

STATE OF UTAH, DIV OF OIL, GAS & MINERALS

Operator: INLAND PRODUCTION CO	Well Name: TRAVIS FED 1-33
Project ID: 43-013-31603	Location: SEC 33 - T08S - R16E

Design Parameters:

Mud weight (10.00 ppg) : 0.519 psi/ft
 Shut in surface pressure : 2853 psi
 Internal gradient (burst) : 0.081 psi/ft
 Annular gradient (burst) : 0.000 psi/ft
 Tensile load is determined using air weight
 Service rating is "Sweet"

Design Factors:

Collapse : 1.125
 Burst : 1.00
 8 Round : 1.80 (J)
 Buttress : 1.60 (J)
 Other : 1.50 (J)
 Body Yield : 1.50 (B)

Length (feet)		Size (in.)	Weight (lb/ft)	Grade	Joint	Depth (feet)	Drift (in.)	Cost	
1		6,500	5.500	15.50	J-55	LT&C	6,500	4.825	
	Load (psi)	Collapse Strgth (psi)	S.F.	Burst Load (psi)	Min Int Strgth (psi)	Yield S.F.	Load (kips)	Tension Strgth (kips)	S.F.
1	3377	4040	1.196	3377	4810	1.42	100.75	217	2.15 J

Prepared by : MATTHEWS, Salt Lake City, Utah
 Date : 03-05-1996
 Remarks :

Minimum segment length for the 6,500 foot well is 1,500 feet.
 SICP is based on the ideal gas law, a gas gravity of 0.75, and a mean gas
 temperature of 119°F (Surface 74°F , BHT 165°F & temp. gradient 1.400°/100 ft.)
 String type: Production
 The mud gradient and bottom hole pressures (for burst) are 0.519 psi/ft and
 3,377 psi, respectively.

NOTE: The design factors used in this casing string design are as shown above. As a general
 guideline, Lone Star Steel recommends using minimum design factors of 1.125 - collapse (with
 evacuated casing), 1.0 - (uniaxial) burst, 1.8 - API 8rd tension, 1.6 - buttress tension,
 1.5 - body yield tension, and 1.6 - EUE 8rd tension. Collapse strength under axial tension
 was calculated based on the Westcott, Dunlop and Kemler curve. Engineering responsibility
 for use of this design will be that of the purchaser.
 Costs for this design are based on a 1987 pricing model. (Version 1.07)



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

March 5, 1996

Inland Production Company
P.O. Box 1446
Roosevelt, Utah 84066

Re: Travis Federal #1-33 Well, 660' FNL, 660' FEL, NE NE, Sec. 33, T. 8 S., R. 16 E.,
Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-31603.

Sincerely,


R. J. Firth
Associate Director

lwp

Enclosures

cc: Duchesne County Assessor
Bureau of Land Management, Vernal District Office
WAPD



Operator: Inland Production Company
Well Name & Number: Travis Federal #1-33
API Number: 43-013-31603
Lease: U-34173
Location: NE NE Sec. 33 T. 8 S. R. 16 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5340.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews or Mike Hebertson at (801)538-5340.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT FOR STATE*
(Other instructions on
reverse side)
MAR 12 1996

Form approved.
Budget Bureau No. 1004-0136
Expires August 31, 1985

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL ☒ DEEPEN ☐ PLUG BACK ☐

b. TYPE OF WELL
OIL WELL ☒ GAS WELL ☐ OTHER ☐ SINGLE ZONE ☐ MULTIPLE ZONE ☐

2. NAME OF OPERATOR
Inland Production Company

3. ADDRESS OF OPERATOR
P.O. Box 1446 Roosevelt, UT 84066

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface
NE/NE 660' FNL & 660' FEL
At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
11.3 miles southwest of Myton, UT

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
660'

16. NO. OF ACRES IN LEASE
320

17. NO. OF ACRES ASSIGNED TO THIS WELL
40

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
1509'

19. PROPOSED DEPTH
6500'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
5637' GR

22. APPROX. DATE WORK WILL START*
First Quarter 1996

5. LEASE DESIGNATION AND SERIAL NO.
U-34173

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Travis

8. FARM OR LEASE NAME
Travis Federal

9. WELL NO.
#1-33

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 33, T8S, R16E

12. COUNTY OR PARISH
Duchesne

13. STATE
UT

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4	8 5/8	24#	300'	120 sx Class G+2% CaCl +2% Gel
7 7/8	5 1/2	15.5#	TD	400 sx Hilift followed by 330 sx Class G w/ 10% CaCl

RECEIVED
JAN 08 1996

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Brad Mecham TITLE Operations Manager DATE 12/21/95
(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____
APPROVED BY Jerry Kough TITLE ASSISTANT DISTRICT MANAGER MINERALS DATE MAR - 5 1996
CONDITIONS OF APPROVAL, IF ANY

CONDITIONS OF APPROVAL ATTACHED
*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

MAR 12 1996

COA's Page 1 of 8
Well: Travis Fed. 1-33

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Inland Production Company

Well Name & Number: Travis Fed. 1-33

API Number: 43-013-31603

Lease Number: U-34173

Location: NENE Sec. 33 T. 8S R. 16E

NOTIFICATION REQUIREMENTS

- | | | |
|---------------------------------|---|---|
| Location Construction | - | at least forty-eight (48) hours prior to construction of location and access roads. |
| Location Completion | - | prior to moving on the drilling rig. |
| Spud Notice | - | at least twenty-four (24) hours prior to spudding the well. |
| Casing String and Cementing | - | at least twenty-four (24) hours prior to running casing and cementing all casing strings. |
| BOP and Related Equipment Tests | - | at least twenty-four (24) hours prior to initiating pressure tests. |
| First Production Notice | - | within five (5) business days after new well begins, or production resumes after well has been off production for more than ninety (90) days. |

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative by the operator to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report **ALL** water shows and water-bearing sands to Tim Ingwell of this office **prior to setting the next casing string or requesting plugging orders**. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 2M system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

If conductor pipe is set it will be cemented to surface. If drive pipe is used it will be pulled prior to cementing surface casing.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the base of the Usable Water zone, identified at ± 652 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

The Gamma Ray and Induction Logs need to be pulled from TD to the Surface Shoe.

A cement bond log (CBL) will be run from the production casing shoe to ± 452 ft. and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The Vernal District Office shall be notified, during regular work hours (7:45 a.m.-4:30 p.m., Monday through Friday except holidays), at least 24 hours prior to spudding the well.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-5 (b.9. d.), and shall be submitted to the appropriate District Office within sixty (60) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (b. 4).

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted following initial installation and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approval or notification is necessary, please contact one of the following individuals:

Wayne Bankert (801) 789-4170
Petroleum Engineer

Ed Forsman (801) 789-7077
Petroleum Engineer

Jerry Kenczka (801) 789-1190
Petroleum Engineer

BLM FAX Machine (801) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

- Unused fracturing fluids or acids
- Gas plant cooling tower cleaning wastes
- Painting wastes
- Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids
- Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste
- Refinery wastes
- Liquid and solid wastes generated by crude oil and tank bottom reclaimers
- Used equipment lubrication oils
- Waste compressor oil, filters, and blowdown
- Used hydraulic fluids
- Waste solvents
- Waste in transportation pipeline-related pits
- Caustic or acid cleaners
- Boiler cleaning wastes
- Boiler refractory bricks
- Incinerator ash
- Laboratory wastes
- Sanitary wastes
- Pesticide wastes
- Radioactive tracer wastes
- Drums, insulation and miscellaneous solids.

SURFACE USE PLAN OF OPERATION
Conditions of Approval (COAs)

-Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

-All vehicle travel will be confined to existing access road rights-of-way.

-It is not anticipated that a liner will be required in the reserve pit, however, Byron Tolman with the BLM will be notified when the pit has been complete so an inspection can be made. If porous soils or fractured rock is encountered a liner may be required.

-After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with Onshore Order No. 7 an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

-Topsoil should be piled along the west side of the location to create a buffer between a golden eagle nest and the location.

-A 6 cylinder ford engine will be used on the pumping unit to reduce the noise level at the golden eagle nest site located to the west of the location.

- If the well becomes a producing well, the tank battery will be placed on the east side of the location.

-No surface disturbing activities, construction, or drilling operations, including the initial completion activities, are to occur on the well, access road, or location from Feb. 1 through July 15. This restriction is to protect golden eagles which nest in the surrounding area. The restriction does not apply to maintenance and operation of existing wells and facilities. Waivers, exceptions, or modifications to this Condition of Approval may be specifically approved in writing by the authorized officer of the Bureau of Land Management if either the resource values change or the lessee/operator demonstrates that adverse impacts can be mitigated.

-No surface disturbing activities, construction, or drilling operations, including the initial completion activities, are to occur on the well, access road, or location from March 15 through August 15. This restriction is to protect Mountain Plovers and Burrowing Owls located in the surrounding area. The restriction does not apply to maintenance and operation of existing wells and facilities. Waivers, exceptions, or modifications to this Condition of Approval may be specifically approved in writing by the authorized officer of the Bureau of Land Management if either the resource values change or the lessee/operator demonstrates that adverse impacts can be mitigated.

-The location will be moved 155' to the SE where it will sit in a depression. This will lower the elevation of the location where it won't be a visual impact to the golden eagle nest site.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
ENTITY ACTION FORM - FORM 6

OPERATOR Inland Production Company
ADDRESS P.O. Box 1446
Roosevelt, Utah 84066

OPERATOR ACCT. NO. 11 5160

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION				COUNTY	SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG			
A	99999	10628	43-013-31603	Travis Federal #1-33	NENE	33	8S	16E	Duchesne	7-20-96	7-20-96
WELL 1 COMMENTS: Entity added 7-23-96. Lc (Travis Unit)											
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form):
A - Establish new entity for new well (single well only)
B - Add new well to existing entity (group or unit well)
C - Re-assign well from one existing entity to another existing entity
D - Re-assign well from one existing entity to a new entity
E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(1-80)


Signature: Cheryl Cameron
Regulatory Compliance Specialist : 7/22/96
Title: _____ Date: _____
Phone No. (801) 722-5103



July 22, 1996

State of Utah
Division of Oil, Gas & Mining
P.O. Box 145801
1594 West North Temple Suite 1210
Salt Lake City Utah 84114-5801

ATTENTION: Lisha Cordova

**RE: Travis Federal #1-33
NE/NE Sec. 33, T8S, R16E
Duchesne County, Utah**

Dear Lisha,

I am faxing Entity Action Form - 6, for the new Entity No., on the above referenced location.

Please call me at your convenience, with the new numbers at (801) 722-5103.

Sincerely,

A handwritten signature in dark ink, appearing to read "Cori Brown", written in a cursive style.

Cori Brown
Secretary

/cb
Enclosure

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Inland Production Company

3. Address and Telephone No.

P.O. Box 1446 Roosevelt, Utah 84066 (801)722-5103

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NE/NE 660' FNL & 660' FEL
Sec. 33, T8S, R16E

5. Lease Designation and Serial No.

U-34173

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

Travis

8. Well Name and No.

Travis Federal #1-33

9. API Well No.

43-013-31603

10. Field and Pool, or Exploratory Area

11. County or Parish, State

Duchesne County, Utah

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Spud Notification


- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilled 12 1/4" hole w/ Leon Ross Rathole Rig to 303'. Set 290.69'GL of 8 5/8" 24# J-55 csg. Cmt w/ 120 sx prem + w/ 2% Gel & 2% CC + 1/4# /sk flocele.

Spud 7/20/96



14. I hereby certify that the foregoing is true and correct

Signed Cheryl Cameron Title Regulatory Compliance Specialist Date 7/22/96

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side



July 23, 1996

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078



ATTENTION: Ed Forsman

Re: ✓ *on injection*
Boundary Federal #11-21
NE/SW Sec. 21, T8S, R17E
✓ Boundary Federal #13-21
SW/SW Sec. 21, T8S, R17E
✓ Monument Butte Federal NE #4-25
NW/NW Sec. 25, T8S, R16E
✓ Tar Sands Federal #2-28
NW/NE Sec. 28, T8S, R17E
✓ Travis Federal #1-33
NE/NE Sec. 33, T8S, R16E

Dear Ed,

Enclosed are the original and two copies (each) of the Sundry Notices and Reports on Wells; spud notification on the Travis well, weekly status on the Monument Butte and Tar Sands wells, production on the Boundary #13-21 and injection on the Boundary #11-21. Copies will also be submitted to the State of Utah.

If additional information is needed, please contact me or Cheryl at (801)722-5103, in the Roosevelt office.

Sincerely,


Cori Brown
Secretary

cc: 
State of Utah
Division of Oil, Gas & Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

/cb
Enclosures

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993



SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

DIV. OF OIL, GAS & MINING

Lease Designation and Serial No.

U-34173

If Indian, Allottee or Tribe Name

If Unit or CA, Agreement Designation

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Inland Production Company

3. Address and Telephone No.

P.O. Box 1446 Rosoevelt, Utah 84066 (801)722-5103

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**NE/NE 660' FNL & 660' FEL
Sec. 33, T8S, R16E**

8. Well Name and No.

Travis Federal #1-33

9. API Well No.

43-013-31603

10. Field and Pool, or Exploratory Area

11. County or Parish, State

Duchesne County, Utah

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other **Weekly status**

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

WEEKLY STATUS REPORT FOR WEEK OF 7/23/96 - 7/28/96:

Drilled 7 7/8" hole from 303'-6150' w/ Kenting Apollo, Rig #59. Set 6149.77' of 5 1/2" 15.5# J-55 csg. Cmt w/ 335 sx Hifill & 380 sx Thixo w/ 10% Calseal.

14. I hereby certify that the foregoing is true and correct

Signed

Cheryl Cameron

Title **Regulatory Compliance Specialist**

Date **7/29/96**

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date




July 30, 1996

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078

ATTENTION: Ed Forsman

Re: Travis Federal #1-33
NE/NE Sec. 33, T8S, R16E
Duchesne County, Utah

Tar Sands Federal #12-30
NW/SW Sec. 30, T8S, R17E
Duchesne County, Utah



Dear Ed,

Enclosed are the original and two copies (each) of the Sundry Notices and Reports on Wells; status reports for the above referenced locations. Copies will also be submitted to the State of Utah.

If additional information is needed, please contact me or Cheryl at (801)722-5103, in the Roosevelt office.

Sincerely,

Cori Brown
Secretary

cc: Attn: Frank Matthews
State of Utah
Division of Oil, Gas & Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

/cb
Enclosures

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas well ☐ Other

2. Name of Operator

Inland Production Company

3. Address and Telephone No.

P.O. Box 1446 Roosevelt, Utah 84066 (801)722-5103

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**NE/NE 660' FNL & 660' FEL
Sec. 33, T8S, R16E**

5. Lease Designation and Serial No.

U-34173

6. If Indian, Allottee or Tribe Name

7. If unit or CA, Agreement Designation

8. Well Name and No.

Travis Federal #1-33

9. API Well No.

43-013-31603

10. Field and Pool, or Exploratory Area

11. County or Parish, State

Duchesne County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION


☐ Abandonment ☐ Change of Plans
☐ Recompletion ☐ New Construction
☐ Plugging Back ☐ Non-Routine Fracturing
☐ Casing repair ☐ Water Shut-off
☐ Altering Casing ☐ Conversion to Injection
☒ Other Weekly Status ☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WEEKLY STATUS REPORT FOR WEEK OF 8/12/96 - 8/18/96:

**Perf B-2 sd @ 5348'-5353'
Perf C sd @ 5210'-5220'
Perf D-1 sd @ 5018'-5025', 5033'-5036'**



14. I hereby certify that the foregoing is true and correct

Signed

Cheryl Cameron
Cheryl Cameron

Title **Regulatory Compliance Specialist**

Date **8/21/96**

(This space of Federal or State office use.)

Approved by _____

Title _____

Date _____


Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to any department of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



August 22, 1996

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078



ATTENTION: Ed Forsman

Re: Tar Sands Federal #4-28
NW/NW Sec. 28, T8S, R17E

Tar Sands Federal #4-31
NW/NW Sec. 31, T8S, R17E

Tar Sands Federal #4-33
NW/NW Sec. 33, T8S, R17E

Travis Federal #1-33
NE/NE Sec. 33, T8S, R16E

Dear Ed,

Enclosed are the original and two copies (each) of the Sundry Notices and Reports on Wells; status reports for the other above referenced locations. Copies will also be submitted to the State of Utah.

If additional information is needed, please contact me or Cheryl at (801)722-5103, in the Roosevelt office.

Sincerely,

Cori Brown
Secretary

cc: Attn: Frank Matthews
State of Utah
Division of Oil, Gas & Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

/cb
Enclosures

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED

Budget Bureau No. 1004-0135

Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE**1. Type of Well**

☒ Oil Well ☐ Gas well ☐ Other

2. Name of Operator*Inland Production***3. Address and Telephone No.**

P.O. Box 1446 Roosevelt, UT 84066 (801) 722-5103

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

*NE/NE 660' FNL & 660' FEL
Sec. 33, T8S, R16E*

5. Lease Designation and Serial No.*U-34173***6. If Indian, Allottee or Tribe Name****7. If unit or CA, Agreement Designation****8. Well Name and No.***Travis Fed # 1-33***9. API Well No.***43-013- 31603***10. Field and Pool, or Exploratory Area****11. County or Parish, State***Duchesne, UT***12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA****TYPE OF SUBMISSION**

- ☐ Notice of Intent
- ☒ Subsequent Report
- ☐ Final Abandonment Notice


TYPE OF ACTION

- ☐ Abandonment
- ☐ Recompletion
- ☐ Plugging Back
- ☐ Casing repair
- ☐ Altering Casing
- ☒ Other Weekly Status
- ☐ Change of Plans
- ☐ New Construction
- ☐ Non-Routine Fracturing
- ☐ Water Shut-off
- ☐ Conversion to Injection
- ☐ Dispose Water

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directly drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

*Weekly Status Report for week of 8/19/96- 8/22/96
RIH w/ production string
On production 8/22/96*



14. I hereby certify that the foregoing is true and correct

Signed

Cheryl Cameron

Title

Regulatory Compliance Specialist

Date

(This space of Federal or State office use.)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to any department of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


Inland Production Co
TRAVIS FEDERAL #1-33
Sec 33; T85; R16E
POD

U-34173

10/3/96

43-013-31603

↑ NORTH




UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG



1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR

Inland Production Company

3. ADDRESS OF OPERATOR

P.O. Box 790233 Vernal, UT 84079 (801) 789-1866

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

NE/NE

At top prod. interval reported below

660' FNL & 660' FEL

At total depth

14. PERMIT NO.

DATE ISSUED

UT0806M047

3/5/96

15. DATE SPUDDED

16. DATE T.D. REACHED

17. DATE COMPL. (Ready to prod.)

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

19. ELEV. CASINGHEAD

7/20/96

7/28/96

8/22/96

5637' GR

20. TOTAL DEPTH, MD & TVD

21. PLUG. BACK T.D., MD & TVD

22. IF MULTIPLE COMPL., HOW MANY?

23. INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

6150'

6100'

Rotary

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

Green River

5348'-5353', 5357'-5363', 5210'-5220', 5018'-5025', 5033'-5036'

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

CBL, CNL, DLL

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	24#	290.69 GL	12 1/4	120 sx prem w/ 2% CC, 2% gel + 1/4#/sk flocele	
5 1/2	15.5#	6149.77	7 7/8	335 sx Hifill followed by Thixo w/ 10% Calseal	380 sx

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)

B-2 @ 5348'-5353', 5357'-5363'

C @ 5210'-5220'

D-1 @ 5018'-5025', 5033'-5036'

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
See Back	

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
8/22/96		Pumping - 2½" X 1½" X 15' RHAC Pump				producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
14 day Avg	9/96	N/A	→	25	47	3	1.9
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
		→					

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold & Used for fuel

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

Logs in Item #26

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Cheryl Cameron

TITLE Regulatory Compliance Specialist

DATE 10/4/96

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38.

GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Garden Gulch Mkr	4327'		#32.			
Point 3 Mkr	4584'					
X Mkr	4843'		Perf B sd 5348'-5353', 5357'-5363'			
Y Mkr	4875'		Frac w/ 56,600# 20/40 sd in 364 bbls gel			
Douglas Ck Mkr	4995'					
Bicarbonate Mkr	5261'		Perf C sd 5210'-5220'			
B Limestone Mkr	5376'		Frac w/ 63,800# 20/40 sd in 369 bbls gel			
Castle Peak	5905'					
Basal Carbonate	NDE		Perf D-1 sd 5018'-5025', 5033'-5036'			
			Frac w/ 63,900# 20/40 sd in 383 bbls gel			



October 14, 1996

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078

ATTENTION: Ed Forsman

RE: S. Pleasant Valley Federal #9-19
Tar Sands Federal #1-33
Tar Sands Federal #12-30

Ashley Federal #12-24R
Tar Sands Federal #4-31

Dear Ed,

Enclosed is the original, and two copies (each) of the Well Completion or Recompletion Report And Log, for the above referenced locations. Copies of the reports, and logs will also be submitted to the State of Utah.


Please contact me in the Vernal Branch office (801) 789-1866 (P.O. Box 790233, Vernal, UT, 84079, if you have any questions, or need additional information.

Sincerely,

Cheryl Cameron
Regulatory Compliance Specialist

cc: Attn: Vicky Dyson & Frank Matthews
State of Utah
Division of Oil Gas & Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Enclosures



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Amended (2) per Operator
SUBMIT IN DATE*
(See other instructions on reverse side)

AMENDED
Form approved
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

5. LEASE DESIGNATION AND SERIAL NO.

U-34173

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Travis Federal

9. WELL NO.

#1-33

10. FIELD AND POOL, OR WILDCAT

TRAVIS

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 33, T8S, R16E

12. COUNTY OR PARISH

Duchesne

13. STATE

UT

19. ELEV. CASINGHEAD

14. PERMIT NO.

UT0806M047

DATE ISSUED

3/5/96

15. DATE SPUDDED

7/20/96

16. DATE T.D. REACHED

7/28/96

17. DATE COMPL. (Ready to prod.)

8/22/96

18. ELEVATIONS (OF. RKB, RT, GR, ETC.)*

5637' GR

20. TOTAL DEPTH, MD & TVD

6150'

21. PLUG, BACK T.D., MD & TVD

6100'

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

ROTARY TOOLS

Rotary

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

5348'-5353', 5357'-5363', 5210'-5220', 5018'-5025', 5033'-5036' Green River

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

CBL, CNL, DLL 10-17-96

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	24#	290.69 GL	12 1/4	120 sx prem w/ 2% CC, 2% gel + 1/4# sk flocele	
5 1/2	15.5#	6149.77	7 7/8	335 sx Hifill followed by Thixo w/ 10% Calseal	380 sx

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)

B-2 @ 5348'-5353', 5357'-5363'
C @ 5210'-5220'
D-1 @ 5018'-5025', 5033'-5036'

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
See Back	

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
8/22/96		Pumping - 2½" X 1½" X 15' RHAC Pump				producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
14 day Avg	9/96	N/A	→	25	47	RECEIVED	9
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.		
		→					

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold & Used for fuel

35. LIST OF ATTACHMENTS

Logs in Item #26

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Cheryl Cameron

TITLE Regulatory Compliance Specialist

DATE 10/4/96

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38.


GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Garden Gulch Mkr	4327'		#32.			
Point 3 Mkr	4584'					
X Mkr	4843'		Perf B sd 5348'-5353', 5357'-5363'			
Y Mkr	4875'		Frac w/ 56,600# 20/40 sd in 364 bbls gel			
Douglas Ck Mkr	4995'					
Bicarbonate Mkr	5261'		Perf C sd 5210'-5220'			
B Limestone Mkr	5376'		Frac w/ 63,800# 20/40 sd in 369 bbls gel			
Carb Peak	5905'					
Basal Carbonate	NDE		Perf D-1 sd 5018'-5025', 5033'-5036'			
			Frac w/ 63,900# 20/40 sd in 383 bbls gel			



October 18, 1996

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078



ATTENTION: Ed Forsman

RE: Travis Federal #1-33
NENE Sec. 33, T8S, R16E
Duchesne County, Utah

Dear Ed,

Enclosed are three copies of the AMENDED Well Completion or Recompletion Report and Log, for the Travis Federal #1-33. Copies will also be submitted to the State of Utah.

Please contact me in the Vernal Branch office (801) 789-1866 (P.O. Box 790233, Vernal, UT, 84079, if you have any questions, or need additional information.

Sincerely,

Cheryl Cameron
Regulatory Compliance Specialist

cc: Frank Matthews
State of Utah
Division of Oil Gas & Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Enclosures

INLAND PRODUCTION CO


TRAVIS FEDERAL #1-33

SEC 33; T8S; R16E

U-34173

POW

43-013-




11/18/96

ASL



November 26, 1996



State of Utah
Division of Oil Gas & Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

ATTENTION: Dan Jarvis

RE: Travis Federal #1-33
Lease No. U-34173

Dear Dan,

Enclosed is the Application For Approval of Class II Injection Well, for the Travis Federal #1-33. A copy will also be submitted to the Bureau of Land Management, (surface owner). Included is the Sundry Notice and Reports on Wells, requesting authorization to convert the #1-33 from a producing well to a Class II injection well.

Please contact me in the Vernal branch office, (801) 789-1866, P.O.Box 790233, Vernal, UT 84079, if you have questions, or need additional information.

Sincerely,

Cheryl Cameron
Regulatory Compliance Specialist

Attn: Ed Forsman
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078

Enclosures

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED

Budgeted Bureau No. 1004-0135

Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas well ☐ Other

2. Name of Operator

Inland Production Company

3. Address and Telephone No.

P.O. Box 790233 Vernal, UT 84079 Phone No. (801) 789-1866

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NE/NE Sec. 33, T8S, R16E

5. Lease Designation and Serial No.

U-34173

6. If Indian, Allottee or Tribe Name

7. If unit or CA, Agreement Designation

8. Well Name and No.

Travis Federal #1-33

9. API Well No.

43-013-31603

10. Field and Pool, or Exploratory Area

Travis

11. County or Parish, State

Duchesne, UT

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

- ☒ Notice of Intent
- ☐ Subsequent Report
- ☐ Final Abandonment Notice


- ☐ Abandonment
- ☐ Recompletion
- ☐ Plugging Back
- ☐ Casing repair
- ☐ Altering Casing
- ☐ Other _____

- ☐ Change of Plans
- ☐ New Construction
- ☐ Non-Routine Fracturing
- ☐ Water Shut-off
- ☒ Conversion to Injection
- ☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Inland Production Company requests authorization to convert the Travis Federal #1-33 from a producing well to a Class II injection well.



14. I hereby certify that the foregoing is true and correct

Signed

Cheryl Cameron

Title

Regulatory Compliance Specialist

Date

11/26/96

(This space of Federal or State office use.)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to any department of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED

Budgeted Bureau No. 1004-0135

Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas well ☐ Other

2. Name of Operator

Inland Production Company

3. Address and Telephone No.

P.O. Box 790233 Vernal, UT 84079 Phone No. (801) 789-1866

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NE/NE Sec. 33, T8S, R16E

5. Lease Designation and Serial No.

U-34173

6. If Indian, Allottee or Tribe Name

7. If unit or CA, Agreement Designation

8. Well Name and No.

Travis Federal #1-33

9. API Well No.

43-013-31603

10. Field and Pool, or Exploratory Area

Travis

11. County or Parish, State

Duchesne, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
- ☐ Subsequent Report
- ☐ Final Abandonment Notice


TYPE OF ACTION

- ☐ Abandonment
- ☐ Recompletion
- ☐ Plugging Back
- ☐ Casing repair
- ☐ Altering Casing
- ☐ Other _____
- ☐ Change of Plans
- ☐ New Construction
- ☐ Non-Routine Fracturing
- ☐ Water Shut-off
- ☒ Conversion to Injection
- ☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directly drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Inland Production Company requests authorization to convert the Travis Federal #1-33 from a producing well to a Class II injection well.



14. I hereby certify that the foregoing is true and correct

Signed

Cheryl Cameron

Title

Regulatory Compliance Specialist

Date

11/26/96

(This space of Federal or State office use.)

Approved by _____

Title _____

Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to any department of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas well ☐ Other

2. Name of Operator

Inland Production Company

3. Address and Telephone No.

P.O. Box 790233 Vernal, UT 84079 Phone No. (801) 789-1866

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NE/NE Sec. 33, T8S, R16E

5. Lease Designation and Serial No.

U-34173

6. If Indian, Allottee or Tribe Name

7. If unit or CA, Agreement Designation

8. Well Name and No.

Travis Federal #1-33

9. API Well No.

43-013-31603

10. Field and Pool, or Exploratory Area

Travis

11. County or Parish, State

Duchesne, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
- ☐ Subsequent Report
- ☐ Final Abandonment Notice


TYPE OF ACTION

- ☐ Abandonment
- ☐ Recompletion
- ☐ Plugging Back
- ☐ Casing repair
- ☐ Altering Casing
- ☐ Other _____
- ☐ Change of Plans
- ☐ New Construction
- ☐ Non-Routine Fracturing
- ☐ Water Shut-off
- ☒ Conversion to Injection
- ☐ Dispose Water

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

*Inland Production Company requests authorization to convert the Travis Federal #1-33
from a producing well to a Class II injection well.*



14. I hereby certify that the foregoing is true and correct

Signed

Cheryl Cameron

Title

Regulatory Compliance Specialist

Date

11/26/96

(This space of Federal or State office use.)

Approved by _____

Title _____

Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to any department of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

INLAND PRODUCTION COMPANY

APPLICATION FOR APPROVAL OF CLASS II INJECTION WELL

TRAVIS FEDERAL #1-33

LEASE NO. U-34173

NOVEMBER 8, 1996

APPLICATION FOR INJECTION WELL - UIC FORM 1

OPERATOR Inland Production Company
ADDRESS P.O. Box 790233 Vernal, UT 84079

Well name and number: Travis Federal #1-33

Field or Unit name: Travis Lease no. U-34173

Well location: QQ NENE section 33 township 8S range 16E county Duchesne

Is this application for expansion of an existing project? . Yes ☒ No ☐

Will the proposed well be used for:

Enhanced Recovery?	Yes ☒	No ☐
Disposal?	Yes ☐	No ☒
Storage?	Yes ☐	No ☒

Is this application for a new well to be drilled? Yes ☐ No ☒

If this application is for an existing well,
has a casing test been performed on the well? Yes ☐ No ☒

Date of test: At time of conversion

API number: 43-013-31603

Proposed injection interval from 4300' to 6000'

Proposed maximum injection: rate 1000 BPD pressure 2000# psig

Proposed injection zone contains ☐ oil, ☐ gas, and/or ☐ fresh water within 1/2 mile of the well.

IMPORTANT: Additional information as required by R615-5-2 should accompany this form.

List of Attachments: Exhibits "A" through "F-1"

I certify that this report is true and complete to the best of my knowledge.

Name Brad Mechem
Title District Manager
Phone No. (801) 722-5103


Signature Brad Mechem
Date 11/13/96

(State use only)

Application approved by _____ Title _____

Approval Date _____

Comments:



REQUIREMENTS FOR INJECTION OF FLUIDS INTO RESERVOIRS
RULE R615-5-1

- 1) Operations to increase ultimate recovery, such as cycling of gas, the maintenance of pressure, the introduction of gas, water or other substances into a reservoir for the purpose of secondary or other enhanced recovery or for storage and the injection of water into any formation for the purpose of water disposal shall be permitted only by order of the Board after notice and hearing.
- 2) A request for agency action for authority for the injection of gas, liquefied petroleum gas, air, water or any other medium into any formation for any reason, including but not necessarily limited to the establishment of or the expansion of waterflood projects, enhanced recovery projects, and pressure maintenance projects shall contain:

2.1. *The name and address of the operator of the project;*

Answer: Inland Production Company
P.O. Box 1446
W. Poleline Road
Roosevelt, Utah 84066

2.2. *A plat showing the area involved and identifying all wells, including all proposed injection wells, in the project area and within one-half mile radius of the project area;*

Answer: Reference Exhibit "A".

2.3. *A full description of the particular operation for which approval is requested;*

Answer: To approve the conversion of the Travis Federal #1-33 from a producing oil well to a water injection well in the Travis field; and to approve the installation of an injection line from the Monument Butte Federal #3-34 to the Travis Federal #1-33 with a 3" coated steel line approximately 2600' and buried 5' deep, in order to transfer water to the Travis Federal #1-33 from our proposed water line at the Monument Butte Federal #3-34. Reference Exhibit "B".

2.4. *A description of the pools from which the identified wells are producing or have produced;*

Answer: The proposed injection well will inject into the Green River Formation.

2.5. *The names, description and depth of the pool or pools to be affected;*

Answer: The Green River Formation pool targeted for injection is the B-2, C, and the D-1 sands with a gamma ray derived top as follows: In the #1-33 "B-2" sand @ 5348'; "C" sand @ 5210'; "D-1" sand @ 5018'. The injection zones are a porous and permeable lenticular calcareous sandstone. The porosity of the sandstone is intergranular. The confining impermeable stratum directly above and below the injection zones are composed of tight, moderately calcareous lacustrine shale.

2.6. *A copy of a log of a representative well completed in the pool;*

Answer: Referenced log Travis Federal #1-33 is currently on file with the Utah Division of Oil, Gas & Mining and the Bureau of Land Management.

- 2.7. *A statement as to the type of fluid to be used for injection, its source and the estimated amounts to be injected daily;*

Answer: Culinary water from Monument Butte Federal #5-35 supply line.
Estimated Injection Rate: 200-400 BPD

- 2.8. *A list of all operators or owners and surface owners within a one-half mile radius of the proposed project;*

Answer: Reference Exhibit "C".

- 2.9. *An affidavit certifying that said operators or owners and surface owners within a one-half mile radius have been provided a copy of the petition for injection;*

Answer: Reference Exhibit "D".

- 2.10. *Any additional information the Board may determine is necessary to adequately review the petition.*

Answer: Inland will supply any additional information requested by the Bureau of Land Management, or the Utah Division of Oil, Gas & Mining.

- 4.0. *Establish recovery projects may be expanded and additional wells placed on injection only upon authority from the board after notice and hearing or by administrative approval.*

Answer: This proposed injection well is within the Travis Field and the request is for administrative approval.

**REQUIREMENTS FOR CLASS II INJECTION WELLS INCLUDING WATER DISPOSAL, STORAGE
AND ENHANCED RECOVERY WELLS
SECTION V - RULE 615-5-2**

- 1) Injection well shall be completed, equipped, operated, and maintained in a manner that will prevent pollution and damage to any USDW, or other resources and will confine injected fluids to the interval approved.
- 2) The application for an injection well shall include a properly completed Form DOGM-UIC-1 and the following:

2.1. *A plat showing the location of the injection well, all abandoned or active wells within a one-half mile radius of the proposed wells, and the surface owner and the operator of any lands or producing leases, respectively, within a one-half mile radius of the proposed injection well;*

Answer: Reference Exhibits "A" and "C".

2.2. *Copies of electrical or radioactive logs, including gamma ray logs, for the proposed well run prior to the installation of casing and indicating resistivity, spontaneous potential, caliper and porosity;*

Answer: All logs are currently on file with the Utah Division of Oil, Gas & Mining, and the Bureau of Land Management.

2.3. *A copy of a cement bond or comparable log run for the proposed injection well after casing was set and cemented;*

Answer: A copy of the cement bond log is on file with the Bureau of Land Management, and with the Utah Division of Oil, Gas & Mining

2.4 *Copies of log already on file with the Division should be referenced, but need not to be refiled.*

Answer: All copies are on file with the Bureau of Land Management, and the Utah Division of Oil, Gas & Mining.

2.5 *A description of the casing or proposed casing program of the injection well and of the proposed method for testing the casing before use of the well;*

Answer: The casing program is New 8-5/8" 24# J-55 surface casing run to 290.69' GL, and 5 1/2" casing from surface to 6149.77'. A casing integrity test is to be conducted at time of conversion. Reference Exhibits "E-1" through "E-12".

2.6. *A statement as to the type of fluid to be used for injection, its source and estimated amounts to be injected daily.*

Answer: Culinary water from our pre approved Monument Butte supply line. Reference Exhibit "B". Estimated Injection Rate: 200-400 BPD

2.7. *Standard laboratory analysis of the fluid to be injected, the fluid in the formation into which the fluid is being injected, and the compatibility of the fluids.*

Answer: Reference Exhibit "F" and "F-1" (Samples taken from the Travis Federal #1-33, Monument Butte Federal #5-35 Injection Station, and the compatibility of both fluids).

2.8. *The proposed average and maximum injection pressures;*

Answer: Average Injection Pressure will be determined upon conversion by a Step Rate Test. Maximum injection pressure 2000#.

2.9. *Evidence and data to support a finding that the proposed injection well will not initiate fractures through the overlying strata or a confining interval that could enable the injected fluid or formation fluid to enter the fresh water strata;*

Answer: The frac gradients for the Travis Federal #1-33 averages approximately is 0.89 psig/ft. The maximum injection pressures will be kept below this gradient. A step rate test will be performed periodically to ensure we are below parting pressure.

2.10. *Appropriate geological data on the injection interval and confining beds, including the geologic name, lithologic description, thickness, depth, and lateral extent;*

Answer: The injection zone is from 4300' - 6000', found with the Green River Formation. The reservoirs are a very fine grain sandstone with minor interbedded shale streaks. The top of the "D-1" estimated at approximately 5018'. The estimated average porosity is 14%; the estimated fracture pressure is 2100# psi.

The porous and permeable lenticular sandstones vary in thickness from 0' to 40' and are confined to the Travis Field by low porosity calcareous shale and carbonates.

The confining stratum directly above and below the injection zone is the Douglas Creek member of the Green River Formation. The strata confining the injection zone is composed of tight, moderately calcareous sandy lacustrine shale. All of the confining strata is impermeable and it will effectively seal off the oil, gas, and water of the injection zone from any strata directly above or below it. Maps and cross sections to the Travis Unit are on file with the Division of Oil, Gas & Mining and also with the U. S. Bureau of Land Management.

2.11. *A review of the mechanical condition of each well within a one-half mile radius of the proposed injection well to assure that no conduit exists that could enable fluids to migrate up or down the wellbore and enter improper intervals;*

Answer: Exhibits "E-1" through "E-12".

The injection system will be equipped with high and low pressure shut-down devices which will automatically shut-in injection waters if a system blockage or leakage occurs. One way check valves will also insure proper flow management. Relief valves will also be utilized for high pressure relief.

2.12. *An affidavit certifying that a copy of the application has been provided to all operators or owners, and surface owners within a one-half mile radius of the proposed injection well;*

Answer: Exhibit "D".

2.13. *Any other additional information that the Board or Division may determine is necessary to adequately review the application.*

Answer: Inland Production Company will await review of this application and additional information will be submitted if required.

3) Applications for injection wells which are within a recovery project area will be considered for approval.

3.1. Pursuant to Rule 615-5-1-3

3.2. Subsequent to Board approval of a recovery project pursuant to Rule 615-5-1-3.

4) Approval of an injection well is subject to the requirements of Rule 615-5-4, if the proposed injection interval can be classified as an USDW.

5) In addition to the requirements of this section, the provisions of Rule 615-3-1, R615-3-4, R615-3-24, R615-3-32, R615-8-1 and R615-10 apply to all Class II injection wells.

INLAND PRODUCTION COMPANY

**Travis Federal #1-33
Sec. 33, T8S, R16E
Duchesne County, Utah**

PLUGGING & ABANDONMENT PLAN

The plugging and abandonment plan consists of the following plugs:

- PLUG #1:** Set 200' plug from 3650' - 3850' w/ 30 sx cmt
- PLUG #2:** Set 200' plug from 2400' - 2200' w/ 30 sx cmt
- PLUG #3:** Set 100' plug from 353' - 253' w/ 15 sx cmt
- PLUG #4:** Set 10 sx cmt plug from 50' - Surface

EXHIBIT "A"





EXHIBIT "B"



Legend

- Existing Well
- ⚡ Existing Injector
- Water Line
- - - Proposed Water Line



475 13th Street, Suite 1500
 Denver, Colorado 80202
 Phone: (303) 292-0900

Proposed Injector
 Travis Unit #1-33
 Duchesne County, Utah

Date 11/13/96

J/A

EXHIBIT "C"

**SURFACE OWNERS, OWNERS AND OPERATORS WITHIN A ONE-HALF MILE RADIUS OF THE
TRAVIS FEDERAL #1-33.**

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, Utah 84078

EXHIBIT "D"


RE: Application for Approval of Class II Injection Well
Travis Federal #1-33.

I certify that a copy of the application has been provided to all surface owners within a one-half mile radius of the proposed injection well.


INLAND PRODUCTION COMPANY
Brad Mecham
District Manager

Sworn to and subscribed before me this 22 day of November 1996.


Notary Public in and for the State of Utah



Travis Federal Unit #1-33

Spud Date: 7/24/96
 Put on Production: 8/22/96
 GL: 5635' KB: 5648'

Initial Production: 25 BOPD,
 47 MCFPD, 3 BWPD

Wellbore Diagram

SURFACE CASING

CSG SIZE: 8-5/8"
 GRADE: J-55
 WEIGHT: 24#
 LENGTH: 292.29' (7 jts.)
 DEPTH LANDED: 290.69' GL
 HOLE SIZE: 12-1/4"
 CEMENT DATA: 120 sxs Premium cmt, est 4 bbls to surf.

PRODUCTION CASING

CSG SIZE: 5-1/2"
 GRADE: J-55
 WEIGHT: 15.5#
 LENGTH: 144 jts. (6157.76')
 DEPTH LANDED: 6149.77'
 HOLE SIZE: 7-7/8"
 CEMENT DATA: 335 sk Hyfill mixed & 380 sxs thixotropic
 CEMENT TOP AT: Surface per CBL

TUBING

SIZE/GRADE/WT.: 2-7/8" / M-50 / 6.5#
 NO. OF JOINTS: 194 jts (?)
 TUBING ANCHOR: 5002'
 SEATING NIPPLE: 2-7/8" (1.10')
 TOTAL STRING LENGTH: ? (EOT @ 5477')
 SN LANDED AT: 5350'

SUCKER RODS

POLISHED ROD: 1-1/2" x 22' polished
 SUCKER RODS: 4-3/4" scraped, 105-3/4" slick rods, 961-3/4" scraped
 TOTAL ROD STRING LENGTH: ?
 PUMP NUMBER: ?
 PUMP SIZE: 1-2-1/2" x 1-1/2" x 15 RHAC pump
 STROKE LENGTH: 74"
 PUMP SPEED, SPM: 8 SPM
 LOGS: Dual Laterlog, GR, SP, Spectral Density-Dual Spaced Neutron, CBL-GR

FRAC JOB

8/14/96 5348'-5363' **Frac B-2 sand as follows:**
 56,600# of 20/40 sand in 364 bbls of Boragel. Breakdown @ 2920 psi. Treated @ avg rate of 18 bpm w/avg press of 2200 psi. ISIP- 2456, 5-min 2426 psi. Flowback on 12/64" ck for 3 hrs and died.

8/16/96 5210'-5220' **Frac C sand as follows:**
 63,800# of 20/40 sand in 369 bbls of Boragel. Breakdown @ 2025 psi. Treated @ avg rate of 21 bpm w/avg press of 3000 psi. Well screened off w/984 gal left in flush. Est sand displ: 57,400# in formation, 4400# in csg. ISIP 4185 psi, 5-min 4033 psi. Flowback on 12/64" ck for 15 min and died.

8/19/96 5018'-5036' **Frac D-1 sand as follows:**
 63,900# of 20/40 sand in 383 bbls of Boragel. Breakdown @ 2411 psi. Treated @ avg rate of 25.5 bpm w/avg press of 2600 psi. ISIP-3182 psi, 5-min 3088 psi. Flowback on 12/64" ck for 2-1/2 hrs and died.

PERFORATION RECORD

8/13/96	5348'-5353'	4 JSPF	24 holes
8/13/96	5357'-5363'	4 JSPF	28 holes
8/15/96	5210'-5220'	4 JSPF	40 holes
8/17/96	5018'-5025'	4 JSPF	28 holes
8/17/96	5033'-5036'	4 JSPF	12 holes



Anchor @ 5002'

5018'-25'
5033'-36'

5210'-20'

5348'-53'
5357'-63'SN @ 5350'
EOT @ 5477'
Sand PBTD @ 5800'
PBTD @ 6100'
TD @ 6350'

Inland Resources Inc.

Travis Federal Unit #1-33

660 FEL 660 FNL

NENE Section 33-T8S-R16E

Duchesne Co, Utah

API #43-013-31603; Lease #U-34173

Travis Federal Unit #1-33

Spud Date: 7/24/96
Put on Injection: --/--/--
GL: 5635' KB: 5648'

Initial Production: 25 BOPD,
47 MCFPD, 3 BWPD

Injection Diagram

SURFACE CASING

CSG SIZE: 8-5/8"
GRADE: J-55
WEIGHT: 24#
LENGTH: 292.29' (7 jts.)
DEPTH LANDED: 290.69' GL
HOLE SIZE: 12-1/4"
CEMENT DATA: 120 sxs Premium cmt, est 4 bbls to surf.

PRODUCTION CASING

CSG SIZE: 5-1/2"
GRADE: J-55
WEIGHT: 15.5#
LENGTH: 144 jts. (6157.76')
DEPTH LANDED: 6149.77'
HOLE SIZE: 7-7/8"
CEMENT DATA: 335 sk Hyfill mixed & 380 sxs thixotropic
CEMENT TOP AT: Surface per CBL

TUBING

SIZE/GRADE/WT.:
NO. OF JOINTS:
TUBING ANCHOR:
SEATING NIPPLE:
TOTAL STRING LENGTH:
SN LANDED AT:

SUCKER RODS

POLISHED ROD:
SUCKER RODS:
TOTAL ROD STRING LENGTH:
PUMP NUMBER:
PUMP SIZE:
STROKE LENGTH:
PUMP SPEED, SPM:
LOGS: Dual Laterlog, GR, SP, Spectral Density-Dual Spaced Neutron, CBL-GR

FRAC JOB

8/14/96 5348'-5363' **Frac B-2 sand as follows:**
56,600# of 20/40 sand in 364 bbls of
Boragel. Breakdown @ 2920 psi. Treated @
avg rate of 18 bpm w/avg press of 2200 psi.
ISIP- 2456, 5-min 2426 psi. Flowback on
12/64" ck for 3 hrs and died.

8/16/96 5210'-5220' **Frac C sand as follows:**
63,800# of 20/40 sand in 369 bbls of
Boragel. Breakdown @ 2025 psi. Treated @
avg rate of 21 bpm w/avg press of 3000 psi.
Well screened off w/984 gal left in flush.
Est sand displ: 57,400# in formation, 4400#
in csg. ISIP 4185 psi, 5-min 4033 psi.
Flowback on 12/64" ck for 15 min and died.

8/19/96 5018'-5036' **Frac D-1 sand as follows:**
63,900# of 20/40 sand in 383 bbls of
Boragel. Breakdown @ 2411 psi. Treated @
avg rate of 25.5 bpm w/avg press of 2600
psi. ISIP-3182 psi, 5-min 3088 psi.
Flowback on 12/64" ck for 2-1/2 hrs and
died.

PERFORATION RECORD

8/13/96	5348'-5353'	4 JSPF	24 holes
8/13/96	5357'-5363'	4 JSPF	28 holes
8/15/96	5210'-5220'	4 JSPF	40 holes
8/17/96	5018'-5025'	4 JSPF	28 holes
8/17/96	5033'-5036'	4 JSPF	12 holes

Packer @ 4980'

5018'-25'
5033'-36'

5210'-20'

5348'-53'
5357'-63'

SN @ 5350'
EOT @ 5477'
Sand PBTD @ 5800'
PBTD @ 6100'
TD @ 6350'



Inland Resources Inc.

Travis Federal Unit #1-33

660 FEL 660 FNL

NENE Section 33-T8S-R16E

Duchesne Co, Utah

API #43-013-31603; Lease #U-34173

Travis Federal Unit #1-33

Spud Date: 7/24/96
 Plugged: --/--/--
 GL: 5635' KB: 5648'

Initial Production: 25 BOPD,
 47 MCFPD, 3 BWPD

Plugging Diagram

SURFACE CASING

CSG SIZE: 8-5/8"
 GRADE: J-55
 WEIGHT: 24#
 LENGTH: 292.29' (7 jts.)
 DEPTH LANDED: 290.69' GL
 HOLE SIZE: 12-1/4"
 CEMENT DATA: 120 sxs Premium cmt, est 4 bbls to surf.

PRODUCTION CASING


CSG SIZE: 5-1/2"
 GRADE: J-55
 WEIGHT: 15.5#
 LENGTH: 144 jts. (6157.76')
 DEPTH LANDED: 6149.77'
 HOLE SIZE: 7-7/8"
 CEMENT DATA: 335 sk Hyfill mixed & 380 sxs thixotropic
 CEMENT TOP AT: Surface per CBL

TUBING

SIZE/GRADE/WT.:
 NO. OF JOINTS:
 TUBING ANCHOR:
 SEATING NIPPLE:
 TOTAL STRING LENGTH:
 SN LANDED AT:

SUCKER RODS

POLISHED ROD:
 SUCKER RODS:
 TOTAL ROD STRING LENGTH:
 PUMP NUMBER:
 PUMP SIZE:
 STROKE LENGTH:
 PUMP SPEED, SPM:
 LOGS: Dual Laterlog, GR, SP, Spectral Density-Dual Spaced Neutron, CBL-GR



Inland Resources Inc.

Travis Federal Unit #1-33

660 FEL 660 FNL

NENE Section 33-T8S-R16E

Duchesne Co, Utah


API #43-013-31603; Lease #U-34173

Travis Federal #2-33

Wellbore Diagram

Well History:

5-31-83	Spud Well
6-23-83	Perf: 5,963'-5,966', 5,936', 5,934' 5,932', 5,930', 5,923'-5,927'
6-24-83	Frac CP zone as follows: Totals 27,690 gal, 97,520# 20/40 sd Max TP 2,850 @ 31 BPM
6-29-83	Perf: 5,753'-5,773', 5,747'-5,751' 5,729'-5,733', 5,707'-5,711'
7-1-83	Frac LODC zone as follows: Totals, 51,000 gals, 172,000# 20/40sd
2-29-84	Perf: 5,597'-5,647', 4,468'-4,525'
3-1-84	Frac GB zone as follows: Totals 18,800 gal, 45,500# 20/40sd ATP 4,100, AIR 21 BPM



Inland Resources Inc.

Travis Federal #2-33

751 FNL 2169 FEL

NWNE Section 33-T8S-R16E

Duchesne Co, Utah


API #43-013-30749; Lease #U-34173

Monument Butte Federal #3-34

Wellbore Diagram

Well History:

10-10-95	Spud Well
12-6-95	Perf: 5,994'-6,000', 6,002'-6,008', 6,054'-6,058'
12-7-95	Frac CP zone as follows: Totals 775 bbls Boragel 111,300# 20/40 sd ISIP 2,017, after 5 min 1,935
12-8-95	Perf: 5,746'-5,768'
12-9-95	Frac LDC zone as follows: Totals 592 bbls Boragel 79,100# 20/40 sd Avg TP 2,200 @ 31 BPM ISIP 2,489, after 5 min 2,340
12-10-95	Perf: 5,210'-5,217'
12-12-95	Frac C zone as follows: Totals 424 bbls Boragel 47,600# 20/40 sd Avg TP 1,950 @ 20 BPM ISIP 2,484, after 5 min 2,441
12-13-95	Perf: 5,047'-5,052', 5,084'-5,089'
12-14-95	Frac D zone as follows: Totals 551 bbls Boragel 64,700# 20/40 sd Avg TP 2,220 @ 31 BPM ISIP 2,615, after 5 min 2,747



Inland Resources Inc.

Monument Butte Federal #3-34

1980 FWL 660 FNL

SWNW Section 34-T8S-R16E


Duchesne Co, Utah

API #43-013-31518; Lease #U-62848

Monument Butte Federal #5-34

Wellbore Diagram

Well History:



Inland Resources Inc.

Monument Butte Federal #5-34

1980 FNL 660 FWL

SWNW Section 34-T8S-R16E

Duchesne Co, Utah


API #43-013-31499; Lease #U-16353

Travis Federal #10-28

Wellbore Diagram

Well History:

5-19-84	Spud Well
6-14-84	Perf: 5,616'-5,623', 5,664'-5,677'
6-15-84	Frac LODC zone and as follows: Totals 18,800 gals, 72,900# 20/40 sd Max TP 3,000 @ 27 BPM Avg TP 2,400 @ 26 BPM ISIP 1,420, after 5 min 1,230
6-20-84	Perf: 5,422'-5,426', 5,430'-5,435'
6-22-84	Frac A-1 zone as follows: Total 18,800 gal, 43,900# 20/40 sd ATP 2,400, AIR 26 BPM
6-28-84	Perf: 5,294'-5,304'
6-29-84	Frac B-2 zone as follows: Totals 22,500 gal, 70,000# 20/40sd Max TP 3,000 @ 25 BPM ISIP 1,850, after 5 min 1,580
5-13-93	Perf: 5,080'-5,088'
5-14-93	Frac D-2 zone as follows: Totals 11,600 gal, 32,000# 16/30sd left 12,000# in csg Max TP 4,000 @ 25 BPM Avg TP 2,700 @ 25 BPM ISIP 3,000, after 5 min 2,600



Inland Resources Inc.

Travis Federal #10-28

1697 FSL 1984 FEL

NWSE Section 28-T8S-R16E

Duchesne Co, Utah

API #43-013-30856; Lease #SL-071572A

Travis Federal #14A-28

Injection Well

Wellbore Diagram

Well History:

10-5-92 Spud Well

12-1-92 Perf: 5,666'-5,670'

12-2-92 Squeeze LODC zone and as follows:
Squeezed with 100 sks"G" cement


12-4-92 Perf: 5,590'-5,598'

12-10-92 Frac LODC zone as follows:
Total 8,400 gal, 22,300# 16/30 sd
Max TP 2,800 @ 20 BPM
Avg TP 2,100 @ 20 BPM
ISIP 2,050, after 5 min. 2,000

12-16-92 Perf: 5,046'-5,054'

12-17-92 Frac D-2 zone as follows:
Totals 13,200 gal, 33,000# 16/30sd
Max TP 5,000 @ 20 BPM
Avg TP 2,200 @ 19 BPM
ISIP 2,500, after 5 min. 2,350

10-13-93 Converted to Water Injector



Inland Resources Inc.

Travis Federal #14A-28

2273 FWL 107 FSL

SESW Section 28-T8S-R16E

Duchesne Co, Utah

API #43-013-31372; Lease #SL-071572A


Travis Federal #15-28

Injection Well

Wellbore Diagram

Well History:

8-19-83	Spud Well
9-15-83	Perf: 5,583', 5,590', 5,593'-5,601' 5,604'-5,609', 5,676'-5,682' 5,695'-5,731'
9-20-83	Frac LODC zone as follows: Totals, 84,640 gals, 303,120# 20/40sd Max TP 3,500 @ 60 BPM Avg TP 2,800 @ 60 BPM ISIP 1900, after 5 min 1,810
12-20-91	Convert To a Water Injector



Inland Resources Inc.

Travis Federal #15-28

2058 FEL 595 FSL

SWSE Section 28-T8S-R16E

Duchesne Co, Utah

API #43-013-30779; Lease #U-26026A

Travis Federal Unit #16-28

Spud Date: 7/31/96
Put on Production: 10/3/96
GL: 5592' KB: 5605'

Initial Production: ? BOPD, ?
MCFPD, ? BWPD

Wellbore Diagram

SURFACE CASING

CSG SIZE: 8-5/8"
GRADE: J-55
WEIGHT: 24#
LENGTH: 295.23' (7 jts.)
DEPTH LANDED: 293.63' GL
HOLE SIZE: 12-1/4"
CEMENT DATA: 120 sxs Premium cmt, est 7 bbls to surf.

PRODUCTION CASING

CSG SIZE: 5-1/2"
GRADE: J-55
WEIGHT: 15.5#
LENGTH: 146 jts. (6204.94')
DEPTH LANDED: 6200.94'
HOLE SIZE: 7-7/8"
CEMENT DATA: 370 sk Hybond mixed & 380 sxs thixotropic
CEMENT TOP AT: Surface per CBL

TUBING

SIZE/GRADE/WT.: 2-7/8" / M-50 / 6.5#
NO. OF JOINTS: 197 jts (?)
TUBING ANCHOR: 5613'
SEATING NIPPLE: 2-7/8" (1.10')
TOTAL STRING LENGTH: ? (EOT @ 5898')
SN LANDED AT: 5647'

SUCKER RODS

POLISHED ROD: 1-1/2" x 22' polished
SUCKER RODS: 4-3/4" scraped, 117-3/4" plain rods, 96-3/4" scraped
TOTAL ROD STRING LENGTH: ?
PUMP NUMBER: ?
PUMP SIZE: 1-1/2" RHAC pump
STROKE LENGTH: 74"
PUMP SPEED, SPM: 7 SPM
LOGS: Dual Laterlog, GR, SP, Spectral Density-Dual Spaced Neutron, CBL-GR

FRAC JOB


9/25/96 5668'-5786' **Frac L ODC sand as follows:**
110,300# of 20/40 sand in 586 bbls of Boragel. Breakdown @ 2600 psi. Treated @ avg rate of 41.5 bpm w/avg press of 2900 psi. ISIP-3312 psi, 5-min 3227 psi. Flowback on 12/64" ck for 5 hours and died.

9/27/96 5504'-5507' **Frac A-3 sand as follows:**
61,300# of 20/40 sand in 403 bbls of Boragel. Breakdown @ 2957 psi. Treated @ avg rate of 18.5 bpm w/avg press of 2800 psi. ISIP-2862 psi, 5-min 2611 psi. Flowback on 12/64" ck for 3 hours and died.

9/30/96 5326'-5332' **Frac B-2 sand as follows:**
62,300# of 20/40 sand in 407 bbls of Boragel. Breakdown @ 3220 psi. Treated @ avg rate of 18.8 bpm w/avg press of 2450 psi. ISIP-2866 psi, 5-min 2785 psi. Flowback on 12/64" ck for 2-1/2 hours and died.

PERFORATION RECORD

9/24/96	5668'-5670'	4 JSPF	8 holes
9/24/96	5673'-5675'	4 JSPF	8 holes
9/24/96	5682'-5684'	4 JSPF	8 holes
9/24/96	5688'-5700'	2 JSPF	10 holes
9/24/96	5729'-5731'	4 JSPF	8 holes
9/24/96	5742'-5744'	4 JSPF	8 holes
9/24/96	5768'-5776'	2 JSPF	16 holes
9/24/96	5784'-5786'	4 JSPF	8 holes
9/26/96	5504'-5507'	4 JSPF	12 holes
9/28/96	5326'-5332'	4 JSPF	24 holes



Inland Resources Inc.

Travis Federal Unit #16-28

363 FSL 436 FEL

SESE Section 28-T8S-R16E

Duchesne Co, Utah

API #43-013-31590; Lease #U-26026A


Travis Federal #3-33

Injection Well

Wellbore Diagram

Well History:

11-9-82	Spud Well
12-1-82	Perf: 5,917', 5,922'-5,930', 5,955'-5,959', 5,962'-5,967'
12-2-82	Frac CP-2 zone as follows: Totals 29,200 gal, 68,700# 20/40sd Max TP 3,000 @ 30 BPM Avg TP 2,400 @ 30 BPM ISIP 1,900, after 5 min. 1,800
12-8-82	Perf: 5,650'-5,690'
12-9-82	Frac LODC as follows: Totals 39,000 gal, Max TP 4,200 Avg TP 2,850 ISIP 1,600, after 15 min. 1,450
12-10-82	Perf: 5,562'-5,569', 5,574'-5,584', 5,588'-5,592', 5,596'
12-10-92	Frac LODC zone as follows: Total 92,930 gal, 289,440# 20/40 sd Max TP 3,900 Avg TP 3,300 ISIP 2,510, after 5 min. 2,270
10-8-93	Converted To Water Injector



Inland Resources Inc.

Travis Federal #3-33

1967 FWL 642 FNL

NENW Section 33-T8S-R16E

Duchesne Co, Utah


API #43-013-30693; Lease #U-34173

Travis Federal #8-33

Wellbore Diagram

Well History:

1-9-96	Spud Well
1/26/96	Perf: 5884'-5896' w/ 4 jspf Frac CP zone as follows: 69,900# 20/40 sd in 558 bbls total fluid @ avg rate 26 BPM @ 1600 psi. ISIP 2009 psi, 5 min 1933 psi, 10 min 1824 psi.
1/27/96	Perf: 5626'-5653', 5607'-5618', 5590'-5595', 5583'-5586', 5569'- 5574' w/ 4 jspf
1/29/96	Frac LODC zone as follows: 144,900# sd in 970 bbls Boragel avg rate 37 BPM, avg press 2800 psi. ISIP 2921 psi, 5 min 2475 psi, 10 min 2328 psi.
1/31/96	Perf: 5383'-5392', 5416'-5425' w/ 4 jspf Frac A zone as follows: 77,200# 20/40 sd in 585 bbls Boragel @ avg rate 32 BPM @ 2290 psi. ISIP 2412 psi, 5 min 2285 psi, 10 min 2257 psi.
2/1/96	Perf: 5259'-5270', 5238'-5244' w/ 4 jspf Frac B zone as follows: 64,200# 20/40 sd in 494 bbls Boragel @ avg rate 20.7 BPM @ 2130 psi. ISIP-2695 psi, 5 min 2487 psi, 10 min 2284.
2/4/96	PUT ON PRODUCTION 4:30 PM



Inland Resources Inc.

Travis Federal #8-33

2073 FNL 623 FEL

SENE Section 33-T8S-R16E

Duchesne Co, Utah

API #43-013-31503; Lease #U-34173

UNICHEM

A Division of BJ Services

EXHIBIT "F"

P.O. Box 217
Roosevelt, Utah 84066

Office (801) 722-5066
Fax (801) 722-5727

WATER ANALYSIS REPORT

Company INLAND Address _____ Date 11-11-96

Source TRAVIS FED. 1-33 Date Sampled _____ Analysis No. _____

	Analysis	mg/l(ppm)	*Meg/l
1. PH	8.4		
2. H ₂ S (Qualitative)	0		
3. Specific Gravity	1.005		
4. Dissolved Solids		11,437	
5. Alkalinity (CaCO ₃)		0	
6. Bicarbonate (HCO ₃)		HCO ₃ 400	÷ 61 7 HCO ₃
7. Chlorides (Cl)		Cl 6,600	÷ 35.5 186 Cl
8. Sulfates (SO ₄)		SO ₄ 0	÷ 48 0 SO ₄
9. Calcium (Ca)		Ca 24	÷ 20 1 Ca
10. Magnesium (Mg)		MG 28	÷ 12.2 2 Mg
11. Total Hardness (CaCO ₃)		175	
12. Total Iron (Fe)		1.0	
13. Manganese			
14. Barium (Qualitative)			
15. Phosphate Residuals			

*Milli equivalents per liter

PROBABLE MINERAL COMPOSITION

	Compound	Equiv. Wt.	X	Meg/l	=	Mg/l
1	Ca(HCO ₃) ₂	81.04	1	81		
2	CaSO ₄	68.07				
	CaCl ₂	55.50				
	Mg(HCO ₃) ₂	73.17	2	146		
	MgSO ₄	60.19				
	MgCl ₂	47.62				
	NaHCO ₃	84.00	4	336		
	Na ₂ SO ₄	71.03				
	NaCl	58.46	186	10,874		

Saturation Values

CaCO₃

CaSO₄ · 2H₂O

MgCO₃

Distilled Water 20°C

13 Mg/l

2,090 Mg/l

103 Mg/l

REMARKS _____

AQUAMIX SCALING PREDICTIONS

COMPANY: INLAND
 LOCATION:
 SYSTEM:

11-11-96

WATER DESCRIPTION:	MONUMENT BUTTE IN	TRAVIS FED. 1-33
P-ALK AS PPM CaCO ₃	100	0
M-ALK AS PPM CaCO ₃	610	400
SULFATE AS PPM SO ₄	0	0
CHLORIDE AS PPM Cl	750	6600
HARDNESS AS PPM CaCO ₃	130	175
CALCIUM AS PPM CaCO ₃	16	24
MAGNESIUM AS PPM CaCO ₃	22	28
SODIUM AS PPM Na	644	4370
BARIUM AS PPM Ba	0	0
STRONTIUM AS PPM Sr	0	0
CONDUCTIVITY	0	0
TOTAL DISSOLVED SOLIDS	2043	11437
TEMP (DEG-F)	100	100
SYSTEM pH	7.8	8.4

WATER COMPATIBILITY CALCULATIONS

MONUMENT BUTTE IN AND TRAVIS FED. 1-33

CONDITIONS: TEMP.=100AND pH=8.1

WATER ONE IS MONUMENT BUTTE IN

% OF WATER # 1	STIFF DAVIS CaCO ₃ INDEX	lbs/1000 BBL EXCESS CaCO ₃	mg/l BaSO ₄ IN EXCESS OF SATURATION	mg/l SrO ₄ IN EXCESS OF SATURATION	mg/l Gypsum IN EXCESS OF SATURATION
100	.11	1	0	0	0
90	.06	0	0	0	0
80	.01	0	0	0	0
70	-.03	0	0	0	0
60	-.08	0	0	0	0
50	-.14	0	0	0	0
40	-.19	0	0	0	0
30	-.24	0	0	0	0
20	-.30	0	0	0	0
10	-.36	0	0	0	0
0	-.41	0	0	0	0



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

December 31, 1996

Newspaper Agency Corporation
Legal Advertising
Tribune Building, Front Counter
143 South Main
Salt Lake City, Utah 84111

Re: Notice of Agency Action - Cause No. UIC-185

Gentlemen:

Enclosed is a copy of the referenced Notice of Agency Action. Please publish the Notice, once only, as soon as possible. Please send proof of publication and billing to the Division of Oil, Gas and Mining, 1594 West North Temple, Suite 1210, P.O. Box 145801, Salt Lake City, Utah 84114-5801.

Sincerely,

Larraine Platt

Larraine Platt
Secretary

Enclosure





State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

December 31, 1996

Uintah Basin Standard
268 South 200 East
Roosevelt, Utah 84066

Re: Notice of Agency Action - Cause No. UIC-185

Gentlemen:

Enclosed is a copy of the referenced Notice of Agency Action. Please publish the Notice, once only, as soon as possible. Please send proof of publication and billing to the Division of Oil, Gas and Mining, 1594 West North Temple, Suite 1210, P.O. Box 145801, Salt Lake City, Utah 84114-5801.

Sincerely,

Lorraine Platt
Secretary

Enclosure



Inland Production Company
Travis Federal 1-33 and 5-33 Wells
Cause No. UIC-185

Publication Notices were sent to the following:


Inland Production Company
P. O. Box 1446
Roosevelt, Utah 84066

Newspaper Agency Corporation
Legal Advertising
Tribune Building, Front Counter
143 South Main
Salt Lake City, Utah 84111

Uintah Basin Standard
268 South 200 East
Roosevelt, Utah 84066

Vernal District Office
Bureau of Land Management
170 South 500 East
Vernal, Utah 84078

U.S. Environmental Protection Agency
Region VIII
Attn. Dan Jackson
999 18th Street
Denver, Colorado 80202-2466



Lorraine Platt

Secretary

December 31, 1996

BEFORE THE DIVISION OF OIL, GAS AND MINING

BEFORE THE DIVISION OF OIL, GAS AND MINING
DEPARTMENT OF NATURAL RESOURCES
STATE OF UTAH

---ooOoo---

IN THE MATTER OF THE	:	NOTICE OF AGENCY
APPLICATION OF INLAND	:	ACTION
PRODUCTION COMPANY FOR	:	
ADMINISTRATIVE APPROVAL OF	:	CAUSE NO. UIC-185
THE TRAVIS FEDERAL 1-33 AND	:	
5-33 WELLS LOCATED IN SECTION	:	
33, TOWNSHIP 8 SOUTH, RANGE 16	:	
EAST, S.L.M., DUCHESNE COUNTY,	:	
UTAH, AS CLASS II INJECTION	:	
WELLS	:	

---ooOoo---


THE STATE OF UTAH TO ALL PERSONS INTERESTED IN THE ABOVE ENTITLED MATTER.

Notice is hereby given that the Division of Oil, Gas and Mining (the "Division") is commencing an informal adjudicative proceeding to consider the application of Inland Production Company for administrative approval of the Travis Federal 1-33 and 5-33 wells, located in Section 33, Township 8 South, Range 16 East, S.L.M., Duchesne County, Utah, for conversion to Class II injection wells. The proceeding will be conducted in accordance with Utah Admin. R.649-10, Administrative Procedures. The wells are located within the Travis Waterflood Unit area (Cause No. 213-2) which was approved by the Board of Oil, Gas and Mining on June 23, 1993. Selective intervals in the Green River Formation as specified in the board order will be perforated for water injection. The maximum authorized injection pressure and rate will be determined by means of a step-rate test at the time of conversion.

Any person desiring to object to the application or otherwise intervene in the proceeding, must file a written protest or notice of intervention with the Division within fifteen days following publication of this notice. If such a protest or notice of intervention is received, a hearing will be scheduled before the Board of Oil, Gas and Mining. Protestants and/or intervenors should be prepared to demonstrate at the hearing how this matter affects their interests.

Dated this 31st day of December 1996.

STATE OF UTAH
DIVISION OF OIL, GAS & MINING



R. J. Firth
Associate Director, Oil & Gas

143 SOUTH MAIN ST.
P.O. BOX 45838
SALT LAKE CITY, UTAH 84145
FED. TAX I.D.# 87-0217663

Newspaper Agency Corporation

The Salt Lake Tribune



DESERET NEWS

CUSTOMER'S
COPY

PROOF OF PUBLICATION

CUSTOMER NAME AND ADDRESS	ACCOUNT NUMBER	DATE
DIV OF OIL, GAS & MINING 1594 W NORTH TEMPLE STE # 1210 SALT LAKE CITY UT 84114	D5385340L-07	01/09/97

OFFICE COPY

ACCOUNT NAME	
DIV OF OIL, GAS & MINING	
TELEPHONE	INVOICE NUMBER
801-538-5340	TL168200271
SCHEDULE	
START 01/09/97 END 01/09/97	
CUST. REF. NO.	
UIC-185	
CAPTION	
NOTICE OF AGENCY ACTION CAUSE N	
SIZE	
76 LINES 1.00 COLUMN	
TIMES	RATE
1	1.64
MISC. CHARGES	AD CHARGES
.00	124.64
TOTAL COST	
124.64	

NOTICE OF AGENCY ACTION
CAUSE NO. UIC-185
BEFORE THE DIVISION OF OIL,
GAS AND MINING
DEPARTMENT OF NATURAL
RESOURCES, STATE OF UTAH

IN THE MATTER OF THE APPLI-
CATION OF INLAND PRODUCTION
COMPANY FOR ADMINISTRATIVE
APPROVAL OF THE TRAVIS FEDER-
AL 1-33 AND 5-33 WELLS LOCAT-
ED IN SECTION 33, TOWNSHIP 8
SOUTH, RANGE 16 EAST, S.L.M.,
DUCHESE COUNTY, UTAH, AS
CLASS II INJECTION WELLS.

THE STATE OF UTAH TO ALL PER-
SONS INTERESTED IN THE ABOVE
ENTITLED MATTER.

Notice is hereby given that
the Division of Oil, Gas and Min-
ing (the "Division") is commencing
an informal adjudicative
proceeding to consider the ap-
plication of Inland Production
Company for administrative
approval of the Travis Federal
1-33 and 5-33 wells, located in
Section 33, Township 8 South,
Range 16 East, S.L.M., Duchesne
County, Utah, for conversion to
Class II injection wells. The pro-
ceeding will be conducted in
accordance with Utah Admin.
R.649-10, Administrative Proce-
dures. The wells are located
within Travis Waterflood Unit
area (Cause No. 213-2) which
was approved by the Board of
Oil, Gas and Mining on June 23,
1993. Selective intervals in the
Green River Formation as speci-
fied in the board order will be
perforated for water injection.
The maximum authorized injec-
tion pressure and rate will be
determined by means of a
step-rate test of the time of con-
version.

Any person desiring to object
to the application or otherwise
intervene in the proceeding,
must file a written protest or no-
tice of intervention with the Di-
vision within fifteen days fol-
lowing publication of this notice. If
such a protest or notice of inter-
vention is received, a hearing
will be scheduled before the
Board of Oil, Gas and Mining.
Protestants and/or intervenors
should be prepared to demon-
strate at the hearing how this
matter affects their interests.

DATED this 31st day of De-
cember, 1996.

STATE OF UTAH
DIV. OF OIL, GAS AND MINING
R. J. Firth
Associate Director, Oil & Gas
16820020

AFFIDAVIT OF PUBLICATION

AS NEWSPAPER AGENCY CORPORATION LEGAL BOOKKEEPER, I CERTIFY THAT T
ADVERTISEMENT OF NOTICE OF AGENCY ACTION CAUSE N
DIV OF OIL, GAS & MINING WAS PUBLISHED BY THE NEWSP
CORPORATION, AGENT FOR THE SALT LAKE TRIBUNE AND DESERET NEWS, DAILY
PRINTED IN THE ENGLISH LANGUAGE WITH GENERAL CIRCULATION IN UTAH, AND
IN SALT LAKE CITY, SALT LAKE COUNTY IN THE STATE OF UTAH.

PUBLISHED ON START 01/09/97 END 01/09/97

SIGNATURE *John H. Hovey*

DATE 01/09/97

THIS IS NOT A STATEMENT BUT A "PROOF OF PUBLICA
PLEASE PAY FROM BILLING STATEMENT.



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

1594 West North Temple, Suite 1210

Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

February 26, 1997

Inland Production Company
P. O. Box 1446
Roosevelt, Utah 84066

Re: Travis Federal 1-33 well, Section 33, Township 8 South, Range 16 East, Duchesne County, Utah

Gentlemen:

Pursuant to Utah Admin. Code R649-5-3-3, the Division of Oil, Gas and Mining (the "Division") issues its administrative approval for conversion of the referenced well to a Class II injection well. Accordingly, the following stipulations shall apply for full compliance with this approval:

1. Compliance with all applicable requirements for the operation, maintenance and reporting for Underground Injection Control ("UIC") Class II injection wells pursuant to Utah Admin. Code R649-1 et seq.
2. Conformance with all conditions and requirements of the complete application submitted by Inland Production Company.

If you have any questions regarding this approval or the necessary requirements, please contact Dan Jarvis at this office.

Sincerely,

R.J. Firth

Associate Director

cc: Dan Jackson, Environmental Protection Agency
Bureau of Land Management, Vernal



State of Utah

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

1594 West North Temple, Suite 1210

Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

UNDERGROUND INJECTION CONTROL PERMIT


Cause No. UIC-185

Operator: Inland Production Company
Well: Travis Federal 1-33
Location: Section 33, Township 8 South, Range 16 East,
County: Duchesne
API No.: 43-013-31603
Well Type: Enhanced Recovery (waterflood)

Stipulations of Permit Approval

1. Approval for conversion to Injection Well issued on February 26, 1997
2. Maximum Allowable Injection Pressure: 2000 psig
3. Maximum Allowable Injection Rate: (restricted by pressure limitation)
4. Injection Interval: 4300 feet to 6000 feet (Green River Formation)

Approved by:


R.J. Firth
Associate Director, Oil and Gas


Date



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

1594 West North Temple, Suite 1210

Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

UNDERGROUND INJECTION CONTROL PERMIT


Cause No. UIC-185


Operator: Inland Production Company
Well: Travis Federal 1-33
Location: Section 33, Township 8 South, Range 16 East,
County: Duchesne
API No.: 43-013-31603
Well Type: Enhanced Recovery (waterflood)

Stipulations of Permit Approval

1. Approval for conversion to Injection Well issued on February 26, 1997
2. Maximum Allowable Injection Pressure: 2000 psig
3. Maximum Allowable Injection Rate: (restricted by pressure limitation)
4. Injection Interval: 4300 feet to 6000 feet (Green River Formation)

Approved by:


R.J. Firth
Associate Director, Oil and Gas


Date

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budgeted Bureau No. 1004-0135

Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas well ☐ Other

2. Name of Operator

Inland Production Company

3. Address and Telephone No.

P.O. Box 790233 Vernal, UT 84079 Phone No. (801) 789-1866

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NE/NE Sec. 33, T8S, R16E

5. Lease Designation and Serial No.

U-34173

6. If Indian, Allottee or Tribe Name

7. If unit or CA, Agreement Designation

8. Well Name and No.

Travis Federal #1-33

9. API Well No.

43-013-31603

10. Field and Pool, or Exploratory Area

Travis

11. County or Parish, State

Duchesne, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
- ☒ Subsequent Report
- ☐ Final Abandonment Notice


TYPE OF ACTION

- ☐ Abandonment
- ☐ Recompletion
- ☐ Plugging Back
- ☐ Casing repair
- ☐ Altering Casing
- ☐ Other _____
- ☐ Change of Plans
- ☐ New Construction
- ☐ Non-Routine Fracturing
- ☐ Water Shut-off
- ☒ Conversion to Injection
- ☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Inland Production Company reports that the Travis Federal #1-33 was placed on injection @ 11:00 am on 7/8/97. See attached csg integrity results.



14. I hereby certify that the foregoing is true and correct

Signed

Cheryl Cameron

Title

Regulatory Compliance Specialist

Date

7/11/97

(This space of Federal or State office use.)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to any department of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side


WO fax credit 7/98

CASING INTEGRITY TEST
7/3/97
Travis Federal #1-33
NE/NE Sec. 33,T8S, R16E
Duchesne County, Utah
API # 43-013-31603

0 MIN	1240 PSIG
10 MIN	1240 PSIG
20 MIN	1240 PSIG
30 MIN	1240 PSIG
40 MIN	1240 PSIG
50 MIN	1240 PSIG
60 MIN	1240 PSIG
70 MIN	1240 PSIG
80 MIN	1240 PSIG
90 MIN	1240 PSIG
100 MIN	1240 PSIG
120 MIN	1240 PSIG

TUBING PRESSURE 0 PSI

TEST CONDUCTED BY RODDIE BIRD/INLAND PRODUCTION COMPANY
STATE OF UTAH DOG&M CONTACTED ON 7/2/97/UNABLE TO ATTEND



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

1. SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT--" for such proposals.)		5. LEASE DESIGNATION AND SERIAL NO. U-34173	
2. NAME OF OPERATOR INLAND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBAL NAME N/A	
3. ADDRESS OF OPERATOR Rt. 3 Box 3630, Myton Utah 84052 435-646-3721		7. UNIT AGREEMENT NAME TRAVIS	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface NE/NE Section 33, T8S R16E 0660 FNL 0660 FEL		8. FARM OR LEASE NAME TRAVIS FED 1-33	
14. API NUMBER 43-013-31603		9. WELL NO. TRAVIS FED 1-33	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5637 GR		10. FIELD AND POOL, OR WILDCAT MONUMENT BUTTE	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA NE/NE Section 33, T8S R16E	
		12. COUNTY OR PARISH DUCHESNE	13. STATE UT

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF ☐	PULL OR ALTER CASING ☐	WATER SHUT-OFF ☐	REPAIRING WELL ☐
FRACTURE TREAT ☐	MULTIPLE COMPLETION ☐	FRACTURE TREATMENT ☐	ALTERING CASING ☐
SHOOT OR ACIDIZE ☐	ABANDON* ☐	SHOOTING OR ACIDIZING ☐	ABANDONMENT* ☐
REPAIR WELL ☐	☐	(OTHER) ☒ 5 Year MIT	
(OTHER) ☐	☐	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

A 5 year MIT was conducted on the subject well. On 5/28/02 Mr. Dennis Ingram with the State DOGM was contacted and notified of the intent to conduct a MIT on the casing. On 5/29/02 the casing was pressured to 1020 psi with no pressure loss charted in the 1/2 hour test. No governmental agencies were able to witness the test.

18. I hereby certify that the foregoing is true and correct

SIGNER

Krishna Russell

TITLE

Production Clerk

DATE

5/29/02

cc: BLM

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

* See Instructions On Reverse Side

COPY SENT TO OPERATOR

Date:

6-3-02

Initials:

CHD

Accepted by the
Utah Division of
Oil, Gas and Mining

Date:

06-03-02

By:

[Signature]

RECEIVED

MAY 31 2002

DIVISION OF
OIL, GAS AND MINING



May 29, 2002

Mr. Dan Jarvis
State of Utah, DOGM
1594 West North Temple – Suite 1310
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: 5 Year MIT
Travis Federal 1-33-8-16
Sec. 33, T8S, R16E
API # 43-013-31603

Dear Mr. Dan Jarvis:

A 5-year MIT was conducted on the subject well. Attached are the tabular sheet, sundry, and a copy of the chart. If you have any questions please let me know.

Sincerely,

Krisha Russell
Production Clerk

RECEIVED

MAY 31 2002

**DIVISION OF
OIL, GAS AND MINING**

Mechanical Integrity Test Casing or Annulus Pressure Test

Inland Production Company

Rt. 3 Box 3630
Myton, UT 84052
435-646-3721

Witness: _____ Date 5/29/02 Time 10:10 @ am pm

Test Conducted by: Roddie Bird

Others Present: Sam n Fellingquist

Well: Travis Fed 1-33-9-16

Field: Travis unit

Well Location: NE/NE sec. 33 - T8S - R16E API No: 43-013-31603

Duck Creek CO. UT

<u>Time</u>	<u>Casing Pressure</u>	
0 min	<u>1020</u>	psig
5	<u>1020</u>	psig
10	<u>1020</u>	psig
15	<u>1020</u>	psig
20	<u>1020</u>	psig
25	<u>1020</u>	psig
30 min	<u>1020</u>	psig
35		psig
40		psig
45		psig
50		psig
55		psig
60 min		psig

Tubing pressure: 1640 psig

Result:

Pass

Fail


RECEIVED

MAY 31 2002

DIVISION OF
OIL, GAS AND MINING

Signature of Witness: _____

Signature of Person Conducting Test: Roddie Bird



RECEIVED

MAY 31 2002

DIVISION OF
OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>



IN REPLY REFER TO:
3106
(UT-924)

September 16, 2004

Memorandum

To: Vernal Field Office

From: Acting Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the name change recognized by the Utah State Office. We have updated our records to reflect the merger from Inland Production Company into Newfield Production Company on September 2, 2004.

Michael Coulthard
Acting Chief, Branch of
Fluid Minerals

Enclosure

1. State of Texas Certificate of Registration

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare



Office of the Secretary of State

The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company
Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.



A handwritten signature in black ink, appearing to read "G. Connor".

Secretary of State

ARTICLES OF AMENDMENT
TO THE
ARTICLES OF INCORPORATION
OF
INLAND PRODUCTION COMPANY

FILED
In the Office of the
Secretary of State of Texas
SEP 02 2004
Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 – Name

The name of the corporation is Inland Production Company.

ARTICLE 2 – Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE – The name of the corporation is Newfield Production Company."

ARTICLE 3 – Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1st day of September, 2004.

INLAND RESOURCES INC.

By: Susan G. Riggs
Susan G. Riggs, Treasurer

UTSL-	15855	61052	73088	76561	
071572A	16535	62848	73089	76787	
065914	16539	63073B	73520A	76808	
	16544	63073D	74108	76813	
	17036	63073E	74805	76954	63073X
	17424	63073O	74806	76956	63098A
	18048	64917	74807	77233	68528A
UTU-	18399	64379	74808	77234	72086A
	19267	64380	74389	77235	72613A
02458	26026A	64381	74390	77337	73520X
03563	30096	64805	74391	77338	74477X
03563A	30103	64806	74392	77339	75023X
04493	31260	64917	74393	77357	76189X
05843	33992	65207	74398	77359	76331X
07978	34173	65210	74399	77365	76788X
09803	34346	65635	74400	77369	77098X
017439B	36442	65967	74404	77370	77107X
017985	36846	65969	74405	77546	77236X
017991	38411	65970	74406	77553	77376X
017992	38428	66184	74411	77554	78560X
018073	38429	66185	74805	78022	79485X
019222	38431	66191	74806	79013	79641X
020252	39713	67168	74826	79014	80207X
020252A	39714	67170	74827	79015	81307X
020254	40026	67208	74835	79016	
020255	40652	67549	74868	79017	
020309D	40894	67586	74869	79831	
022684A	41377	67845	74870	79832	
027345	44210	68105	74872	79833	
034217A	44426	68548	74970	79831	
035521	44430	68618	75036	79834	
035521A	45431	69060	75037	80450	
038797	47171	69061	75038	80915	
058149	49092	69744	75039	81000	
063597A	49430	70821	75075		
075174	49950	72103	75078		
096547	50376	72104	75089		
096550	50385	72105	75090		
	50376	72106	75234		
	50750	72107	75238		
10760	51081	72108	76239		
11385	52013	73086	76240		
13905	52018	73087	76241		
15392	58546	73807	76560		

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number See Attached List		API Number
Location of Well		Field or Unit Name See Attached List
Footage :	County :	Lease Designation and Number
QQ, Section, Township, Range:	State : UTAH	

EFFECTIVE DATE OF TRANSFER: 9/1/2004

CURRENT OPERATOR

Company: Inland Production Company
Address: 1401 17th Street Suite 1000
city Denver state Co zip 80202
Phone: (303) 893-0102
Comments:

Name: Brian Harris
Signature: *Brian Harris*
Title: Engineering Tech.
Date: 9/15/2004

NEW OPERATOR

Company: Newfield Production Company
Address: 1401 17th Street Suite 1000
city Denver state Co zip 80202
Phone: _____
Comments:

Name: Brian Harris
Signature: *Brian Harris*
Title: Engineering Tech.
Date: 9/15/2004

(This space for State use only)

Transfer approved by: *A. Hunt*Title: *Perk. Services Manager*Approval Date: *9-20-04*

Comments:

*Note: Indian Country wells will require EPA approval.*RECEIVED
SEP 20 2004

DIV. OF OIL, GAS & MINING

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change**Merger**

The operator of the well(s) listed below has changed, effective:

9/1/2004**FROM: (Old Operator):**

N5160-Inland Production Company

Route 3 Box 3630

Myton, UT 84052

Phone: 1-(435) 646-3721

TO: (New Operator):

N2695-Newfield Production Company

Route 3 Box 3630

Myton, UT 84052

Phone: 1-(435) 646-3721

CA No.**Unit:****TRAVIS****WELL(S)**

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
MON BUTTE FED 13-27	27	080S	160E	4301331611	10628	Federal	WI	A
MONUMENT BUTTE FED 15-27-8-16	27	080S	160E	4301331786	10628	Federal	OW	DRL
MONUMENT BUTTE FED 16-27	27	080S	160E	4301331899	10628	Federal	OW	P
FEDERAL 15-28	28	080S	160E	4301330779	10628	Federal	WI	A
FEDERAL 14-28	28	080S	160E	4301330792	10628	Federal	OW	S
WEST MONUMENT 10-28	28	080S	160E	4301330856	10628	Federal	OW	S
FEDERAL 14A-28	28	080S	160E	4301331372	10628	Federal	WI	A
TRAVIS FEDERAL 16-28	28	080S	160E	4301331590	10628	Federal	OW	P
TRAVIS FED 9-28	28	080S	160E	4301331941	10628	Federal	WI	A
TRAVIS 11-28-8-16	28	080S	160E	4301332333		Federal	OW	LA K
TRAVIS 12-28-8-16	28	080S	160E	4301332334		Federal	OW	LA K
TRAVIS 13-28-8-16	28	080S	160E	4301332335		Federal	OW	LA K
FEDERAL 3-33	33	080S	160E	4301330693	10628	Federal	WI	A
FEDERAL 6-33	33	080S	160E	4301330747	10628	Federal	OW	P
FEDERAL 2-33	33	080S	160E	4301330749	10628	Federal	OW	P
TRAVIS FED 5-33	33	080S	160E	4301331435	10628	Federal	WI	A
TRAVIS FEDERAL 8-33	33	080S	160E	4301331503	10628	Federal	OW	P
TRAVIS FED 1-33	33	080S	160E	4301331603	10628	Federal	WI	A
MON FED 5-34	34	080S	160E	4301331499	10628	Federal	WI	A
MONUMENT BUTTE FED 6-34	34	080S	160E	4301331504	10628	Federal	OW	P
MON BUTTE FED 3-34	34	080S	160E	4301331518	10628	Federal	WI	A
MONUMENT BUTTE FED 4-34 (I)	34	080S	160E	4301331669	10628	Federal	OW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/15/20042. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/15/20043. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 2/23/20054. Is the new operator registered in the State of Utah: YES Business Number: 755627-01435. If **NO**, the operator was contacted on:

6a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
6b. Inspections of LA PA state/fee well sites complete on: waived

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: na/

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 2/23/2005

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 2/28/2005
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 2/28/2005
3. Bond information entered in RBDMS on: 2/28/2005
4. Fee/State wells attached to bond in RBDMS on: 2/28/2005
5. Injection Projects to new operator in RBDMS on: 2/28/2005
6. Receipt of Acceptance of Drilling Procedures for APD/New on: waived

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UT 0056

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 61BSBDH2912

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 61BSBDH2919

2. The **FORMER** operator has requested a release of liability from their bond on: n/a*
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

*Bond rider changed operator name from Inland Production Company to Newfield Production Company - **received 2/23/05**

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:
UTU34173

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:
TRAVIS UNIT

1. TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ OTHER ☐ Injection well

8. WELL NAME and NUMBER:
TRAVIS FED 1-33

2. NAME OF OPERATOR:
Newfield Production Company

9. API NUMBER:
4301331603

3. ADDRESS OF OPERATOR: Route 3 Box 3630 CITY Myton STATE UT ZIP 84052 PHONE NUMBER 435.646.3721

10. FIELD AND POOL, OR WILDCAT:
Monument Butte

4. LOCATION OF WELL:
FOOTAGES AT SURFACE: 0660 FNL 0660 FEL

COUNTY: Duchesne

QTR/QTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: NE/NE, 33, T8S, R16E

STATE: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF ACTION SubDate

TYPE OF SUBMISSION

TYPE OF ACTION

☐ NOTICE OF INTENT
(Submit in Duplicate)
Approximate date work will

☐ ACIDIZE
☐ ALTER CASING
☐ CASING REPAIR
☐ CHANGE TO PREVIOUS PLANS
☐ CHANGE TUBING
☐ CHANGE WELL NAME
☐ CHANGE WELL STATUS
☐ COMMINGLE PRODUCING FORMATIONS
☐ CONVERT WELL TYPE

☐ DEEPEN
☐ FRACTURE TREAT
☐ NEW CONSTRUCTION
☐ OPERATOR CHANGE
☐ PLUG AND ABANDON
☐ PLUG BACK
☐ PRODUCTION (START/STOP)
☐ RECLAMATION OF WELL SITE
☒ RECOMPLETE - DIFFERENT FORMATION

☐ REPERFORATE CURRENT FORMATION
☐ SIDETRACK TO REPAIR WELL
☐ TEMPORARILY ABANDON
☐ TUBING REPAIR
☐ VENT OR FLAIR
☐ WATER DISPOSAL
☐ WATER SHUT-OFF
☒ OTHER: - Recompletion/MIT

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The subject well was re-completed in the Green River Formation. Two new intervals were perforated, the CP.5 sds @ 5926'-5931' & CP3 sds @ 5962'-5967', 5979'-5984', and LODC sds @ 5757'-5762', 5783'-5791', A1 sds @ 5466'-5474' all w/4 JSPF for a total of 144 shots.

On 7-13-05 Dennis Ingram with the State of Utah DOGM was contacted concerning the MIT on the above list well. Permission was given at that time to perform the test on 7-15-05. On 7-15-05 the csg was pressured up to 1275 psig and charted for 30 minutes with no pressure loss. The well was not injecting during the test. The tbg pressure was 600 psig during the test. There was not a State representative available to witness the test.

Accepted by the
Utah Division of
Oil, Gas and Mining

Date: 08-01-05

By: [Signature]

RECEIVED
8-2-05
CWD

NAME (PLEASE PRINT) Kathy Chapman

TITLE Office Manager

SIGNATURE

[Signature]

DATE 07/21/2005

(This space for State use only)

RECEIVED
JUL 26 2005

DIV. OF OIL, GAS & MINING

Mechanical Integrity Test Casing or Annulus Pressure Test

Inland Production Company

Rt. 3 Box 3630
Myton, UT 84052
435-646-3721

Witness: _____ Date 7/15/05 Time 11:00 am pm

Test Conducted by: Matthew Bertoch

Others Present: _____

Well: Travis Federal 1-33-8-16

Field: Travis Unit UTU 68528A

Well Location: NE/NE Sec 33, T8S, R16E

API No: 43-013-31603

<u>Time</u>	<u>Casing Pressure</u>	
0 min	<u>1275</u>	psig
5	<u>1275</u>	psig
10	<u>1275</u>	psig
15	<u>1275</u>	psig
20	<u>1275</u>	psig
25	<u>1275</u>	psig
30 min	<u>1275</u>	psig
35	_____	psig
40	_____	psig
45	_____	psig
50	_____	psig
55	_____	psig
60 min	_____	psig

Tubing pressure: 600 psig

Result:

Pass

Fail

Signature of Witness: _____

Signature of Person Conducting Test: Matthew Bertoch




CHART PULL USA
PORTAGE, INDIANA
LEASE METER
ON 11:00 A.
DATE 7/15/65
LOCATION Travis Fed. 1-33-8-16
REMARKS
N-2500-B-150P
(IN Hg)
OFF 11:30 A.
DATE 7/15/65

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ OTHER ☐		5. LEASE DESIGNATION AND SERIAL NUMBER: USA UTU-34173
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: Route 3 Box 3630 CITY Myton STATE UT ZIP 84052		7. UNIT or CA AGREEMENT NAME: GMBU
4. LOCATION OF WELL: FOOTAGES AT SURFACE: 660 FNL 660 FEL		8. WELL NAME and NUMBER: TRAVIS FED 1-33
OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: NENE, 33, T8S, R16E		9. API NUMBER: 4301331603
		10. FIELD AND POOL, OR WILDCAT: GREATER MB UNIT
		COUNTY: DUCHESNE
		STATE: UT


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
☐ NOTICE OF INTENT (Submit in Duplicate) Approximate date work will _____	☐ ACIDIZE	☐ DEEPEN	☐ REPERFORATE CURRENT FORMATION
	☐ ALTER CASING	☐ FRACTURE TREAT	☐ SIDETRACK TO REPAIR WELL
	☐ CASING REPAIR	☐ NEW CONSTRUCTION	☐ TEMPORARILY ABANDON
	☐ CHANGE TO PREVIOUS PLANS	☐ OPERATOR CHANGE	☐ TUBING REPAIR
	☐ CHANGE TUBING	☐ PLUG AND ABANDON	☐ VENT OR FLAIR
☒ SUBSEQUENT REPORT (Submit Original Form Only) Date of Work Completion: 06/21/2010	☐ CHANGE WELL NAME	☐ PLUG BACK	☐ WATER DISPOSAL
	☐ CHANGE WELL STATUS	☐ PRODUCTION (START/STOP)	☐ WATER SHUT-OFF
	☐ COMMINGLE PRODUCING FORMATIONS	☐ RECLAMATION OF WELL SITE	☒ OTHER: Five Year MIT
	☐ CONVERT WELL TYPE	☐ RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

On 06/17/2010 Dennis Ingram with the State of Utah DOGM was contacted concerning the 5 Year MIT on the above listed well. Permission was given at that time to perform the test on 06/17/2010. On 06/21/2010 the casing was pressured up to 1380 psig and charted for 30 minutes with no pressure loss. The well was not injecting during the test. The tubing pressure was 1877 psig during the test. There was a State representative available to witness the test - Dennis Ingram.

API# 43-013-31603

NAME (PLEASE PRINT) <u>Lucy Chavez-Naupoto</u>	TITLE <u>Administrative Assistant</u>
SIGNATURE 	DATE <u>06/28/2010</u>

(This space for State use only)

RECEIVED
JUL 01 2010
DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

SUBMIT IN TRIPLICATE - Other Instructions on page 2

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

NEWFIELD PRODUCTION COMPANY

3a. Address

Route 3 Box 3630
Myton, UT 84052

3b. Phone (include area code)

435 646 3721

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660 FNL 660 FEL

NENE Section 33 T8S R16E

5. Lease Serial No.

USA UTU-34173

6. If Indian, Allottee or Tribe Name.

7. If Unit or CA/Agreement, Name and/or

GMBU

8. Well Name and No.

TRAVIS FED 1-33

9. API Well No.

4301331603

10. Field and Pool, or Exploratory Area

GREATER MB UNIT

11. County or Parish, State

DUCHESNE, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other _____
	☐ Change Plans	☐ Plug & Abandon	☐ Temporarily Abandon	Five Year MIT _____
	☐ Convert to Injector	☐ Plug Back	☐ Water Disposal	_____

13. Describe Proposed or Completed Operation: (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

On 06/17/2010 Dennis Ingram with the State of Utah DOGM was contacted concerning the 5 Year MIT on the above listed well. Permission was given at that time to perform the test on 06/17/2010. On 06/21/2010 the casing was pressured up to 1380 psig and charted for 30 minutes with no pressure loss. The well was not injecting during the test. The tubing pressure was 1877 psig during the test. There was a State representative available to witness the test - Dennis Ingram.

API# 43-013-31603

I hereby certify that the foregoing is true and correct (Printed/ Typed)

Lucy Chavez-Naupoto

Signature

Title

Administrative Assistant

Date

06/28/2010

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED

JUL 01 2010

DIV. OF OIL, GAS & MINING

Mechanical Integrity Test Casing or Annulus Pressure Test

Newfield Production Company

Rt. 3 Box 3630

Myton, UT 84052

435-646-3721

Witness: _____ Date 6/21/10 Time 12:45 am pm

Test Conducted by: DAVE EDWARD

Others Present: DENNIS INGRAM

Well: TRAVIS FEDERAL
1-33-8-16

Field: TRAVIS FEDERAL 1-33-8-16
Duchesne County, Utah

Well Location: TRAVIS FEDERAL 1-33-8-16

API No: UTU 87538X

NE 1/4 SEC. 33, T8S, R16E

43-013-31603

<u>Time</u>	<u>Casing Pressure</u>	
0 min	<u>1380</u>	psig
5	<u>1380</u>	psig
10	<u>1380</u>	psig
15	<u>1380</u>	psig
20	<u>1380</u>	psig
25	<u>1380</u>	psig
30 min	<u>1380</u>	psig
35		psig
40		psig
45		psig
50		psig
55		psig
60 min		psig


Tubing pressure: 1877 psig

Result: Pass Fail

Signature of Witness: _____

Signature of Person Conducting Test: _____

Dave Edward



STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-34173
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Water Injection Well		8. WELL NAME and NUMBER: TRAVIS FED 1-33
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY		9. API NUMBER: 43013316030000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630, Myton, UT, 84052		9. FIELD and POOL or WILDCAT: MONUMENT BUTTE
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FNL 0660 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENE Section: 33 Township: 08.0S Range: 16.0E Meridian: S		COUNTY: DUCHESNE
		STATE: UTAH

11.

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
☐ NOTICE OF INTENT Approximate date work will start:	☐ ACIDIZE ☐ CHANGE TO PREVIOUS PLANS ☐ CHANGE WELL STATUS ☐ DEEPEN ☐ OPERATOR CHANGE ☐ PRODUCTION START OR RESUME ☐ REPERFORATE CURRENT FORMATION ☐ TUBING REPAIR ☐ WATER SHUTOFF ☐ WILDCAT WELL DETERMINATION	☐ ALTER CASING ☐ CHANGE TUBING ☐ COMMINGLE PRODUCING FORMATIONS ☐ FRACTURE TREAT ☐ PLUG AND ABANDON ☐ RECLAMATION OF WELL SITE ☐ SIDETRACK TO REPAIR WELL ☐ VENT OR FLARE ☐ SI TA STATUS EXTENSION ☒ OTHER	☐ CASING REPAIR ☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE ☐ NEW CONSTRUCTION ☐ PLUG BACK ☐ RECOMPLETE DIFFERENT FORMATION ☐ TEMPORARY ABANDON ☐ WATER DISPOSAL ☐ APD EXTENSION OTHER: 5 YR MIT
☒ SUBSEQUENT REPORT Date of Work Completion: 5/14/2015			
☐ SPUD REPORT Date of Spud:			
☐ DRILLING REPORT Report Date:			

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

On 05/11/2015 Richard Powell with the State of Utah DOGM was contacted concerning the 5 Year MIT on the above listed well. On 05/14/2015 the casing was pressured up to 1663 psig and charted for 30 minutes with no pressure loss. The well was not injecting during the test. The tubing pressure was 1456 psig during the test. There was a State representative available to witness the test - Richard Powell.

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
 June 17, 2015

NAME (PLEASE PRINT) Lucy Chavez-Naupoto	PHONE NUMBER 435 646-4874	TITLE Water Services Technician
SIGNATURE N/A		DATE 5/15/2015

Mechanical Integrity Test Casing or Annulus Pressure Test

Newfield Production Company

Rt. 3 Box 3630

Myton, UT 84052

435-646-3721

Witness: Richard Powey Date 5/14/15 Time 9:00 am pm
Test Conducted by: INAKI LASA
Others Present: _____

Well: TRAVIS FED 1-83-2-16
NE/NE SEC-33, T8S, R16E
UTU-34173 UTU 27538X
Well Location:
Duchesne County, UTAH

Field: Monument Butte

API No: 4301331603

<u>Time</u>	<u>Casing Pressure</u>	
0 min	<u>12.6</u>	psig
5	<u>1,663.4</u>	psig
10	<u>1,663.2</u>	psig
15	<u>1,663.2</u>	psig
20	<u>1,662.8</u>	psig
25	<u>1,662.6</u>	psig
30 min	<u>1,663.0</u>	psig
35	_____	psig
40	_____	psig
45	_____	psig
50	_____	psig
55	_____	psig
60 min	_____	psig

Tubing pressure: 1,456 psigResult: Pass Fail


Signature of Witness: _____

Signature of Person Conducting Test: _____

Inaki Lasar

Travis Fed 1-33-8-16 5Year MIT

5/14/2015 9:03:14 AM



Spud Date: 7/24/96
 Put on Production: 8/22/96
 Put on Injection: 7/08/97
 GL: 5635' KB: 5648'

Travis Federal 1-33-8-16

Initial Production: 25 BOPD,
 47 MCFPD, 3 BWPD

Injection Diagram

SURFACE CASING

CSG SIZE: 8-5/8"
 GRADE: J-55
 WEIGHT: 24#
 LENGTH: 292.29' (7 jts.)
 DEPTH LANDED: 290.69' GL
 HOLE SIZE: 12-1/4"
 CEMENT DATA: 120 sxs Premium cement, est 4 bbls to surf.

PRODUCTION CASING

CSG SIZE: 5-1/2"
 GRADE: J-55
 WEIGHT: 15.5#
 LENGTH: 144 jts. (6157.76')
 DEPTH LANDED: 6149.77'
 HOLE SIZE: 7-7/8"
 CEMENT DATA: 335 sk Hyfill mixed & 380 sxs thixotropic
 CEMENT TOP AT: Surface per CBL

INJECTION TUBING

SIZE/GRADE/WT.: 2 7/8" M-50/ 6.5#
 NO. OF JOINTS: 158 jts.
 SEATING NIPPLE: 2 7/8-1.0"
 SN LANDED AT: 4968' KB
 PACKER: 4972' KB
 TOTAL STRING LENGTH: 4976'

FRAC JOB

8/14/96 5348'-5363' **Frac B-2 sand as follows:**
 56,600# of 20/40 sand in 364 bbls of
 Boragel. Breakdown @ 2920 psi. Treated @
 avg rate of 18 bpm w/avg press of 2200 psi.
 ISIP- 2456, 5-min 2426 psi. Flowback on
 12/64" ck for 3 hrs and died.

8/16/96 5210'-5220' **Frac C sand as follows:**
 63,800# of 20/40 sand in 369 bbls of
 Boragel. Breakdown @ 2025 psi. Treated @
 avg rate of 21 bpm w/avg press of 3000 psi.
 Well screened off w/984 gal left in flush.
 Est sand displ: 57,400# in formation, 4400#
 in csg. ISIP 4185 psi, 5-min 4033 psi.
 Flowback on 12/64" ck for 15 min and died.

8/19/96 5018'-5036' **Frac D-1 sand as follows:**
 63,900# of 20/40 sand in 383 bbls of
 Boragel. Breakdown @ 2411 psi. Treated @
 avg rate of 25.5 bpm w/avg press of 2600
 psi. ISIP-3182 psi, 5-min 3088 psi.
 Flowback on 12/64" ck for 2-1/2 hrs and
 died.

7/02/97 **Convert to injector.**
 5/29/02 **5 year MIT.**

7-7-05 5926'-5984' **CP3 & CP5 sands as follows:**
 24,050# of 20/40 sand in 297 bbls of
 Lightning fluid. Broke @ 2439 psi. Treated
 w/average rate of 14.2 BPM. ISIP 2100 psi.
 Begin immediate flow back on 12/64 choke
 @ 1 BPM. Flowed for 2 hrs and died.

7-7-05 5757'-5791' **LODC sand as follows:**
 19,072# of 20/40 sand in 191 bbls of
 lightning 17 fluid. Broke @ 3545 psi.
 Treated w/average pressure of 3420 psi @
 ave rate of 14.2 BPM. ISIP 2200
 psi. Flowed for 1 hr & 15 minutes.

7-7-05 5466'-5474' **All sands as follows:**
 15,566# of 20/40 sand in 168 bbls of
 Lightning 17 fluid. Broke @ 4209 psi.
 Treated w/ave pressure of 3490
 psi @ ave rate of 14.3 BPM. ISIP 3700 psi.

7-15-05 **Re-Completion Finalized - MIT**
 6-21-10 **completed**
 5yr MIT

PERFORATION RECORD

Date	Interval	Tool	Holes
8/13/96	5348'-5353'	4 JSPF	24 holes
8/13/96	5357'-5363'	4 JSPF	28 holes
8/15/96	5210'-5220'	4 JSPF	40 holes
8/17/96	5018'-5025'	4 JSPF	28 holes
8/17/96	5033'-5036'	4 JSPF	12 holes
7-6-05	5962'-5967'	4 JSPF	20 holes
7-6-05	5979'-5984'	4 JSPF	20 holes
7-6-05	5926'-5931'	4 JSPF	20 holes
7-6-05	5757'-5762'	4 JSPF	20 holes
7-6-05	5783'-5791'	4 JSPF	32 holes
7-6-05	5466'-5474'	4 JSPF	32 holes

NEWFIELD

Travis Federal 1-33-8-16
 660' FEL & 660' FNL
 NENE Section 33-T8S-R16E
 Duchesne Co, Utah
 API #43-013-31603; Lease U-34173

SN @ 4968"
 Sand PBTD @ 6100"
 PBTD @ 6100'
 TD @ 6350'

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-34173
1. TYPE OF WELL Water Injection Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: Newfield Production Company		7. UNIT or CA AGREEMENT NAME: Greater Monument Butte
3. ADDRESS OF OPERATOR: 4 Waterway Square Place, Suite 100 , The Woodlands, TX, 77380		8. WELL NAME and NUMBER: Travis Fed 1-33
4. LOCATION OF WELL FOOTAGES AT SURFACE: 660 FNL 660 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENE Section: 33 Township: 8S Range: 16E Meridian: S		9. API NUMBER: 43013316030000
PHONE NUMBER: 435-646-4802		9. FIELD and POOL or WILDCAT: MONUMENT BUTTE
		COUNTY: DUCHESNE
		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
☐ NOTICE OF INTENT Approximate date work will start:	☐ ACIDIZE ☐ CHANGE TO PREVIOUS PLANS ☐ CHANGE WELL STATUS ☐ DEEPEN ☐ OPERATOR CHANGE ☐ PRODUCTION START OR RESUME ☐ REPERFORATE CURRENT FORMATION ☐ TUBING REPAIR ☐ WATER SHUTOFF ☐ WILDCAT WELL DETERMINATION	
☒ SUBSEQUENT REPORT Date of Work Completion: 4/17/2020	☐ ALTER CASING ☐ CHANGE TUBING ☐ COMMINGLE PRODUCING FORMATIONS ☐ FRACTURE TREAT ☐ PLUG AND ABANDON ☐ RECLAMATION OF WELL SITE ☐ SIDETRACK TO REPAIR WELL ☐ VENT OR FLARE ☐ SI TA STATUS EXTENSION	
☐ SPUD REPORT Date of Spud:	☐ CASING REPAIR ☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE ☐ NEW CONSTRUCTION ☐ PLUG BACK ☐ RECOMPLETE DIFFERENT FORMATION ☐ TEMPORARY ABANDON ☐ WATER DISPOSAL ☐ APD EXTENSION	
☐ DRILLING REPORT Report Date:	☒ OTHER OTHER: MIT	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, and pressures. On 04/14/2020 Mark Reinbold and Travis Gray with the State of Utah DOGM was contacted concerning the 5 Year MIT on the above listed well. On 04/17/2020 the casing was pressured up to 1353 psig and charted for 15 minutes with no pressure loss. The well was not injecting during the test. The tubing pressure was 1080 psig during the test. There was a State representative available to witness the test – Mark Gwynn.		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY		
NAME (PLEASE PRINT) Lucy Chavez-Naupoto	PHONE NUMBER 435 646-4874	TITLE Field Production Assistant
SIGNATURE N/A		DATE 4/29/2020

Mechanical Integrity Test

Casing or Annulus Pressure Mechanical Integrity Test

Newfield Production Company

10530 South County Rd #33

Myton, UT 84052

435.646.3721

UDOGM Witness:

Test Conducted By:

MARK GWYNN - DAI GRAY
EVERETT UNRUHDate: 4-17-2020Time: 10:44 (am) pm

Others Present:

Well Name: <u>TRAVIS FEDERAL 1-33-8-16</u>			
Field: <u>MONUMENT BUTTE</u>	County: <u>Duchesne</u>	State: <u>UT</u>	
Location: <u>NENE</u> Sec: <u>33</u>	T <u>8</u> N/S <u>16</u>	R <u>16</u> E/W	
Operator: <u>NEWFIELD</u>		API # <u>43-013-31603</u>	
Last MIT: <u>5 / 14 / 2015</u>		Maximum Allowable Pressure: <u>2000</u> psig	

Is this a regular scheduled test?

☒ Yes☐ No

Initial Test for Permit?

☐ Yes☒ No

Test after well rework?

☐ Yes☒ No

Well injection during test?

☐ Yes☒ No

If Yes, rate: _____ bpd

Pre-test casing / tubing annulus pressure:

011081

psig

MIT DATA TABLE	Test #1	Test #2
TUBING	PRESSURE	
Initial Pressure	<u>1081</u> psig	psig
End of test pressure	<u>1080</u> psig	psig
CASING / TUBING	ANNULUS	PRESSURE
0 minutes	<u>1357.4</u> psig	psig
5 minutes	<u>1355.6</u> psig	psig
10 minutes	<u>1354.0</u> psig	psig
15 minutes	<u>1353.2</u> psig	psig
20 minutes	psig	psig
25 minutes	psig	psig
30 minutes	psig	psig
_____ minutes	psig	psig
_____ minutes	psig	psig
RESULT	☒ Pass ☐ Fail	☐ Pass ☐ Fail

Does the annulus pressure build back up after test?

☐ Yes☒ No

Additional comments for mechanical integrity pressure test, such as volume of fluid added to annulus and bled back at end of test, reason for failing test (casing head leak, tubing leak, other), etc.:

Signature of Witness:


Mark Gwynn UDOGM

Signature of Person Conducting Test:

Everett Unruh

Travis Federal 1-33-8-16 (4/17/2020, 5 yr. MIT)

17-Apr-20 10:42:16 AM



Division of Oil, Gas and Mining
Operator Change/Name Change Worksheet-for State use only

Effective Date: 1/24/2020

FORMER OPERATOR:	NEW OPERATOR:
Newfield Production Company	Ovintiv Production, Inc.
Groups:	
Greater Monument Butte	

WELL INFORMATION:

Well Name	API Number	Town	Dir	Range	Dir	Sec	Entity Number	Type	Status
See Attached List									

Total Well Count: 4704

OPERATOR CHANGES DOCUMENTATION:

1. Sundry or legal documentation was received from the **FORMER** operator on:
2. Sundry or legal documentation was received from the **NEW** operator on:
3. New operator Division of Corporations Business Number:

3/16/2020

3/16/2020

755627-0143

REVIEW:

Receipt of Acceptance of Drilling Procedures for APD on:

Reports current for Production/Disposition & Sundries:

OPS/SI/TA well(s) reviewed for full cost bonding: Approved by Dustin

UIC5 on all disposal/injection/storage well(s) Approved on: Approved by Dayne

Surface Facility(s) included in operator change:

9/2/2020

1/14/2021

12/21/2020

3/25/2020

State 11-32 Pipeline
Monument Butte St 10-36
GB Fed 13-20-8-17
Canvasback Fed 1-22-8-17
Ashley Fed 8-14-9-15 Pipeline
West Lateral 4C Slug Catcher (2-5-3-3)
West Lateral Phase 5 Slug Catcher
Bar F Slug Catcher
Dart Slug Catcher
Mullins Slug Catcher
Temporary Produced Water Conditioning Site
Dart Temporary Produced Water Facility
Earl Temporary Water Treatment Facility

NEW OPERATOR BOND VERIFICATION:

State/fee well(s) covered by Bond Number(s):

B001834.A

107238142-Shut-In Bond

DATA ENTRY:

Well(s) update in the RBDMS on:

1/14/2021

Group(s) update in RDBMS on:

1/14/2021

Surface Facilities update in RBDMS on:

1/14/2021

Entities Updated in RBDMS on:

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

see attached list

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

see attached

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:

see attached

9. API NUMBER:

attached

10. FIELD AND POOL, OR WILDCAT:

attached

1. TYPE OF WELL:

OIL WELL ☐

GAS WELL ☐

OTHER _____

2. NAME OF OPERATOR:

Newfield Production Company

3. ADDRESS OF OPERATOR:

4 Waterway Square Place St. CITY The Woodlands

STATE TX

ZIP 77380

PHONE NUMBER:

(435) 646-4936

4. LOCATION OF WELL:

FOOTAGES AT SURFACE:

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
☒ NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	☐ ACIDIZE	☐ DEEPEN	☐ REPERFORATE CURRENT FORMATION
	☐ ALTER CASING	☐ FRACTURE TREAT	☐ SIDETRACK TO REPAIR WELL
	☐ CASING REPAIR	☐ NEW CONSTRUCTION	☐ TEMPORARILY ABANDON
	☐ CHANGE TO PREVIOUS PLANS	☒ OPERATOR CHANGE	☐ TUBING REPAIR
	☐ CHANGE TUBING	☐ PLUG AND ABANDON	☐ VENT OR FLARE
☐ SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	☐ CHANGE WELL NAME	☐ PLUG BACK	☐ WATER DISPOSAL
	☐ CHANGE WELL STATUS	☐ PRODUCTION (START/RESUME)	☐ WATER SHUT-OFF
	☐ COMMINGLE PRODUCING FORMATIONS	☐ RECLAMATION OF WELL SITE	☐ OTHER: _____
	☐ CONVERT WELL TYPE	☐ RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

This sundry is serve as notification of the formal corporate name change of Newfield Production Company to Oviniv Production Inc. Attached is a list of all wells wells that will be operated under Oviniv Production Inc effective January 24, 2020.

PREVIOUS NAME:

Newfield Producon Company
4 Waterway Square Place Suite 100
The Woodlands, TX 77380
(435)646-4825

NEW NAME:

Oviniv Production Inc.
4 Waterway Square Place Suite 100
The Woodlands, TX 77380
(435)646-4825

NAME (PLEASE PRINT) Shon McKinnon

TITLE Regulatory Manager, Rockies

SIGNATURE



DATE

3/16/2020

(This space for State use only)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

see attached list

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

see attached

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:

see attached

9. API NUMBER:

attached

10. FIELD AND POOL, OR WILDCAT:

attached

1. TYPE OF WELL:

OIL WELL ☐

GAS WELL ☐

OTHER _____

2. NAME OF OPERATOR:

Newfield Production Company

3. ADDRESS OF OPERATOR:

4 Waterway Square Place St. CITY The Woodlands

STATE TX

ZIP 77380

PHONE NUMBER:

(435) 646-4936

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒ NOTICE OF INTENT
(Submit in Duplicate)

Approximate date work will start:

☐ SUBSEQUENT REPORT
(Submit Original Form Only)

Date of work completion:

☐ ACIDIZE

☐ ALTER CASING

☐ CASING REPAIR

☐ CHANGE TO PREVIOUS PLANS

☐ CHANGE TUBING

☐ CHANGE WELL NAME

☐ CHANGE WELL STATUS

☐ COMMINGLE PRODUCING FORMATIONS

☐ CONVERT WELL TYPE

☐ DEEPEN

☐ FRACTURE TREAT

☐ NEW CONSTRUCTION

☒ OPERATOR CHANGE

☐ PLUG AND ABANDON

☐ PLUG BACK

☐ PRODUCTION (START/RESUME)

☐ RECLAMATION OF WELL SITE

☐ RECOMPLETE - DIFFERENT FORMATION

☐ REPERFORATE CURRENT FORMATION

☐ SIDETRACK TO REPAIR WELL

☐ TEMPORARILY ABANDON

☐ TUBING REPAIR

☐ VENT OR FLARE

☐ WATER DISPOSAL

☐ WATER SHUT-OFF

☐ OTHER: _____

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

This sundry is serve as notification of the formal corporate name change of Newfield Production Company to Ovintiv Production Inc. Attached is a list of all wells wells that will be operated under Ovintiv Production Inc effective January 24, 2020.

PREVIOUS NAME:

Newfield Production Company
4 Waterway Square Place Suite 100
The Woodlands, TX 77380
(435)646-4825


NEW NAME:

Ovintiv Production Inc.
4 Waterway Square Place Suite 100
The Woodlands, TX 77380
(435)646-4825

NAME (PLEASE PRINT) Shon McKinnon

TITLE Regulatory Manager, Rockies

SIGNATURE



DATE 3/16/2020

(This space for State use only)



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number See attached list	API Number Attached
Location of Well	Field or Unit Name See Attached
Footage : County :	Lease Designation and Number See Attached
QQ, Section, Township, Range: State : UTAH	

EFFECTIVE DATE OF TRANSFER: 1/24/2020

CURRENT OPERATOR

Company: Newfield Production Company
Address: 4 Waterway Square Place, Suite 100
city The Woodlands state TX zip 77380
Phone: (435) 646-4825
Comments:

Name: Shon McKinnon
Signature:
Title: Regulatory Manager, Rockies
Date: 3/18/2020

NEW OPERATOR

Company: Ovintiv Production, Inc
Address: 4 Waterway Square Place, Suite 100
city The Woodlands state TX zip 77380
Phone: (435) 646-4825
Comments:

Name: Shon McKinnon
Signature:
Title: Regulatory Manager, Rockies
Date: 3/18/2020

(This space for State use only)

Approved by the
Utah Division of
Oil, Gas and Mining

Mar 25, 2020

☐ EPA approval required

Max Inj. Press.
Max Inj. Rate
Perm. Inj. Interval
Packer Depth
Next MIT Due

Division of Oil, Gas and Mining
Operator Change/Name Change Worksheet-for State use only

Effective Date: 7/1/2021

FORMER OPERATOR:	NEW OPERATOR:
Ovintiv Production, Inc.	Ovintiv USA, Inc.
Groups: Greater Monument Butte	

WELL INFORMATION:

Well Name	API Number	Town	Dir	Range	Dir	Sec	Entity Number	Type	Status
See Attached List									

Total Well Count: 4689

Pre-Notice Completed: 9/22/2021

OPERATOR CHANGES DOCUMENTATION:

1. Sundry or legal documentation was received from the **FORMER** operator on:
2. Sundry or legal documentation was received from the **NEW** operator on:
3. New operator Division of Corporations Business Number:

9/15/2021

9/15/2021

5053175-0143

REVIEW:

Receipt of Acceptance of Drilling Procedures for APD on:

Reports current for Production/Disposition & Sundries:

OPS/SI/TA well(s) reviewed for full cost bonding: Approved by Dustin

UIC5 on all disposal/injection/storage well(s) Approved on: Approved by Dayne

Surface Facility(s) included in operator change:

9/15/2021

9/22/2021

10/25/2021

10/4/2021

Monument Butte Liq. Cond.
Pleasant Valley (New)
West Lateral 4C Slug Catcher (2-5-3-3)
West Lateral Phase 5 Slug Catcher
Bar F Slug Catcher
Dart Slug Catcher
Mullins Slug Catcher
Ashley
Sundance
Ranch
Pleasant Valley
Monument Butte
Ashley Fed 8-14-9-15 Pipeline
Ute Tribal 4-13-4-2W Pipeline
State 11-32 Pipeline
Monument Butte St 10-36
GB Fed 13-20-8-17
Canvasback Fed 1-22-8-17

NEW OPERATOR BOND VERIFICATION:

State/fee well(s) covered by Bond Number(s):

B001834-B
107238142A

DATA ENTRY:

Well(s) update in the RBDMS on:

Group(s) update in RDBMS on:

Surface Facilities update in RBDMS on:

Entities Updated in RBDMS on:

11/24/2021

11/21/2021

11/24/2021

11/24/2021

COMMENTS:

9/22/2021, Since the Newfield to Ovintiv operator change was processed at the beginning of 2021, Name change will only need to match the existing bonds in place under Ovintiv Production, Inc; no additional bond will be required at this time.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
See attached list

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR:
Ovintiv Production, Inc.

3. ADDRESS OF OPERATOR:
4 Waterway SQ PL STE 100 CITY The Woodlands STATE TX ZIP 77380

PHONE NUMBER:
(281) 210-5100

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
☒ NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>7/1/2021</u>	☐ ACIDIZE	☐ DEEPEN	☐ REPERFORATE CURRENT FORMATION
	☐ ALTER CASING	☐ FRACTURE TREAT	☐ SIDETRACK TO REPAIR WELL
	☐ CASING REPAIR	☐ NEW CONSTRUCTION	☐ TEMPORARILY ABANDON
	☐ CHANGE TO PREVIOUS PLANS	☒ OPERATOR CHANGE	☐ TUBING REPAIR
	☐ CHANGE TUBING	☐ PLUG AND ABANDON	☐ VENT OR FLARE
☐ SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	☐ CHANGE WELL NAME	☐ PLUG BACK	☐ WATER DISPOSAL
	☐ CHANGE WELL STATUS	☐ PRODUCTION (START/RESUME)	☐ WATER SHUT-OFF
	☐ COMMINGLE PRODUCING FORMATIONS	☐ RECLAMATION OF WELL SITE	☐ OTHER: _____
	☐ CONVERT WELL TYPE	☐ RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

This sundry is to serve as notification that Ovintiv Production Inc. merged into Ovintiv USA Inc. Attached is a list of all wells that will be operated under Ovintiv USA Inc. effect July 1, 2021.

PREVIOUS NAME:
Ovintiv Production Inc.
4 Waterway Square Place Suite 100
The Woodlands, TX 77380
(281) 210-5100

NEW NAME:
Ovintiv USA Inc.
4 Waterway Square Place Suite 100
The Woodlands, TX 77380
(281) 210-5100

NAME (PLEASE PRINT) Julia Carter

TITLE Manager, US Regulatory Operations

SIGNATURE *Julia M Carter*

DATE 9/8/2021

(This space for State use only)

APPROVED

By Utah Division of
Oil, Gas, and Mining

Rachel Medina



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number See attached list	API Number Attached
Location of Well	Field or Unit Name See Attached
Footage : County :	Lease Designation and Number See Attached
QQ, Section, Township, Range:	State : UTAH

EFFECTIVE DATE OF TRANSFER: 7/1/2021

CURRENT OPERATOR

Company: <u>Ovintiv Production, Inc.</u>	Name: <u>Julia Carter</u>
Address: <u>4 Waterway Square Place, Suite 100</u>	Signature: <u><i>Julia M. Carter</i></u>
<u>city The Woodlands state TX zip 77380</u>	Title: <u>Manager, US Regulatory Operations</u>
Phone: <u>(281) 210-5100</u>	Date: <u>9/8/2021</u>
Comments:	

NEW OPERATOR

Company: <u>Ovintiv USA Inc.</u>	Name: <u>Julia Carter</u>
Address: <u>4 Waterway Square Place Suite 100</u>	Signature: <u><i>Julia M. Carter</i></u>
<u>city The Woodlands state TX zip 77380</u>	Title: <u>Manager, US Regulatory Operations</u>
Phone: <u>(281) 210-5100</u>	Date: <u>9/8/2021</u>
Comments:	

(This space for State use only) Approved by the
Utah Division of
Oil, Gas and Mining

[Signature]
Oct 04, 2021

☐ EPA approval required

Max Inj. Press.
Max Inj. Rate
Perm. Inj. Interval
Packer Depth
Next MIT Due

Effective Date: 9/1/2022

FORMER OPERATOR:	NEW OPERATOR:
Ovintiv USA, Inc.	Scout Energy Management, LLC
Groups:	

WELL INFORMATION:

Well Name	API Number	Town	Dir	Range	Dir	Sec	Entity Number	Type	Status
See Attached List									

Total Well Count: 2888
Pre-Notice Completed: 10/19/2022

OPERATOR CHANGES DOCUMENTATION:

- Sundry or legal documentation was received from the **FORMER** operator on: 9/26/2022
- Sundry or legal documentation was received from the **NEW** operator on: 9/26/2022
- New operator Division of Corporations Business Number: 12607016-0161

REVIEW:

Receipt of Acceptance of Drilling Procedures for APD on: 11/15/2022
Reports current for Production/Disposition & Sundries: 10/19/2022
OPS/SI/TA well(s) reviewed for full cost bonding: Approved by Dustin 10/11/2022
UIC5 on all disposal/injection/storage well(s) Approved on: Approved by Orlan 12/15/2022
Surface Facility(s) included in operator change: 10/19/2022

NEW OPERATOR BOND VERIFICATION:

State/fee well(s) covered by Bond Number(s): 612402641-Blanket Bond
612402460-Full-Cost Shut-In Bond

DATA ENTRY:

Well(s) update in the RBDMS on: 12/20/2022 and 1/25/2023
Group(s) update in RDBMS on: 12/20/2022
Surface Facilities update in RBDMS on: NA
Entities Updated in RBDMS on: 1/25/2023

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☒ GAS WELL ☐ OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: See attached Exhibit A
2. NAME OF OPERATOR: Scout Energy Management, LLC		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: None - N/A
3. ADDRESS OF OPERATOR: 13800 Montfort Road, Suite 1 CITY Dallas STATE TX ZIP 75240		7. UNIT or CA AGREEMENT NAME: Greater Monument Butte Unit
PHONE NUMBER: (972) 325-1096		8. WELL NAME and NUMBER: See attached Exhibit A
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached Exhibit A		9. API NUMBER: Attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		10. FIELD AND POOL, OR WILDCAT: See attached Exhibit A
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
☒ NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 9/1/2022	☐ ACIDIZE	☐ DEEPEN	☐ REPERFORATE CURRENT FORMATION
	☐ ALTER CASING	☐ FRACTURE TREAT	☐ SIDETRACK TO REPAIR WELL
	☐ CASING REPAIR	☐ NEW CONSTRUCTION	☐ TEMPORARILY ABANDON
	☐ CHANGE TO PREVIOUS PLANS	☒ OPERATOR CHANGE	☐ TUBING REPAIR
	☐ CHANGE TUBING	☐ PLUG AND ABANDON	☐ VENT OR FLARE
☐ SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	☐ CHANGE WELL NAME	☐ PLUG BACK	☐ WATER DISPOSAL
	☐ CHANGE WELL STATUS	☐ PRODUCTION (START/RESUME)	☐ WATER SHUT-OFF
	☐ COMMINGLE PRODUCING FORMATIONS	☐ RECLAMATION OF WELL SITE	☐ OTHER: _____
	☐ CONVERT WELL TYPE	☐ RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Please consider this sundry as notification of the transfer of operatorship of the wells listed on the attached exhibit from Oviniv USA Inc. to Scout Energy Management, LLC effective September 1, 2022.

PREVIOUS OPERATOR:

Oviniv USA Inc.
4 Waterway Square Place, Suite 100
The Woodlands, Texas 77380

Signature - Christian C. Sizemore
Director, Rockies and Land Innovation
State/Fee Bond #105189977
BLM Bond #105073466

NEW OPERATOR:

Scout Energy Management, LLC
13800 Montfort Road, Suite 100
Dallas, TX 75240

Signature - Todd Flott
Managing Director
State/Fee Bond #612402460 / #61242461
BLM Bond #612402462

NAME (PLEASE PRINT) Todd Flott

TITLE Managing Director

SIGNATURE

DATE

8/31/2022

(This space for State use only)

APPROVED

By Rachel Medina at 10:58 am, Dec 21, 2022



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number see attached list		API Number attached
Location of Well		Field or Unit Name see attached Exhibit A
Footage :	County : see attached	Lease Designation and Number see attached Exhibit A
QQ, Section, Township, Range:	State : UTAH	

EFFECTIVE DATE OF TRANSFER: 9/1/2022

CURRENT OPERATOR

Company: Ovintiv USA Inc.
Address: 4 Waterway Square Place, Suite 100
city The Woodlands state TX zip 77380
Phone: 281-210-5100
Comments: UIC wells under UDOGM Jurisdiction

Name: Christian C. Sizemore
Signature: [Signature]
Title: Director, Rockies and Land Innovation
Date: 11/16/2022

NEW OPERATOR

Company: Scout Energy Management LLC
Address: 13800 Montford Road, Suite 100
city Dallas state TX zip 75240
Phone: 972-325-1027
Comments: Change of operator effective 9/1/2022

Name: Jon Piot
Signature: [Signature]
Title: Managing Director
Date: 11/15/2022

(This space for State use only)

[Signature]

☐ EPA approval required

Max Inj. Press.
Max Inj. Rate
Perm. Inj. Interval
Packer Depth
Next MIT Due

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-34173
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF TRIBAL, ALLOTTEE OR TRIBE NAME:
		7.UNIT or CA AGREEMENT NAME: Greater Monument Butte
1. TYPE OF WELL Water Injection Well		8. WELL NAME and NUMBER: Travis Fed 1-33
2. NAME OF OPERATOR: Scout Energy Management, LLC		9. API NUMBER: 43013316030000
3. ADDRESS OF OPERATOR: 13800 Montfort Drive, Suite 100 , Dallas , TX, 75240		PHONE NUMBER: 972-277-1397
9. FIELD and POOL or WILDCAT: MONUMENT BUTTE		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 660 FNL 660 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENE Section: 33 Township: 8S Range: 16E Meridian: S		COUNTY: DUCHESNE
		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
☐ NOTICE OF INTENT Approximate date work will start:	☐ ACIDIZE ☐ CHANGE TO PREVIOUS PLANS ☐ CHANGE WELL STATUS ☐ DEEPEN ☐ OPERATOR CHANGE ☐ PRODUCTION START OR RESUME ☐ REPERFORATE CURRENT FORMATION ☐ TUBING REPAIR ☐ WATER SHUTOFF ☐ WILDCAT WELL DETERMINATION	
☒ SUBSEQUENT REPORT Date of Work Completion: 3/26/2025	☐ ALTER CASING ☐ CHANGE TUBING ☐ COMMINGLE PRODUCING FORMATIONS ☐ FRACTURE TREAT ☐ PLUG AND ABANDON ☐ RECLAMATION OF WELL SITE ☐ SIDETRACK TO REPAIR WELL ☐ VENT OR FLARE ☐ SI TA STATUS EXTENSION ☒ OTHER	
☐ SPUD REPORT Date of Spud:	☐ CASING REPAIR ☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE ☐ NEW CONSTRUCTION ☐ PLUG BACK ☐ RECOMPLETE DIFFERENT FORMATION ☐ TEMPORARY ABANDON ☐ WATER DISPOSAL ☐ APD EXTENSION	
☐ DRILLING REPORT Report Date:	OTHER: MIT	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. A 5 YR MIT was performed on the above listed well. On 3/26/2025 the casing was pressured up to 1317 PSIG and charted for 20 minutes with no pressure loss. The tubing was 1082 PSIG during the test. State representative, Bryan Boren, was present during testing.		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY (This is not an approval) April 04, 2025		
NAME (PLEASE PRINT) Danene Harvey	PHONE NUMBER 972-325-1114	TITLE Sr. Regulatory Analyst
SIGNATURE N/A	DATE 4/3/2025	

Mechanical Integrity Test

Casing or Annulus Pressure Mechanical Integrity Test

Scout EP

1820 W Highway 40

Roosevelt, UT 84066

435.352.6282

Witness: Bryan Boren Date: 3-26-2025 Time: 3:05 am ☒Test Conducted By: Ryan CrumOthers Present: 43-013-31603

Well Name: <u>Travis Federal 1-33-8-16</u>			
Field: <u>Monument Butte</u>	County: <u>Duchesne</u>	State: <u>UT</u>	
Location: <u>NE/NE</u> Sec: <u>33</u>	T <u>8</u>	N <u>8</u>	R <u>16</u> ☒ W
Operator: <u>Scout EP</u>			
Last MI: <u>/ /</u>	Maximum Allowable Pressure: <u>2000</u>		psig

Is this a regular scheduled test? ☒ Yes ☐ No

Initial Test for Permit? ☐ Yes ☒ No

Test after well rework? ☐ Yes ☒ No

Well injection during test? ☐ Yes ☒ No If Yes, rate: _____ bpd

Pre-test casing / tubing annulus pressure: 0 / 1082 psig

MIT DATA TABLE		Test #1	Test #2
TUBING		PRESSURE	
Initial Pressure		<u>1082</u> psig	psig
End of test pressure		<u>1082</u> psig	psig
CASING / TUBING		ANNULUS	PRESSURE
0 minutes		<u>1317</u> psig	psig
5 minutes		<u>1316</u> psig	psig
10 minutes		<u>1316</u> psig	psig
15 minutes		<u>1316</u> psig	psig
20 minutes		<u>1316</u> psig	psig
25 minutes		psig	psig
30 minutes		psig	psig
_____ minutes		psig	psig
_____ minutes		psig	psig
RESULT		☒ Pass ☐ Fail	☐ Pass ☐ Fail


Does the annulus pressure build back up after test? ☐ Yes ☒ No

Additional comments for mechanical integrity pressure test, such as volume of fluid added to annulus and bled back at end of test, reason for failing test (casing head leak, tubing leak, other), etc.:

Signature of Witness: [Signature]Signature of Person Conducting Test: [Signature]

Travis Federal 1-33-8-16

3/22/2025 10:11:46 PM



STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9 5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-34173
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF TRIBAL, ALLOTTEE OR TRIBE NAME: 7.UNIT or CA AGREEMENT NAME: Greater Monument Butte
1. TYPE OF WELL Water Injection Well		8. WELL NAME and NUMBER: Travis Fed 1-33
2. NAME OF OPERATOR: Scout Energy Management, LLC		9. API NUMBER: 43013316030000
3. ADDRESS OF OPERATOR: 13800 Montfort Drive, Suite 100 , Dallas , TX, 75240		PHONE NUMBER: 972-277-1397
9. FIELD and POOL or WILDCAT: MONUMENT BUTTE		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 660 FNL 660 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENE Section: 33 Township: 8S Range: 16E Meridian: S		COUNTY: DUCHESNE
		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
☐ NOTICE OF INTENT Approximate date work will start: ☒ SUBSEQUENT REPORT Date of Work Completion: 6/18/2025 ☐ SPUD REPORT Date of Spud: ☐ DRILLING REPORT Report Date:	☐ ACIDIZE ☐ CHANGE TO PREVIOUS PLANS ☐ CHANGE WELL STATUS ☐ DEEPEN ☐ OPERATOR CHANGE ☒ PRODUCTION START OR RESUME ☐ REPERFORATE CURRENT FORMATION ☐ TUBING REPAIR ☐ WATER SHUTOFF ☐ WILDCAT WELL DETERMINATION ☐ ALTER CASING ☐ CHANGE TUBING ☐ COMMINGLE PRODUCING FORMATIONS ☐ FRACTURE TREAT ☐ PLUG AND ABANDON ☐ RECLAMATION OF WELL SITE ☐ SIDETRACK TO REPAIR WELL ☐ VENT OR FLARE ☐ SI TA STATUS EXTENSION ☐ OTHER ☐ CASING REPAIR ☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE ☐ NEW CONSTRUCTION ☐ PLUG BACK ☐ RECOMPLETE DIFFERENT FORMATION ☐ TEMPORARY ABANDON ☐ WATER DISPOSAL ☐ APD EXTENSION OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Scout Energy Management, LLC has successfully returned this well to active injection on 6/18/25. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY (This is not an approval) June 25, 2025		
NAME (PLEASE PRINT) Danene Harvey		PHONE NUMBER 972-325-1114
TITLE Sr. Regulatory Analyst		
SIGNATURE N/A		DATE 6/25/2025