



BALCRON OIL

A Division of
Equitable Resources Energy Company

P.O. Box 21017
1601 Lewis Avenue Building
Billings, Montana 59104
(406) 259-7860

RECEIVED

MAY 14 1992

DIVISION OF
OIL GAS & MINING

May 13, 1992

-- VIA FEDERAL EXPRESS --

State of Utah
Division of Oil, Gas & Mining
355 West North Temple
Salt Lake City, UT 84180

Gentlemen:

Enclosed are copies of Federal Applications for Permit to Drill
the following wells in Uintah County, Utah:

Balcron Coyote Federal #31-7
NW NE Section 7, T8S, R25E
Federal Lease #U-020309-D

Balcron Coyote Federal #13-7
NW SW Section 7, T8S, R25E
Federal Lease #U-41377

Balcron Coyote Federal #22-7
SE NW Section 7, T8S, R25E
Federal Lease #U-41377

Balcron Coyote Federal #13-5
NW SW Section 5, T8S, R25E
Federal Lease #U-063597A

As operator, we request that the information be held tight on
these wells for the maximum period allowed by State
regulations.

If you have any questions or need further information, please
let me know.

Sincerely,
Bobbie Schuman

Bobbie Schuman
Coordinator of Operations,
Environmental and Regulatory Affairs

/rs

Enclosures

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on
reverse side)

Form approved.
Budget Bureau No. 1004-0136
Expires August 31, 1985

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL

DEEPEN

PLUG BACK

b. TYPE OF WELL

OIL WELL

GAS WELL

OTHER

SINGLE ZONE

MULTIPLE ZONE

2. NAME OF OPERATOR

EQUITABLE RESOURCES ENERGY COMPANY

CONFIDENTIAL

3. ADDRESS OF OPERATOR

P.O. Box 21017; Billings, MT 59104

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
At surface

1605' FSL, 586' FWL
At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

35 miles southeast of Vernal, UT

10. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.

(Also to nearest drilg. unit line, if any)

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

GL 5,528.65'

16. NO. OF ACRES IN LEASE

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40

19. PROPOSED DEPTH

4,580' GRR

20. ROTARY OR CABLE TOOLS

Rotary

22. APPROX. DATE WORK WILL START*

July 15, 1992

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	260'	250 sx 6 w/add.
7-7/8"	5-1/2"	15.50#	4,580'	See Drilling Program

SEE ATTACHED EXHIBITS

- "A" PROPOSED DRILLING PROGRAM
- "B" PROPOSED SURFACE USE PROGRAM
- "C" GEOLOGIC PROGNOSIS
- "D" DRILLING PROGRAM
- "E" DRILL PAD AND RIG LAYOUT (plats 1 and 2)
- "F" LOCATION SITE AND ELEVATION PLAT
- "G" EVIDENCE OF BOND COVERAGE

RECEIVED

MAY 14 1992

DIVISION OF
OIL GAS & MINING

SELF CERTIFICATION: I hereby certify that I am authorized, by proper lease interest owner, to conduct these operations associated with the application. Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Equitable Resources Energy Company as principal and Safeco Insurance Company of America as surety under BLM Bond No. MT 0576 (Nationwide Oil & Gas Bond #5547188) who will be responsible for compliance with all of the terms and conditions of that portion of the lease associated with this application.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program if any.

24.

Bobbie Schuman
Signer

Bobbie Schuman
(This space for Federal or State office use)

PERMIT NO. 43-047-7020701

Coordinator of Environmental
and Regulatory Affairs

APPROVED BY May 13 1992

OF UTAH DIVISION OF
OIL, GAS, AND MINING

APPROVAL DATE


DATE: 5/28/92

BY: JAY J. Keys

WELL SPACING: 129-6

*See Instructions On Reverse Side

T8S, R25E, S.L.B. & M.



X = SECTION CORNERS LOCATED

BASIS OF BEARINGS; G.L.O. PLAT 1911


BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (DINOSAUR NORTHWEST)

EQUITABLE RESOURCES ENERGY CO.

WELL LOCATION, COYOTE FED. 13-5,
LOCATED AS SHOWN IN THE NW 1/4 SW 1/4
OF SECTION 5, T8S, R25E, S.L.B. & M.
UNITA COUNTY UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS
PREPARED FROM FIELD SURVEYS
MADE BY ME OR UNDER MY SUPERVISION, AND THAT
THE SAME ARE TRUE AND CORRECT TO THE BEST OF
MY KNOWLEDGE AND BELIEF.



TRI STATE LAND SURVEYING & CONSULTING
38 EAST 100 NORTH, VERNAL, UTAH 84078
(801) 781-2501

SCALE: 1" = 1000'	SURVEYED BY: SS KH
DATE: 3/27/92	WEATHER: RAINY & COLD
NOTES:	FILE # COYOTE FED 13-5

EQUITABLE RESOURCES ENERGY COMPANY
Balcron Oil Division
Balcron Coyote Federal #13-5
NW SW Section 5-T8S-R25E
Uintah County, Utah

In accordance with requirements outlined in 43 CFR 3162-3.1 (d):

1. ESTIMATED IMPORTANT GEOLOGICAL MARKERS:

See Geologic Prognosis

2. ESTIMATED DEPTHS OF ANTICIPATED OIL, GAS OR WATER:

See Geologic Prognosis (see EXHIBIT "C")

3. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

- a. Schematics of the BOP equipment and choke manifold will be provided as soon as a drilling contractor has been chosen. The BOPE will be installed after setting 8-5/8" casing at 260'. The blind rams and pipe rams will be tested to 1500 psi. The annular preventer will be tested to 500 psi. Pipe rams will be operationally checked each 24-hour period and blind rams each time pipe is pulled out of the hole.
- b. The BOPE layout will be provided as soon as a drilling contractor is chosen. The BOPE will be tested to 1500 psi when initially installed, whenever any seal subject to test pressure is broken, and following related repairs. The pipe and blind rams will be activated at least weekly and on every trip the pipe and blind rams will be activated.
- c. An accumulator of sufficient capacity to open the hydraulically-controlled choke valve lines (if so equipped), close all rams plus the annular preventer, and retain a minimum of 200 psi above precharge on the closing manifold without the use of the closing unit pumps will be installed during the drilling of this well.
- d. An upper kelly cock will be used during the drilling of this well.
- e. Visual mud monitoring equipment will be used to detect volume changes indicating loss or gain in circulating fluid volume.
- f. Sufficient quantities of mud materials will be maintained or readily accessible for the purpose of assuring well control.

4. PROPOSED CASING AND CEMENTING PROGRAM:

- a. Surface casing will be set in the Duchesne River formation to approximately 260' and cemented to surface.
- b. All potentially productive hydrocarbon zones will be isolated.
- c. Casing designs are based on factors of burst: 1.25, collapse: 1.125, and joint strength: 1.8.
- d. All casing strings will be pressure tested to 0.22 psi/ft. of casing string length or 1500 psi whichever is greater (not to exceed 70% of yield).
- E. For details of casing, cement program, drilling fluid program, and proposed mud program, see the following two attachments:

Drilling Program (EXHIBIT "D")
Geologic Prognosis (EXHIBIT "C")

5. HAZARDOUS PRESSURES, TEMPERATURES, FLUIDS/GASSES EXPECTED:

- a. Expected bottom hole temperature is 125 degrees F. Expected bottom hole pressure is 1500 psi.
- b. No abnormal pressures or temperatures have been noted or reported in wells drilled to the Green River formation in this area.
- c. No dangerous levels of hydrogen sulfide, hazardous fluids, or gasses have been found, reported, or known to exist at the depth to be drilled in this well, in this area.

6. ANTICIPATED STARTING DATE AND DURATION OF OPERATIONS:

- a. The drilling operations for this well will begin as soon as the BLM approves all requirements included in this APD.
- b. These drilling operations should be completed within 12 days after spudding the well depending on weather conditions.
- c. If the well is productive, a sundry notice and plat showing exact installed facilities will be submitted.
- d. If this well is non-productive, a sundry notice will be filed with the BLM District Office within 30 days following completion of the well for abandonment.

BAL-CRON OIL COMPANY

Geologic Prognostics

EXPLORATORY _____ DEVELOPMENT X

WELL NAME: Federal #13-5
LOCATION: 1980' FSL, 660' FEL
COUNTY: Uintah STATE: UT

PROSPECT/FIELD: Coyote Basin -----
SECTION 5 TOWNSHIP 8S RANGE 25E
ELEV: 5570' EST KB: 5582' TOTAL DEPTH 4582'

FORM. TOPS:

CONTROL WELL: Federal #1-6 Qtr/Qtr NE/SE Section 6 Township 8S Range 25E

SAMPLES:

End Samples To:

LDGS:

DIL=SFL from Surf to T.D.
LDT=CNL from Surf to T.D.
----- from ----- to -----
----- from ----- to -----

CORES:

----- None.

DRILL STEM TESTS:

None

1100 LOGGER/HOT WIRE:

Required: (Yes/No) Yes
Type: 1 man

WELLSITE GEOLOGIST:

From 3000 to T.D.
Name: _____ Tele. No. (_____) _____
Address: _____

COMMENTS:

PREPARED BY: Steve W. VanDelinder

DATE: 4-23-92

Multi-Point Surface Use and Operations Plan

1. Existing Roads: Refer to Maps "A" & "B" (shown in RED)
 - A. The proposed well site is staked and four reference stakes are present. 175' & 225' E and 225' & 275' N
 - B. The Coyote Federal #13-5 is located approximately 35 miles Southeasterly from Vernal Utah, in the NW1/4, SW1/4 Section 5, T8S, R25E, SLB&M, Uintah County, Utah. To reach the 13-5, proceed East from Vernal, Utah along U.S. Highway 40 for 24 miles to the junction of this highway and Utah State highway 45; Proceed South along Utah State Highway 45 approximately 9.8 miles to an intersection with a dirt road running to the East. Proceed East along said dirt road 0.6 mile to proposed access road sign. Follow flags 800' to location.
 - C. Access roads - refer to Maps "A" and "B".
 - D. Access roads within a one-mile radius - refer to Map "B".
 - E. The existing dirt road will be upgraded to the same standards as listed below under planned access roads.

2. Planned Access Roads: Refer to Map "B" (shown in GREEN)

Approximately 800 feet of new road construction will be required for access to the proposed well location.

- A. Width - maximum 30-foot overall right-of-way with an 18-foot road running surface, crowned & ditched and/or sloped and damped.
- B. Construction standard - the access road will be constructed so as to conform to the standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development. (1989)

The road will be constructed to meet the standards of the anticipated traffic flow and all-weather requirements. Construction will include ditching, draining, crowning, and capping or sloping and damping the roadbed as necessary to provide a well constructed and safe road. Prior to construction/upgrading, the roadway shall be cleared of any snow cover and allowed to dry completely.

Traveling off the thirty (30) foot right-of-way will not be allowed.

Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossing shall be designed so they will not cause siltation or the accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts.

Upgrading shall not be allowed during muddy conditions.

Should mud holes develop, they shall be filled in and detours around them avoided.

- C. Maximum grade - 8%
- D. Turnouts - turnouts will be constructed along the access route as necessary or required to allow for the safe passage of traffic.
- E. Drainage design - the access road will be crowned and ditched or sloped and dipped, and water turnouts installed as necessary to provide for proper drainage along the access road route. An erosion control structure will be constructed in the drainage approximately 250' Southeast of the proposed access road in the SW1/4, SW 1/4 section 5.
- F. Culverts, cuts and fills - no culverts will be required. There are no major cuts and/or fills on/along the proposed access road route.
- G. Surface materials - any construction materials which may be required for surfacing of the access road will be purchased from a local contractor having a permitted source of materials in the area, if required by the Authorized Officer, Bureau of Land Management. None anticipated at this time.
- H. Gates, cattleguards or fence cuts - none required.
- I. Road maintenance - during both the drilling and production phase of operations, the road surface and shoulders will be kept in a safe and useable condition and will be maintained in accordance with the original construction standards. All drainage ditches and culverts will be kept clear and free-flowing, and will also be maintained in accordance with the original construction standards. The access road right-of-way will be kept free

of trash during operations.

J. The proposed access road has been centerline flagged.

3. Location of Existing Wells Within a One-Mile Radius:

Please Refer to Map "B"

- A. Water wells - none known.
- B. Abandoned wells - see Map "B"
- C. Temporarily abandoned wells - none known.
- D. Disposal wells - none known.
- E. Drilling wells - none known.
- F. Producing wells - see Map "B".
- G. Shut-in wells - none known.
- H. Injection wells - none known.
- I. Monitoring wells - none known.

4. Location of Existing and/or Proposed Facilities Owned by Equitable Resources Energy Company Within a One-Mile Radius:

A. Existing

- 1. Tank batteries - see Map #B.
- 2. Production facilities - see Map #B.
- 3. Oil gathering lines - none.
- 4. Gas gathering lines - see Map #B.

B. New Facilities Contemplated

- 1. All production facilities will be located on the disturbed portion of the well pad and at a minimum of twenty-five (25) feet from the toe of the backslope or toe of the fill slope.
- 2. The production facilities will consist primarily of a pumping unit, Two tanks and an emergency pit. A diagram showing the proposed production facility layout will be submitted to the Authorized Officer via "Sundry Notice" (Form 3160-5) for approval of subsequent installation operations.
- 3. Production facilities will be accommodated on the existing well pad. Construction materials required for installation of the production facilities will be obtained from the site; any additional materials required will be purchased from a local supplier having a permitted (private) source of materials within the area.

A dike will be constructed completely around those

production facilities which contain fluids (i.e. production tanks, produced water tanks and/or heater treater). These dikes will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank, and be independent of the back cut.

4. To protect important seasonal wildlife values, construction, drilling, and other development activity will not be allowed from May 15 to June 20. This limitation does not apply to maintenance and operation of a producing well. Exceptions to this limitation in any year may be authorized in writing by the Bookcliff Resource Area Manager.
5. All permanent (onsite for six months or longer) above the ground structures constructed or installed including pumping units will be painted a flat, nonreflective, earthtone color to match one of the standard environmental colors, as determined by the Five (5) State Rocky Mountain Interagency Committee. All production facilities will be painted within six (6) months of installation. Facilities required to comply with Occupational Health and Safety Act Rules and Regulations will be excluded from this painting requirement.

The required paint color is Carlsbad Tan or Desert Tan.

- C. The production (emergency) pit will be 12'x12' and will be fenced. Said fence will be maintained in good condition.
- D. During drilling and subsequent operations, all equipment and vehicles will be confined to the access road right-of-way and any additional areas as specified in the approved Application for Permit to Drill.
- E. Reclamation of disturbed areas no longer needed for operation will be accomplished by grading, leveling and seeding as recommended by the Bureau of Land Management.

For Pipeline:

- F. Any proposed pipelines will be submitted to the authorized offices via Sundry Notice for approval of subsequent operations.
- G. Equitable Resources Energy Company shall be responsible for road maintenance from the beginning to completion of operations.

5. Location and Type of Water Supply

- A. Water to be used for the drilling of these wells will be hauled by truck over the roads described in item #1 and item #2 from the White River. Permit by Dalbo for this water is pending.
- B. No water well will be drilled on this location.

6. Source of Construction Materials

- A. No construction materials are needed for drilling operations. In the event of production, the small amount of gravel needed for facilities will be hauled in by truck from a local gravel pit over existing access roads to the area. No special access other than for drilling operations and pipeline construction is needed.
- B. All access roads crossing Federal land are described under item #2, and shown on Map #A.

All construction material for these location sites and access roads shall be borrowed material accumulated during the construction of the location sites and access roads. No additional construction material from other sources is anticipated at this time, if in the future it is required the appropriate actions will be taken to acquire it from private sources.

- C. All surface disturbance area is on B.L.M. lands.
- D. There are no trees on this location or along the proposed access road.

7. Methods of Handling Waste Materials:

- A. Cuttings - the cuttings will be deposited in the reserve/blooie pit.
- B. Drilling fluids - including salts and chemicals will be contained in the reserve/blooie pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be removed and disposed of at an approved waste disposal facility within ninety (90) days after termination of drilling and completion activities.

In the event adverse weather conditions prevent removal of the fluids from the reserve pit within this time period, an extension may be granted by the Authorized Officer upon receipt of a written request from Equitable Resources Energy Company.

The reserve pit will be constructed so as not to leak, break, or allow discharge.

C. Produced fluids - liquid hydrocarbons produced during completion operations will be placed in test tanks on the location. Produced waste water will be confined to a lined pit (reserve pit) or storage tank for a period not to exceed ninety (90) days after initial production. During the ninety (90) day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with the required water analysis, shall be submitted for the Authorized Officer's approval. Failure to file an application within the time frame allowed will be considered an incidence of noncompliance.

Any spills of oil, gas, salt water or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.

D. Sewage - self-contained, chemical toilets will be provided for human waste disposal. Upon completion of operations, or as needed, the toilet holding tanks will be pumped and the contents thereof disposed of in the nearest, approved, sewage disposal facility.

E. Garbage and other waste material - garbage, trash and other waste materials will be collected in a portable, self-contained and fully-enclosed trash cage during drilling and completion operations. Upon completion of operations (or as needed) the accumulated trash will be disposed of at an authorized sanitary landfill. No trash will be burned on location or placed in the reserve pit.

F. Immediately after removal of the drilling rig, all debris and other waste materials not contained in the trash cage will be cleaned up and removed from the well location. No adverse materials will be left on the location. Any open pits will be fenced during the drilling operation and the fencing will be maintained until such time as the pits are backfilled.

G. The reserve and/or production pit will be constructed on the existing location and will not be located in natural drainages where a flood hazard exists or surface runoff will destroy or damage the pit walls. All pits will be constructed so as not to leak, break, or allow the discharge of liquids therefrom.

8. Ancillary Facilities:
None anticipated

9. Wellsite Layout:

- A. Plat #1 shows the drill site layout as staked. Cross sections have been drafted to visualize the planned cuts and fills across the location. An average minimum of six (6) inches of topsoil will be stripped from the location (including areas of cut, fill, and/or subsoil storage) and stockpiled for future reclamation of the well site. Refer to Figure #1 for the location of the topsoil and subsoil stockpiles.
- B. Plat #2 is a diagram showing the rig layout. No permanent living facilities are planned. There will be two or three trailers on location during drilling operations.
- C. A diagram showing the proposed production facility layout will be submitted to the Authorized Officer via Sundry Notice (Form 3160-5) for approval of subsequent operations.
- D. The reserve pit and the blooie pit will be constructed as a combination pit capable of holding 12,000 bbls. of fluid. This size of pit will be approximately equivalent to four times the T.D. hole volume. The blooie pit might be used for testing, but only after the drilling is completed and the drilling equipment and personnel are off the well site location.

The reserve pit will not be lined unless requested by the B.L.M. or unless it is deemed necessary by Equitable Resources. If a plastic-nylon reinforced liner is used, it will be torn and perforated after the pit dries and before backfilling of the reserve pit.

- E. Prior to the commencement of drilling operations, the reserve pit will be fenced on three (3) sides using 39-inch net wire with one strand of barbed wire on top of the net wire. The net wire will be no more than two inches above the ground. the barbed wire will be three inches above the net wire. total height of the fence will be at least 42-inches.
 - 1. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
 - 2. Standard steel, wood, or pipe posts shall be used between the corner braces. The maximum distance

between any two (2) posts shall be no greater than sixteen (16) feet.

3. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The fourth side of the reserve pit will be fenced immediately upon removal of the drilling rig and the fencing will be maintained until the pit is backfilled.

- F. Any hydrocarbons on the pit will be removed from the it as soon as possible after drilling operations are completed.

10. Plans for Reclamation of the Surface:

The B.L.M. will be contacted prior to commencement of any reclamation operations.

A. Production

1. Immediately upon well completion, the well location and surrounding area(s) will be cleared of all debris, materials, trash and junk not required for production.
2. Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.
3. If a plastic or nylon reinforced pit liner is used, it shall be torn and perforated before backfilling of the reserve pit.
4. Before any dirt work to restore the location takes place, the reserve pit will be completely dry and all cans, barrels, pipe, etc. will be removed.

Other waste and spoil materials will be disposed of immediately upon completion of drilling and workover activities.

5. The reserve pit and that portion of the location and access road not needed for production facilities/operations will be reclaimed within ninety (90) days from the date of well completion, weather permitting.
6. If the well is a producer, Equitable Resources Energy Company will, upgrade and maintain access roads as necessary to prevent soil erosion, and accommodate year round traffic. Reshape areas unnecessary to

operations, distribute topsoil, disk and seed all disturbed areas outside the work area according to the recommended seed mixture. Perennial vegetation must be established. Additional work shall be required in case of seeding failures, etc.

If the well is abandoned/dry hole, Equitable Resources Energy Company will, restore the access road and location to approximately the original contours. During reclamation of the site, push the fill material into cuts and up over the backslope. Leave no depressions that will trap water or form ponds. Distribute topsoil evenly over the location, and seed according to the above seed mixture. The access road and location shall be ripped or disked prior to seeding. Perennial vegetation must be established. Additional work shall be required in case of seeding failures, etc.

Seedbed will be prepared by disking, then roller packing following the natural contours. Seed will be drilled on contours at a depth no greater than one-half inch (1/2"). In areas that cannot be drilled, seed will be broadcast at double the seeding rate and harrowed into soil. Certified seed will be used whenever available.

Fall seeding will be completed after September 1 and prior to prolonged ground frost. Spring seeding, to be effective, will be completed after the frost has left the ground and prior to May 15th.

7. Upon completion of backfilling, leveling and recontouring, the stockpiled topsoil will be evenly spread over the reclaimed area(s). Prior to reseeding, all disturbed surfaces will be scarified and left with a rough surface. No depressions will be left that would trap water and form ponds. All disturbed surfaces will be reseeded with a seed mixture to be recommended by the Bureau of Land Management.

Seed will be drilled on the contour to a approximate depth of one-half (1/2) inch. All seeding will be conducted after September 1 and prior to ground frost. Spring seeding will be done after the frost leaves the ground and no later than May 15. If the seeding is unsuccessful, Equitable Resources may be required to make subsequent seedings.

B. Dry Hole/Abandoned Location

1. On lands administered by the Bureau of Land Management, abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include:
 - (a) re-establishing irrigation systems where applicable,
 - (b) re-establishing soil conditions in irrigated fields in such a way as to ensure cultivation and harvesting of crops and,
 - (c) ensuring revegetation of the disturbed areas to the specifications of the Bureau of Land Management at the time of abandonment.
2. All disturbed surfaces will be recontoured to the approximate natural contours and reseeded according to BLM specifications. Reclamation of the well pad and access road will be performed as soon as practical after final abandonment and reseeding operations will be performed in the fall or spring following completion of reclamation operations.

11. Surface Ownership:

The well site and proposed access road are situated on surface lands administered by

Bureau of Land Management
Vernal District Office
Vernal, Utah

12. Other Information:**A. Topographic and geologic features of the area (reference Topographic Map #A) are:**

The proposed drill site is located in the Coyote Basin oil field, which lies in a large basin formed by the Uinta Mountains to the North and the Bookcliff Mountains to the South. The site is located approximately 16 miles North of the White River, which is the major drainage for this area, and approximately 9 miles north of Bonanza Utah, the closest occupied dwellings to this area.

This basin floor is interlaced with numerous canyons and ridges formed by the non-perennial streams of the area. The sides of these canyons are steep and ledges formed in sandstone, conglomerate deposits and shale are common in this area.

The geologic structures that are visible in the area are of the Uinta formation (Eocene Epoch) tertiary period and the cobblestone and younger alluvial deposits from the Quaternary period.

The soils in the semi-arid area of the Williams Fork Formation (Upper Cretaceous) and Wasatch Formation (Eocene) consist of light brownish gray clay (OL) to sand soil (SM-ML) type with poorly graded gravels.

Outcrops of sandstone ledges, conglomerate deposits and shale are common in this area.

The topsoils in the area range from a sandy clay (SM-ML) type soil to a clayey (OL) soil.

The majority of the numerous washes and draws in the area are of a non-perennial nature flowing during the early spring run-off and heavy rain storms of long duration which are rare as the normal annual rainfall in the area is only 8".

The flora of the area includes pinon and juniper trees, sagebrush, mountain mahogany, serviceberry, rabbit brush, greasewood, four-wing saltbush, Gambel scrub oak, willow, tamarack, shadscale, Spanish bayonet, indian rice grass, cheatgrass, wheatgrass, curly grass, crested wheatgrass, sweet clover, gum weed, foxtail, mustard, Canadian thistle, Russian thistle, Kochia, sunflowers and cacti.

The fauna of the area includes cattle, horses, elk, deer, coyotes, rabbits, rodents, lizards, bull snakes, rattle snakes, water snakes and horned toads. Birds of the area are ground sparrows, bluejays, bluebirds, magpies, ravens, raptors, morning doves, swallows, nighthawks, hummingbirds, and chukar.

- B. The surface ownership is Federal. The surface use is grazing and petroleum production.
- C. 1. The closest live water is the White River which is approximately 16 miles South of the proposed site.
- 2. There are no occupied dwellings in the immediate area
- 3. An archaeological report will be forwarded upon completion, unless this requirement is waived by the Bookcliff Resource Area archaeologist.
- 4. There are no reported restrictions or reservations noted on the oil and gas lease.

13. OPERATOR'S REPRESENTATIVES:

Balcron Oil, a division of Equitable Resources Energy Company
1601 Lewis Avenue
P.O. Box 21017
Billings, Montana 59104
(8:00 a.m. to 5:00 p.m.)
(406) 259-7860
FAX: (406) 245-1361

Dave McCoskery, Drilling Engineer
Home: (406) 248-3864

Steve Durrett, Engineering Manager
Home: (406) 652-9208

14: CERTIFICATION:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

A complete copy of the approved Application for Permit to Drill will be onsite during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that any statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Balcron Oil, a division of Equitable Resources Energy Company, and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

May 13, 1992

Date

Bobbie Schuman
Bobbie Schuman
Coordinator of Environmental
and Regulatory Affairs

BALCRON OIL
DRILLING PROGRAM

WELL NAME: Balcron Coyote Fed.13-5 PROSPECT/FIELD: Coyote Basin
 LOCATION: NW SW 5-T8S-R25E
 COUNTY: Uintah STATE: Utah

TOTAL DEPTH: 4580

HOLE SIZE INTERVAL

12 1/4"	0 to 260'
7 7/8"	260 to 4580 (TD)

CASING	INTERVAL		CASING			
	STRING	TYPE	FROM	TO	SIZE	WEIGHT
Surface		0	260	8 5/8"	24	J-55
Production		0	4580	5 1/2"	15.50	J-55

All casing will be ST&C, 8RD, New

CEMENT PROGRAM

Surface	250 sacks Class "G" with 3% CaCl. <small>(Note: Volumes are 100% excess.)</small>
---------	--

Production	Two stage cement job with top of second stage cement at 1000'. <u>First Stage:</u> 90 sacks Haliburton Hifill with 10#/sk Gilsonite tailed with 180 sacks of 50/50 Poz with 0.3% CFR-3, 1/4#/sk Flocole, 0.5% Halad-24, and 10% salt. <u>Second Stage:</u> 110 sacks Haliburton Hifill with 10#/sk Gilsonite.
------------	---

**PRELIMINARY
 DRILLING FLUID PROGRAM**


TYPE	FROM	TO	WEIGHT	PLAS.	YIELD
				VIS	POINT
Fresh Gel/Native mud	0	260	8.5	NA	NA
KCL/GEL AND LCM	0	4580	8.7-9.0	10-12	12-14


COMMENTS

1.) No cores or DSTs are planned for this well.


COYOTE FED. UNIT #13-5

PLAT #2 (RIG LAYOUT)
SCALE 1" = 40'






EQUITABLE RESOURCES ENERGY COMPANY




EQUITABLE RESOURCES ENERGY COMPANY
COYOTE FEDERAL #13-5
MAP "C"


EXHIBIT "F"
Page 4 of 4



EQUITABLE RESOURCES ENERGY COMPANY
COYOTE FEDERAL #13-5
MAP "B"

EXHIBIT "F"
Page 3 of 4





EQUITABLE RESOURCES ENERGY COMPANY
COYOTE FEDERAL #13-5
MAP "A"



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
MONTANA STATE OFFICE
222 NORTH 32ND STREET
P.O. BOX 36800
BILLINGS, MONTANA 59107-0800

IN REPLY TO:

MTM 12619-A et al
BLM BOND NO. MT0576
(922.31)

April 25, 1989

NOTICE

Equitable Resources Energy Company
P. O. Box 21017
Billings, Montana 59104

OIL AND GAS

CORPORATE MERGER RECOGNIZED
RIDER TO NATIONWIDE BOND ACCEPTED

Acceptable evidence has been filed in this office concerning the merger of Balcron Oil Company into Equitable Resources Energy Company, the surviving corporation. Information provided shows that Balcron Oil Company merged into Equitable Resources Energy Company, changing the former entity's name to Balcron Oil, a Division of Equitable Resources Energy Company. Please note that Divisions cannot hold leases, therefore, after consultation with Balcron Oil, this office is recognizing only the merger action.

A rider was filed on April 20, 1989, to be made a part of \$150,000 Nationwid Oil and Gas Bond No. 5547188 (BLM Bond No. MT0576) with Balcron Oil Company as principal and Safeco Insurance Company of America as surety. By means of this rider, the surety consents to changing the name on the bond from Balcron Oil Company to Equitable Resources Energy Company. The rider is accepted effective April 20, 1989.

For our purposes, the merger is recognized effective April 20, 1989.

The oil and gas lease files and communitization agreement files identified on the enclosed Exhibit A have been noted as to the merger. Other lease interests will be transferred by assignments from Ballard & Cronoble to Equitable Resources Energy Company.

Cynthia L. Embretson
Cynthia L. Embretson, Chief
Fluids Adjudication Section

1 Enclosure
1-Exhibit A

cc: (w/encl.)
AFS, Denver (1)
All DMs (1 ea.)
RMO Section (1)
Regional Forester, Lakewood (2)
Regional Forester, Missoula (2)
Bureau of Reclamation (1)

Form 3104-8
(July 1984)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

STATE, NATIONWIDE, OR NATIONAL PETROLEUM RESERVE
IN ALASKA OIL AND GAS BOND

Act of February 25, 1920 (30 U.S.C. Sec. 181)

Act of August 7, 1947 (30 U.S.C. Sec. 351)

Department of the Interior Appropriations Act, Fiscal Year 1981 (P.L. 96-514)

Other Oil and Gas Leasing Authorities as Applicable

KNOW ALL MEN BY THESE PRESENTS, That we

BALCRON OIL COMPANY

of 1601 Lewis Avenue, Billings, MT 59104

as principal, and

SAFECO INSURANCE COMPANY OF AMERICA

of 111 Presidential Blvd., Suite 231, Bala Cynwyd, PA 19004

as surety, are held and firmly bound unto the United States of America in the sum of ONE HUNDRED FIFTY

THOUSAND AND 00/100----- dollars (\$ 150,000.00)

, in lawful money of the United States, which sum may be increased or decreased by a rider hereto executed in the same manner as this bond, for the use and benefit of (1) the United States; (2) the owner of any of the land subject to the coverage of this bond, who has a statutory right to compensation in connection with a reservation of the oil and gas deposits to the United States; and (3) any lessee or permittee under a lease or permit issued by the United States prior to the issuance of an oil and gas lease for the same land subject to this bond, covering the use of the surface or the prospecting for, or development of, other mineral deposits in any portion of such land, to be paid to the United States. For such payment, well and truly to be made, we bind ourselves, and each of our heirs, executors, administrators, and successors, jointly and severally.

- The coverage of this bond shall extend to all of the principal's holdings of federal oil and gas leases in the United States, including Alaska, issued or acquired under the Acts cited in Schedule A.
- The coverage of this bond extends only to the principal's holdings of federal oil and gas leases issued or acquired under the Acts cited and in the States named in Schedule A and to any other State or States that may be named in a rider attached hereto by the lessor with the consent of the surety.
- The coverage of this bond extends only to the principal's holdings of federal oil and gas leases within the National Petroleum Reserve in Alaska.

SCHEDULE A

Mineral Leasing Act of February 25, 1920 (30 U.S.C. Sec. 181), Acquired Lands Leasing Act of August 7, 1947 (30 U.S.C. Sec. 351), and other oil and gas leasing authorities as applicable.

NAMES OF STATES

ALL STATES

The conditions of the foregoing obligations are such that, whereas the said principal has an interest in oil and gas leases issued under the Acts cited in this bond: (1) as lessee; (2) as the approved holder of operating rights in all or part of the lands covered by such leases under operating agreements with the lessees; or (3) as designated operator or agent under such leases pending approval of an assignment or operating agreement; and

tract, remove, and dispose of oil and gas deposits in or under the lands covered by the leases, operating agreements or designations and is obligated to comply with certain covenants and agreements set forth in such instruments; and

WHEREAS the principal and surety agree that without notice to the surety the coverage of this bond, in addition to the present holdings of the principal, shall extend to and include:

WHEREAS the principal is authorized to drill for, mine, ex-



SAFECO

SURETY RIDER

SAFECO INSURANCE COMPANY OF AMERICA
GENERAL INSURANCE COMPANY OF AMERICA
FIRST NATIONAL INSURANCE COMPANY
OF AMERICA
HOME OFFICE: SAFECO PLAZA
SEATTLE, WASHINGTON 98185

To be attached to and form a part of

Type of Bond: Nationwide Oil and Gas Lease Bond

Bond No. 5547188 (BLM Bond No. MT0576)

dated effective 9/8/88
(MONTH, DAY, YEAR)

executed by BALCRON OIL COMPANY, as Principal,
(PRINCIPAL)

and by SAFECO INSURANCE COMPANY OF AMERICA, as Surety,
(SURETY)

in favor of UNITED STATES DEPARTMENT OF THE INTERIOR, BUREAU OF LAND
(OBLIGEE) MANAGEMENT

In consideration of the mutual agreements herein contained the Principal and the Surety hereby consent to changing

The name of the Principal

From: BALCRON OIL COMPANY

To: EQUITABLE RESOURCES ENERGY COMPANY

Nothing herein contained shall vary, alter or extend any provision or condition of this bond except as herein expressly stated.

This rider is effective 1/1/89
(MONTH, DAY, YEAR)

Signed and Sealed 4/10/89
(MONTH, DAY, YEAR)

EQUITABLE RESOURCES ENERGY COMPANY

PRINCIPAL

By: _____ TITLE _____

SAFECO INSURANCE COMPANY OF AMERICA

SURETY

By: R. George Voinchet ATTORNEY-IN-FACT



POWER
OF ATTORNEY

SAFECO INSURANCE COMPANY OF AMERICA
GENERAL INSURANCE COMPANY OF AMERICA
HOME OFFICE: SAFECO PLAZA
SEATTLE, WASHINGTON 98186

EXHIBIT "G"
3798 Page 4 of 4

No. _____

KNOW ALL BY THESE PRESENTS:

That SAFECO INSURANCE COMPANY OF AMERICA and GENERAL INSURANCE COMPANY OF AMERICA, each a Washington corporation, does each hereby appoint

THOMAS L. VEHAR; R. GEORGE VOINCHET, Pittsburgh, Pennsylvania

its true and lawful attorney(s)-in-fact, with full authority to execute on its behalf fidelity and surety bonds or undertakings and other documents of a similar character issued in the course of its business, and to bind the respective company thereby.

IN WITNESS WHEREOF, SAFECO INSURANCE COMPANY OF AMERICA and GENERAL INSURANCE COMPANY OF AMERICA have each executed and attested these presents

this 4th day of September, 19 87.

CERTIFICATE

Extract from the By-Laws of SAFECO INSURANCE COMPANY OF AMERICA
and of GENERAL INSURANCE COMPANY OF AMERICA:

"Article V, Section 13. — FIDELITY AND SURETY BONDS . . . the President, any Vice President, the Secretary, and any Assistant Vice President appointed for that purpose by the officer in charge of surety operations, shall each have authority to appoint individuals as attorneys-in-fact or under other appropriate titles with authority to execute on behalf of the company fidelity and surety bonds and other documents of similar character issued by the company in the course of its business . . . On any instrument making or evidencing such appointment, the signatures may be affixed by facsimile. On any instrument conferring such authority or on any bond or undertaking of the company, the seal, or a facsimile thereof, may be impressed or affixed or in any other manner reproduced; provided, however, that the seal shall not be necessary to the validity of any such instrument or undertaking."

Extract from a Resolution of the Board of Directors of SAFECO INSURANCE COMPANY OF AMERICA
and of GENERAL INSURANCE COMPANY OF AMERICA adopted July 28, 1970.

"On any certificate executed by the Secretary or an assistant secretary of the Company setting out,

- (i) The provisions of Article V, Section 13 of the By-Laws, and
- (ii) A copy of the power-of-attorney appointment, executed pursuant thereto, and
- (iii) Certifying that said power-of-attorney appointment is in full force and effect,

the signature of the certifying officer may be by facsimile, and the seal of the Company may be a facsimile thereof."

I, Bob A. Dickey, Secretary of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of these corporations, and of a Power of Attorney issued pursuant thereto, are true and correct, and that both the By-Laws, the Resolution and the Power of Attorney are still in full force and effect.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the facsimile seal of said corporation

this 10th day of April, 19 89.

OPERATOR Balcon Oil N-9800 DATE 5-07-90

SELL NAME Balcon Coyote Tederal 13-5

SEC NW 1/4 5 T 85 R 05 E COUNTY Uintah

43-047-30061
API NUMBER

Tederal (1)
TYPE OF LEASE

HECK OFF:

PLAT

BOND

NEAREST
WELL

LEASE

FIELD
SLBM

POTASH OR
OIL SHALE

PROCESSING COMMENTS:

Board hearing heard on 5-07-90 order issued.

Water Permit for Claude Marzana's no permit issued
as of 5-07-90.

APPROVAL LETTER:

SPACINGS: R615-2-3

N/A
UNIT

RS15-3-2

105-4 order issued
CAUSE NO. & DATE 5-07-90

RS15-3-3

CONFIDENTIAL
PERIOD
EXPIRED

ON 12-10-93

STIPULATIONS:

1. Water Permit
2. Drawn schematic of BOPs + choke manifold are submitted to the Division as per R619-3-4-2.6.3



State of Utah

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Norman H. Bangerter
Governor
Dee C. Hansen
Executive Director
Dianne R. Nielson, Ph.D.
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340

May 28, 1992

Equitable Resources Energy Company
P.O. Box 21017
Billings, Montana 59104

Gentlemen:

Re: Balcron Coyote Federal 13-5 Well, 1605 feet from the south line, 586 feet from the west line, NW 1/4 SW 1/4, Section 5, Township 8 South, Range 25 East, Uintah County, Utah

Pursuant to Utah Code Ann. § 40-6-6, (1953, as amended) and the order issued by the Board of Oil, Gas and Mining in Cause No. 129-6 on May 27, 1992, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

1. Submittal to the Division of evidence providing assurance of an adequate and approved supply of water as required by Utah Code Ann. § 73-3, Appropriations, prior to commencing drilling operations.
2. Submittal of BOP equipment and choke manifold schematic diagrams in accordance with Utah Admin. R649-3-4-2.6.3.
3. Compliance with the requirements of Utah Admin. R. 649-1 et seq., Oil and Gas Conservation General Rules.
4. Notification within 24 hours after drilling operations commence.
5. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
6. Submittal of the Report of Water Encountered During Drilling, Form 7.

Page 2

Equitable Resources Energy Company
Balcron Coyote Federal 13-5
May 28, 1992

7. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068.
8. Compliance with the requirements of Utah Admin. R. 649-3-20, Gas Flaring or Venting, if the well is completed for production.

Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site should be submitted to the local health department. These drilling operations and any subsequent well operations should be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Department of Environmental Quality, Division of Drinking Water/Sanitation, telephone (801)538-6159.

This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32261.

Sincerely,



R.J. Firth
Associate Director, Oil and Gas

ldc
Enclosures
cc: Bureau of Land Management
J.L. Thompson
WOI1



BALCRON OIL

A Division of
Equitable Resources Energy Company

P.O. Box 21017
1601 Lewis Avenue Building
Billings, Montana 59104
(406) 259-7860

RECEIVED

JUN 03 1992

DIVISION OF
OIL GAS & MINING

June 2, 1992

-- VIA FEDERAL EXPRESS --

State of Utah
Division of Oil, Gas & Mining
355 West North Temple
Salt Lake City, UT 84180

Gentlemen:

Enclosed is the Archeology Report for the following wells
in Uintah County, Utah:

Balcron Coyote Federal #21-5
Balcron Coyote Federal #33-5
Balcron Coyote Federal #42-6
Balcron Coyote Federal #12-5
Balcron Coyote Federal #33-7
Balcron Coyote Federal #13-5 43-047-3001 80 05E 5
Balcron Coyote Federal #13-7
Balcron Coyote Federal #22-7
Balcron Coyote Federal #31-7

If you have any questions or need further information,
please let me know.

Sincerely,

Bobbie Schuman

Bobbie Schuman
Coordinator of Operations,
Environmental and Regulatory Affairs

/rs

Enclosures



ARCHEOLOGICAL - ENVIRONMENTAL RESEARCH CORPORATION

P. O. Box 853 Bountiful, Utah 84011-0853
Tel: (801) 292-7061, 292-9668

May 26, 1992

Subject: CULTURAL RESOURCE EVALUATIONS OF NINE PROPOSED
WELL LOCATIONS IN THE COYOTE BASIN LOCALITY
OF UNTAH COUNTY, UTAH

Project: BALCRON OIL CO. -- 1992 Development
Program for Units 12-5, 13-5, 21-5, 33-5, 42-6,
13-7, 22-7, 31-7, and 33-7

Project No.: BLCR-92-1

Permit No.: Dept. of Interior -- UT-92-54937

Utah State Project No.: UT-92-AF-201b

To: Ms. Bobbie Schuman, Balcron Oil Co., P.O. Box 21017,
Billings Montana 59104

Mr. David Little, District Manager, Bureau of Land
Management, 170 South 500 East, Vernal, Utah 84078

Info: Antiquities Section, Division of State History, 300 Rio
Grande, Salt Lake City, Utah 84101

RECEIVED
JUN 03 1992

DIVISION OF
OIL GAS & MINING

CULTURAL RESOURCE EVALUATIONS
OF NINE PROPOSED WELL LOCATIONS
(UNITS 12-5, 13-5, 21-5, 33-5, 42-6, 13-7,
22-7, 31-7, AND 33-7)
IN THE COYOTE BASIN LOCALITY OF
UINTAH COUNTY, UTAH

REPORT PREPARED FOR BALCRON OIL COMPANY

Dept. of Interior Permit No.: UT-92-54937
Utah State Project No.: UT-92-AF-201b
AERC PROJECT 1320 (BLCR-92-1)

Principal Investigator & Author of Report
F. Richard Hauck, Ph.D.

Report Prepared by the

ARCHEOLOGICAL-ENVIRONMENTAL RESEARCH
CORPORATION (AERC)

P.O. Box 853
Bountiful, Utah 84011-0853

May 26, 1992

ABSTRACT

Intensive cultural resource evaluations have been conducted for Balcron Oil Company on the proposed Federal Well locations 12-5, 13-5, 21-5, 33-5, 42-6, 13-7, 22-7, 31-7, and 33-7 in the Coyote Basin locality of Uintah County, Utah. This series of well locations involved 10 acre survey areas with the exception of Units 12-5 and 31-7 which have been evaluated during previous archaeological investigations in this locality. Access route corridors were also evaluated measuring ca. 30 meters in width for a total of ca. 1.13 miles in length. Thus, ca. 83.7 acres of public lands in the locality were examined by F.R. Hauck and L. Harding of AERC on May 14, 15, and 20, 1992.

No cultural resource activity loci were identified during the examination. The single known site in the immediate locality, 42UN 1553, will be avoided by the proposed developments. No previously recorded significant or National Register eligible cultural resources will be adversely affected by the proposed developments. No isolated artifacts were observed, collected, or recorded during the evaluations.

AERC recommends cultural resource clearance.

TABLE OF CONTENTS

	page
Abstract	ii
Table of Contents	iii
List of Maps of the Project Area	iv
General Information	1
Project Location	1
Environmental Description	4
Previous Research in the Locality	5
File Search	5
Prehistory and History of the Cultural Region	5
Site Potential in the Project Development Zone	5
Field Evaluations	6
Methodology	6
Site Significance Criteria	6
Results of Inventory	7
Conclusion and Recommendations	8
References	9

LIST OF MAPS OF THE PROJECT AREA

	page
MAP 1: Cultural Resource Survey of Proposed Locations in the Coyote Basin Locality, Uintah County, Utah	2
MAP 2: Cultural Resource Survey of Proposed Unit 33-5 in the Coyote Basin Locality, Uintah County, Utah.	3

GENERAL INFORMATION

On May 14, 15, and 20, 1992, AERC archaeologists F.R. Hauck and L. Harding conducted intensive cultural resource evaluations for Balcron Oil Company of Billings, Montana. These examinations involved nine proposed well units (Federal Units 12-5, 13-5, 21-5, 33-5, 42-6, 13-7, 22-7, 31-7, and 33-7) in the Coyote Basin locality of Uintah County, Utah (see Maps 1 and 2).

This project is situated on federal lands administered by the Book Cliffs Resource Area of the Vernal District of the Bureau of Land Management.

The purpose of the field study and this report is to identify and document cultural site presence and assess National Register significance relative to established criteria (cf., 36 CFR 60.6). Federal regulations require archeological assessments of potentially endangered cultural resources in order to identify and preserve significant artifacts and cultural material, strata, features, or monuments that are susceptible to disturbance being situated in the immediate development zone. These excavations and site assessments were conducted in compliance with the Antiquities Act of 1906; the Historic Sites Act of 1935; Section 106 of the National Historic Preservation Act of 1966, as amended; the National Environmental Policy Act of 1969; the Federal Land Policy and Management Act of 1976; the Archaeological Resources Protection Act of 1979; the Native American Religious Freedom Act of 1978; the Historic Preservation Act of 1980; and Executive Order 11593.


Project Location

Unit 12-5: This location is in the SW 1/4 of the NW 1/4 of Section 5 of Township 8 South, Range 25 East. The location is immediately adjacent to an existing road (see Map 1).

Unit 13-5: This location is in the NW 1/4 of the SW 1/4 of Section 5 of Township 8 South, Range 25 East. The location is associated with a short access route that approaches from an existing, shut-in well location to the south (see Map 1).

Unit 21-5: This location is in the NE 1/4 of the NW 1/4 of Section 5 of Township 8 South, Range 25 East. The location is associated with a short access route that approaches from an existing well location to the south (see Map 1).

Unit 33-5: This location is in the NW 1/4 of the SE 1/4 of Section 5 of Township 8 South, Range 25 East. The location is immediately adjacent to an existing road (see Map 2).



T. 8 South
 R. 25 East
 Meridian: SL
 Quad: Dinosaur
 NW, Ut.



Project: BLCR-92-1
 Series: Uinta Basin
 Date: 5-26-92

MAP 1
 Cultural Resource Survey
 of Proposed Locations in
 the Coyote Basin Locality
 Uintah County, Utah


Legend:


Well Center ▲

10 Acre
Survey
Area



Access
Route





T. 8 South
 R. 25 East
 Meridian: SL
 Quad: Dinosaur,
 Utah

4
 Project: BLCR-92-1
 Series: Uinta Basin
 Date: 5-26-92
 N

MAP 2
 Cultural Resource Survey
 of Proposed Unit 33-5 in
 the Coyote Basin Locality
 Uintah County, Utah

Legend:
 Well Center Δ
 10 Acre Survey Area

Scale: 1:24000



Unit 42-6: This location is in the SE 1/4 of the NE 1/4 of Section 6 of Township 8 South, Range 25 East. The location is immediately adjacent to an existing road (see Map 1).

Unit 13-7: This location is in the NW 1/4 of the SE 1/4 of Section 7 of Township 8 South, Range 25 East. The location is associated with a 5. mile access route that approaches along the top of the ridge from the north (see Map 1).

Unit 22-7: This location is in the SE 1/4 of the NW 1/4 of Section 7 of Township 8 South, Range 25 East. The location is immediately adjacent to an existing road (see Map 1).

Unit 31-7: This location is in the NW 1/4 of the NE 1/4 of Section 7 of Township 8 South, Range 25 East. The location is associated with a two-track road (see Map 1).

Unit 33-7: This location is in the NW 1/4 of the SW 1/4 of Section 7 of Township 8 South, Range 25 East. The location is immediately adjacent to an existing road (see Map 1).

Environmental Description

The project area is situated within the 5500 to 5650 foot elevation zone above sea level. Open rangeland terrain surfaces are associated with all these locations.

The vegetation in the project area includes Chrysothamnus spp., Ephedra viridis, Atriplex canescens, Juniperus spp., Artemesia tridentata, Opuntia polyacantha, Sarcobatus vermiculatus, and Bromus tectorum. The juniper are only associated with Units 33-5 and 13-7.

The geological associations within the project area consist of Quaternary gravels and fluvial sandstone and mudstone deposits which correlate with the Duchesne River Formation which is of Tertiary age.

PREVIOUS RESEARCH IN THE LOCALITY

File Search

Records searches of the site files and maps at the Antiquities Section of the State Historic Preservation Office in Salt Lake City were conducted on May 12, 1992. A similar search was conducted in the Vernal District Office of the BLM on May 20. The National Register of Historic Places has been consulted and no registered historic or prehistoric properties will be affected by the proposed developments.

A few known cultural sites are situated in the Coyote Basin locality. Most of these prehistoric resources including Sites 42UN 808, 42UN 928, and 42UN 929 were identified and recorded by Nickens and Associates during the Red Wash and Seep Ridge sample inventories (Larralde and Nickens 1980 and Larralde and Chandler 1981). Subsequent well location and access route evaluations in this locality have also resulted in the identification of one other cultural resource, Site 48UN 1553 (cf., Hauck 1981a, 1981b, 1983, and 1985).

Prehistory and History of the Cultural Region

Currently available information indicates that the Northern Colorado Plateau Cultural Region has been occupied by a variety of cultures beginning perhaps as early as 10,000 B.C. These cultures, as identified by their material remains, demonstrate a cultural developmental process that begins with the earliest identified Paleoindian peoples (10,000 - 7,000 B.C.) and extends through the Archaic (ca. 7,000 B.C. - A.D. 300), and Formative (ca. A.D. 400 - 1100) Stages, and the Late Prehistoric-Protohistoric periods (ca. A.D. 1200 - 1850) to conclude in the Historic-Modern period which was initiated with the incursion of the Euro-American trappers, explorers, and settlers. Basically, each cultural stage - with the exception of the Late Prehistoric hunting and gathering Shoshonean bands - features a more complex life-way and social order than occurred during the earlier stage of development (Hauck 1991:53). For a more comprehensive treatment of the prehistory and history of this region see Archaeological Evaluations in the Northern Colorado Plateau Cultural Area (Hauck 1991).

Site Potential in the Project Development Zone:

Previous archaeological evaluations in the general project area have resulted in the identification and recording of a variety of cultural resource sites having eligibility for potential nomination to the National Register of Historic Places (NRHP). The

majority of these sites are lithic scatters including Sites 42UN 928 and 42UN 929. Open occupations have also been identified in this locality (42UN 808 and 42UN 1553). Sites associated with the open rangeland generally appear to have been occupied during the Archaic Stage with occasional indications of Paleoindian activity based on the recovery of isolated Plano style projectile points.

According to the sources noted in the reference, the site density of this locality appears to range from one to four sites per section. These densities increase in the river bottoms and in the dune-juniper environments. Prehistoric sites on the rangeland benches appear to be associated with water courses and aeolian deposits.

FIELD EVALUATIONS

Methodology

Intensive evaluations consisted of the archaeologists walking 10 to 20 meter wide transects within the well location areas and along the proposed access corridors. This series of well locations involved 10 acre survey areas with the exception of Units 12-5 and 31-7. Unit 12-5 was evaluated in 1985 as a ten acre parcel (Hauck 1985). The 80 acre parcel surrounding Unit 31-7 and including that unit's access route as well as a portion of the access route into Unit 13-7 was evaluated during the Red Wash sample survey (Larralde and Nickens 1980). Access route corridors were evaluated measuring ca. 30 meters in width for a total of ca. 1.13 miles in length. Thus, ca. 83.7 acres of public lands in the locality were examined by F.R. Hauck and L. Harding AERC on May 14, 15, and 20, 1992.

Observation of cultural materials results in intensive examinations to determine the nature of the resource (isolate or activity locus). The analysis of each specific cultural site involves its subsequently being sketched, photographed, and appropriately recorded on standard IMACS forms. The determination of site significance is also established during the examination and evaluation of the cultural resources.

Site Significance Criteria

Prehistoric and historic cultural sites which can be considered as eligible for nomination to the National Register of Historic Places have been outlined as follows in the National Register's Criteria for Evaluation as established in Title 36 CFR 60.6:

The quality of significance in American ... archaeology ... and culture is present in ... sites ...

that possess integrity of location, design, setting, materials, workmanship, feeling, and association and:

- a. That are associated with events that have made a significant contribution to the broad patterns of our history; or
- b. that are associated with the lives of persons significant in our past; or
- c. that embody the distinctive characteristics of a type, period, or method of construction ... ; or
- d. that have yielded, or may be likely to yield, information important in prehistory or history.

In addition to satisfying one or more of these general conditions, a significant cultural resource site in Utah will generally be considered as being eligible for inclusion in the National Register if it should advance our current state of knowledge relating to chronology, cultural relationships, origins, and cultural life ways of prehistoric or historic groups in the area.

In a final review of any site's cultural significance, the site must possess integrity and at least one of the above criteria to be considered eligible for nomination to the National Record of Historic Places.

Results of the Inventory

No newly identified prehistoric or historic cultural resource activity loci was observed and recorded during these archaeological evaluations.

No previously recorded cultural sites will be adversely affected by the proposed developments. Site 42UN 1553 is closest to the development area but is outside and not readily accessible from the adjacent well location.

No isolated artifacts were observed or recorded during the evaluations.


CONCLUSION AND RECOMMENDATIONS:

AERC recommends that a cultural resource clearance be granted to Balcron Oil Company relative to the development of the proposed units as noted above based upon adherence to the following stipulations:

1. All vehicular traffic, personnel movement, construction and restoration operations should be confined to the flagged areas and corridors examined as referenced in this report, and to the existing roadways and/or evaluated access routes.

2. All personnel should refrain from collecting artifacts and from disturbing any significant cultural resources in the area.

3. The authorized official should be consulted should cultural remains from subsurface deposits be exposed during construction work or if the need arises to relocate or otherwise alter the location of the exploration area.



F. Richard Hauck, Ph.D.
President and Principal
Investigator

REFERENCES

Hauck, F. Richard

1981a CULTURAL RESOURCE INVENTORY OF A PROPOSED WELL LOCATION AND ACCESS ROAD IN THE COYOTE BASIN LOCALITY OF UNTAH COUNTY, UTAH. AERC Report prepared for Diamond Shamrock Exploration (DS-81-1), Bountiful.

1981b CULTURAL RESOURCE INVENTORY OF NINE PROPOSED WELL LOCATIONS AND ACCESS ROADS IN THE COYOTE BASIN LOCALITY OF UNTAH COUNTY, UTAH. AERC Report prepared for Diamond Shamrock Exploration (DS-81-2), Bountiful.

1983 CULTURAL RESOURCE EVALUATIONS OF THREE PROPOSED WELL LOCATIONS IN THE COYOTE BASIN LOCALITY OF UNTAH COUNTY, UTAH. AERC Report prepared for Cotton Petroleum Company (CPC-83-1), Bountiful.

1985 CULTURAL RESOURCE EVALUATION OF PROPOSED COYOTE BASIN LOCATIONS 12-5 AND 13-5 IN THE COYOTE BASIN LOCALITY OF UNTAH COUNTY, UTAH. AERC Report prepared for Diamond Shamrock Exploration (DSE-85-8), Bountiful.

1991 ARCHAEOLOGICAL EVALUATIONS ON THE NORTHERN COLORADO PLATEAU CULTURAL AREA, AERC PAPER NO. 45, Archeological-Environmental Research Corporation, Bountiful.

Larralde, Signa L. and Paul R. Nickens

1980 SAMPLE INVENTORIES OF OIL & GAS FIELDS IN EASTERN UTAH 1978-1979, ARCHAEOLOGICAL INVENTORY IN THE RED WASH CULTURAL STUDY TRACT, UNTAH COUNTY, UTAH. (In) CULTURAL RESOURCE SERIES, NO. 5, Bureau of Land Management, Salt Lake City.

Larralde, Signa L. and Susan M. Chandler

1981 ARCHAEOLOGICAL INVENTORY IN THE SEEP RIDGE CULTURAL STUDY TRACT, UNTAH COUNTY, NORTHEASTERN UTAH. (In) CULTURAL RESOURCE SERIES, NO. 11, Bureau of Land Management, Salt Lake City.

Department of the Interior
Bureau of Land Management
Utah State Office
(AERC FORMAT)

Summary Report of
Inspection for Cultural Resources

Authorization No .U.9.2.A.F.2.0.1.b. .
Report Acceptable Yes __ No __
Mitigation Acceptable Yes __ No __
Comments: _____

COYOTE BASIN LOCATIONS

BALCRON OIL CO. UNITS 12-5, 13-5, 21-5, 33-5, 42-6, 13-7, 22-7, 31-7, & 33-7
2. Development Company ----- 5-26-1-0-0-2 ----- WT. 02-54037

3. Report Date 4. Antiquities Permit No. 31-32-34937

6. Fieldwork

Location: TUVN 0 8 s DNG NV 55 MI 0 5 Section: 0 6 0 7

7. Resource
Area TWN RNG Section . . | . . . | . . . | . . . | . . .
. B.C. TWN RNG Section . . | . . . | . . . | . . . | . . .

8. Description of Examination Procedures: The archeologists, F.R. Hauck and L. Harding, intensively examined these proposed locations and access corridor by walking a series of 10 to 20 meter-wide transects flanking the flagged centerline. This series of well locations involved 10 acre (continued)

1 . 1 3 I
9. Linear Miles Surveyed 10. Inventory Type . . .
and/or

Definable Acres Surveyed	R = Reconnaissance
and/or		I = Intensive
Legally Undefinable	8 3 . 7	S = Statistical Sample
Acres Surveyed	

11. Description of Findings: 12. Number Sites Found .0. . . .
No cultural resource sites were identified (No sites = 0)
during the survey. No isolated artifacts 13. Collection: .Y.
were observed, recorded, or collected. (Y = Yes, N = No)

14. Actual/Potential National Register Properties Affected:
The National Register of Historic Places (NRHP) has been consulted and no registered properties will be affected by the proposed development.

15. Literature Search, Location/ Date: Utah SHPO 5-12-92
Vernal District Office Records 5-20-92

16. Conclusion/ Recommendations:

AERC recommends that a cultural resource clearance be granted to Balcron Oil Company for these proposed developments based on the following stipulations: (see page 2).

17. Signature of Administrator
& Field Supervisor

Administrator

**Field
Supervisor**

UT 8100-3 (2/85)

8. continued:

survey parcels on all of the locations with the exceptions of Units 12-5 and 31-7 which were evaluated during earlier examinations. Unit 12-5 was evaluated by AERC for Cotton Petroleum in 1985 as a ten acre parcel (Hauck 1985). Unit 31-7 and a portion of the access route into Unit 13-7 was evaluated within an 80 acre sample survey unit during the Red Wash sample survey by Nickens and Associates (Larralde and Nickens 1980).

16..continued:

1. All vehicular traffic, personnel movement, construction and restoration operations should be confined to the corridors examined as referenced in this report, and to the existing roadways and/or evaluated access routes.

3. All personnel should refrain from collecting artifacts and from disturbing any significant cultural resources in the area.

4. The authorized official should be consulted should cultural remains from subsurface deposits be exposed during construction work or if the need arises to relocate or otherwise alter the location of the exploration area.

**FILING FOR WATER IN THE
STATE OF UTAH**

MAILED 5 18 92

Rec. by N.T.
Fee Rec. 30.00
Receipt # 748

Microfilmed _____
Roll # _____

APPLICATION TO APPROPRIATE WATER

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of Title 73, Chapter 3 of the Utah Code Annotated 1953, as amended.

WATER RIGHT NUMBER: 49 - 1521

TEMPORARY APPLICATION NUMBER: T66068

1. OWNERSHIP INFORMATION:

LAND OWNED? No

A. NAME: Dalbo Incorporated
ADDRESS: P. O. Box 1167, Vernal, UT 84078

B. PRIORITY DATE: April 28, 1992

FILING DATE: April 28, 1992

2. SOURCE INFORMATION:

A. QUANTITY OF WATER: 20.0 acre-feet

B. DIRECT SOURCE: White River

COUNTY: Uintah

C. POINT OF DIVERSION -- SURFACE:

(1) N 400 feet W 1850 feet from E $\frac{1}{4}$ corner, Section 2, T 10S, R 24E, SLBM
DIVERT WORKS: Pump into tank trucks
SOURCE: White River

3. WATER USE INFORMATION:

OIL EXPLORATION: from Jan 1 to Dec 31. Drilling and completion of 9 wells for
Balcron Oil Division in Bonanza Area

-----*

4. PLACE OF USE: (which includes all or part of the following legal subdivisions:)

BASE	TOWN	RANG	SEC	NORTH-EAST $\frac{1}{4}$				NORTH-WEST $\frac{1}{4}$				SOUTH-WEST $\frac{1}{4}$				SOUTH-EAST $\frac{1}{4}$			
				NE	NW	SW	SE												
SL	8S	25E	5	X	X	X	X	■■■	X	X	X	■■■	X	X	X	■■■	X	X	X
			6	X	X	X	X	■■■	X	X	X	■■■	X	X	X	■■■	X	X	X
			7	X	X	X	X	■■■	X	X	X	■■■	X	X	X	■■■	X	X	X

5. EXPLANATORY:

Point of Diversion is on BLM lands. Permission is being obtained.

RECEIVED

JUN 08 1992

DIVISION OF
OIL GAS & MINING

Appropriate

COYOTE BASIN WELLS
EQUITABLE RESOURCES ENERGY COMPANY
BALCRON OIL DIVISION
COYOTE BASIN PROJECT

Balcron Coyote Federal #22-7
SE NW Section 7, T8S, R25E
1749' FNL, 1601' FWL

Balcron Coyote Federal #31-7
NW NE Section 7, T8S, R25E
561' FNL, 1977' FEL

Balcron Coyote Federal #13-7
NW SW Section 7, T8S, R25E
19.0' FSL, 660' FWL

Balcron Coyote Federal #21-5
NE NW Section 5, T8S, R25E
660' FNL, 1980' FWL

Balcron Coyote Federal #33-5
NW SE Section 5, T8S, R25E
1892' FSL, 2326' FEL

Balcron Coyote Federal #33-7
NW SE Section 7, T8S, R25E
1751' FSL, 1922' FEL

Balcron Coyote Federal #42-6
SE NE Section T8S, T25E
1980' FNL, 660' FEL

Balcron Coyote Federal #12-5
SW NW Section 5, T8S, R25E
1980' FNL, 660' FWL

Balcron Coyote Federal #13-5
NW SW Section 5, T8S, R25E
1605' FSL, 586' FWL

ALL ARE IN UNTAH COUNTY, UTAH
OPERATOR IS: EQUITABLE RESOURCES ENERGY COMPANY
Balcron Oil division

4/24/92
/rs

STATE ENGINEER'S ENDORSEMENT


WATER RIGHT NUMBER: 49 - 1521

APPLICATION NO. T66068

1. April 28, 1992 Application received by BMW.
2. May 4, 1992 Application designated for APPROVAL by RWL and KLJ.
3. Comments:

Conditions:

This application is hereby APPROVED, dated June 5, 1992, subject to prior rights and this application will expire on June 5, 1993.


Robert L. Morgan, P.E.
State Engineer



BALCRON OIL

*A Division of
Equitable Resources Energy Company*

P.O. Box 21017
1601 Lewis Avenue Building
Billings, Montana 59104
(406) 259-7860

RECEIVED

JUN. 10 1992

June 8, 1992

**DIVISION OF
OIL GAS & MINING**

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

Gentlemen:

As requested, enclosed is a copy of the BOPE diagram for the following wells:

Balcron Coyote Federal #42-6
Balcron Coyote Federal #33-7
Balcron Coyote Federal #33-5
Balcron Coyote Federal #31-7
Balcron Coyote Federal #22-7
Balcron Coyote Federal #21-5
Balcron Coyote Federal #13-7
Balcron Coyote Federal #13-5
Balcron Coyote Federal #12-5

Also enclosed is a copy of the Application to Appropriate Water. This Application has been approved by the State Engineer's office by Dalbo Incorporated.

If you have any questions or need further information, please let me know. For your information, we anticipate being able to start this Coyote Basin drilling program by July 1.

Sincerely,

Bobbie Schuman

Bobbie Schuman
Coordinator of Operations,
Environmental and Regulatory Affairs

/rs

Enclosures

FILING FOR WATER IN THE STATE OF UTAH

APPLICATION TO APPROPRIATE WATER

Rec. by _____
 Fee Rec. _____
 Receipt # _____
 Microfilmed _____
 Roll # _____

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of Title 73, Chapter 3 of the Utah Code Annotated 1953, as amended.

WATER RIGHT NUMBER: 49 - 1521

TEMPORARY APPLICATION NUMBER: T66068

1. OWNERSHIP INFORMATION:

LAND OWNED? No

A. NAME: Dalbo Incorporated
 ADDRESS: P. O. Box 1167, Vernal, UT 84078

FILING DATE: April 28, 1992

B. PRIORITY DATE: April 28, 1992

2. SOURCE INFORMATION:

A. QUANTITY OF WATER: 20.0 acre-feet

COUNTY: Uintah

B. DIRECT SOURCE: White River

C. POINT OF DIVERSION -- SURFACE:

(1) N 400 feet W 1850 feet from E¹ corner, Section 2, T 10S, R 24E, SLBM

DIVERT WORKS: Pump into tank trucks

SOURCE: White River

3. WATER USE INFORMATION:

OIL EXPLORATION: from Jan 1 to Dec 31. Drilling and completion of 9 wells for
 Balcrone Oil Division in Bonanza Area

4. PLACE OF USE: (which includes all or part of the following legal subdivisions:)

BASE	TOWN	RANG	SEC	NORTH-EAST				NORTH-WEST				SOUTH-WEST				SOUTH-EAST						
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE			
SL	8S	25E	5	X	X	X	X	■■■	X	X	X	X	■■■	X	X	X	X	■■■	X	X	X	X
			6	X	X	X	X	■■■	X	X	X	X	■■■	X	X	X	X	■■■	X	X	X	X
			7	X	X	X	X	■■■	X	X	X	X	■■■	X	X	X	X	■■■	X	X	X	X


5. EXPLANATORY:

Point of Diversion is on BLM lands. Permission is being obtained.

RECEIVED

1 JUN 10 1992

DIVISION OF
OIL GAS & MINING





ROTARY DRILLING WITH ~~LAND~~ & AIR SINCE 1966

Main Office
1910 N. Loop Ave.
P.O. Box 2440
Casper, Wyoming 82602
(307) 235-8609

Billings Office
2047 E. Main
Billings, Montana 59103
(406) 245-3511

Havre, Montana Yard
4 mi. W. Hwy 2



9" Bore-1000 PSI

Blowout Preventer Stack

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN THE ENCLAVE*
(Other instructions on
reverse side)

Form approved.
Budget Bureau No. 1004-0136
Expires August 31, 1985

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1A. TYPE OF WORK

DRILL

DEEPEN

PLUG BACK

1B. TYPE OF WELL

OIL

WELL

GAS

WELL

OTHER

SINGLE

ZONE

MULTIPLE

ZONE

2. NAME OF OPERATOR

EQUITABLE RESOURCES ENERGY COMPANY

3. ADDRESS OF OPERATOR

P.O. Box 21017; Billings, MT 59104

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
At surface

1605' FSL, 586' FWL
At proposed prod. zone

43-047-32261

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

35 miles southeast of Vernal, UT

15. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST

PROPERTY OR LEASE LINE, FT.
(Also to nearest drig. unit line, if any)

16. NO. OF ACRES IN LEASE

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH

20. ROTARY OR CABLE TOOLS

4,580'

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

GL 5,528.65'

22. APPROX. DATE WORK WILL START*

July 15, 1992

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	260'	250 s/s G.w/add.
7-7/8"	5-1/2"	15.50#	500'	See Drilling Program


SEE ATTACHED EXHIBITS

RECEIVED

JUN 25 1992

DIVISION OF
OIL GAS & MINING

- "A" PROPOSED DRILLING PROGRAM
- "B" PROPOSED SURFACE USE PROGRAM
- "C" GEOLOGIC PROGNOSIS
- "D" DRILLING PROGRAM
- "E" DRILL PAD AND RIG LAYOUT (plats 1 and 2)
- "F" LOCATION SITE AND ELEVATION PLAT
- "G" EVIDENCE OF BOND COVERAGE



SELF CERTIFICATION: I hereby certify that I am authorized, by proper lease interest owner, to conduct these operations associated with the application. Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Equitable Resources Energy Company as principal and Safeco Insurance Company of America as surety under BLM Bond No. MT 0576 (Nationwide Oil & Gas Bond #5547188) who will be responsible for compliance with all of the terms and conditions of that portion of the lease associated with this application.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program if any.

24.

Bobbie Schuman
SIGNER

Bobbie Schuman
(This space for Federal or State office use)

Coordinator of Environmental
and Regulatory Affairs

DATE *May 13, 1992*

PERMIT NO.

43-047-32261

APPROVAL DATE

TITLE

ASSISTANT DISTRICT
MANAGER MINERALS

DATE *JUN 19 1992*

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED
TO OPERATOR'S COPY

*See Instructions On Reverse Side

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Equitable Resources Energy Company

Well Name & Number: Balcron Coyote Federal 13-5

Lease Number: U-063591-A

Location: NWSW Sec. 5 T. 8S R. 25E

Surface Ownership: Federal Lands administered by BLM

NOTIFICATION REQUIREMENTS

Location Construction	-	at least forty-eight (48) hours prior to construction of location and access roads.
Location Completion	-	prior to moving on the drilling rig.
Spud Notice	-	at least twenty-four (24) hours prior to spudding the well.
Casing String and Cementing	-	at least twenty-four (24) hours prior to running casing and cementing all casing strings.
BOP and Related Equipment Tests	-	at least twenty-four (24) hours prior to initiating pressure tests.
First Production Notice	-	within five (5) business days after new well begins, or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

The Vernal District Office shall be notified, at least 24 hours prior to initiating the pressure tests, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Mahogany oil shale, identified at ± 2,630 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

The Vernal District Office shall be notified at least 24 hours prior to the running and cementing of all casing strings, in order to have a BLM representative on location while running and cementing all casing strings.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) shall be utilized to determine the top of cement (TOC) and bond quality for the production casing.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The Vernal District Office shall be notified, during regular work hours (7:45 a.m.-4:30 p.m., Monday through Friday except holidays), at least 24 hours prior to spudding the well.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and within 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Gerald E. Kenczka (801) 781-1190
Petroleum Engineer

Ed Forsman (801) 789-7077
Petroleum Engineer

BLM FAX Machine (801) 789-3634

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

B. SURFACE USE PROGRAM

1. Other Additional Information

a. The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:

- whether the materials appear eligible for the National Register of Historic Places;
- the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and
- a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

b. The operator will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.

c. Drilling rigs and/or equipment used during drilling operations on this wellsite will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A silt catchment dam and basin will be constructed according to BLM specifications approximately 1/4 mile south of the location, where flagged.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: BALCRON 43-013-31370

WELL NAME: MONUMENT FEDERAL 13-5

Section 5 Township 9S Range 17E County DUCESNE

Drilling Contractor ELENBURG

Rig # 14

SPUDDED: Date 10/9/92

Time _____

How ROTARY

Drilling will commence _____

Reported by BOBBIE SHUMAN

Telephone # 1-406-259-7860

CONFIDENTIAL

Date 10/20/92 SIGNED JLT



BALCRON OIL

*A Division of
Equitable Resources Energy Company*

P.O. Box 21017
1801 Lewis Avenue Building
Billings, Montana 59104
(406) 259-7860

TELECOPIER TRANSMITTAL SHEET

our telecopier number is: (406) 245-1361

DATE: 10-12-92
TO: Frank Matthews
COMPANY: Utah DOGM
FROM: Bobbie Schuman

Total Number of Pages 3 (Including this cover sheet)

IF YOU DO NOT RECEIVE ALL PAGES, PLEASE CALL BACK AS SOON
AS POSSIBLE AT (406) 259-7860.

TELECOMMUNICATOR: _____

SPECIAL INSTRUCTIONS: _____

NOTE: THE INFORMATION CONTAINED IN THIS FACSIMILE
MESSAGE IS PRIVILEGED AND CONFIDENTIAL, AND IS
INTENDED ONLY FOR THE USE OF THE INDIVIDUALS OR
ENTITY NAMED ABOVE WHO HAVE BEEN SPECIFICALLY
AUTHORIZED TO RECEIVE IT. IF THE READER IS NOT
THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED
THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING
OF THIS COMMUNICATION IS STRICTLY PROHIBITED.
IF YOU HAVE RECEIVED THIS COMMUNICATION IN
ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELE-
PHONE AND RETURN ALL PAGES TO THE ADDRESS
SHOWN ABOVE. THANK YOU.



BALCRON OIL

A Division of
Equitable Resources Energy Company

P.O. Box 21017
1601 Lewis Avenue Building
Billings, Montana 59104
(406) 259-7860

October 12, 1992

State of Utah
Division of Oil, Gas & Mining
355 West North Temple
Salt Lake City, UT 84180

Gentlemen:

RE: Balcron Coyote Federal #13-5
NW SW Section 5, T8S, R25E
Uintah County, Utah

Enclosed is a copy of our Federal sundry notice reporting spud and running casing on the referenced well. Also enclosed is our Entity Action Form for this well.

Apparently your offices are closed today since I was unable to get through by telephone. I am FAXing a copy of this letter as notification of spud.

Sincerely,

Bobbie Schuman
Coordinator of Operations,
Environmental and Regulatory Affairs

/rs

Enclosures

Form 3160-5
June 1990)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDAY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPPLICATE

CONFIDENTIAL

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

EQUITABLE RESOURCES ENERGY COMPANY

3. Address and Telephone No.

P.O. Box 21017, Billings, MT 59104 (406) 259-7860

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NW SW Section 5, T8S, R25E

1605' FSL, 586' FWL

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other spud & running casing
	<input type="checkbox"/> Change of Plan
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This was was spud at 3:30 p.m. 10/9/92. Ran 6 jts. 8-5/8" 24# casing. Landed at 258' KB. Cemented w/190 sx Class G w/additives.

B7C

14. I hereby certify that the foregoing is true and correct

Signed Dobbie Schuman
DOBIE SCHUMAN
(This space for Federal or State Office Use)Coordinator of Environmental
and Regulatory AffairsDate 10-12-92Approved by _____
Conditions of approval, if any:

Title _____ Date _____



BALCRON OIL

*A Division of
Equitable Resources Energy Company*

P.O. Box 21017
1601 Lewis Avenue Building
Billings, Montana 59104
(406) 259-7860

October 12, 1992

RECEIVED

OCT 14 1992

**DIVISION OF
OIL GAS & MINING**

State of Utah
Division of Oil, Gas & Mining
355 West North Temple
Salt Lake City, UT 84180

Gentlemen:

RE: Balcron Coyote Federal #13-5
NW SW Section 5, T8S, R25E
Uintah County, Utah

Enclosed is a copy of our Federal sundry notice reporting spud and running casing on the referenced well. Also enclosed is our Entity Action Form for this well.

Apparently your offices are closed today since I was unable to get through by telephone. I am FAXing a copy of this letter as notification of spud.

Sincerely,

Bobbie Schuman
Coordinator of Operations,
Environmental and Regulatory Affairs

/rs

Enclosures

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator

EQUITABLE RESOURCES ENERGY COMPANY

3. Address and Telephone No.

P.O. Box 21017; Billings, MT 59104 (406) 259-7860

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NW SW Section 5, T8S, R25E

1605' FSL, 586' FWL

CONFIDENTIAL

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Spud & running casing</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This was was spud at 3:30 p.m. 10/9/92. Ran 6 jts. 8-5/8" 24# casing. Landed at 258' KB. Cemented w/190 sx Class G w/additives.

RECEIVED

OCT 14 1992

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed Bobbie Schuman
Title Coordinator of Environmental and Regulatory Affairs
(This space for Federal or State Office use)

Date 10-12-92

Approved by _____
Conditions of approval, if any: _____

Title _____

Date _____

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
ENTITY ACTION FORM - FORM 6

OPERATOR BALCRON OIL
ADDRESS P.O. Box 21017
Billings, MT 59104

OPERATOR ACCT. NO. N 9890

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE	
					QQ	SC	TP	RG	COUNTY			
A	99999	11427	43-047-32261	Balcron Coyote Federal #13-5	NW	SW	5	8S	25E	Uintah	10/9/92	10/9/92

WELL 1 COMMENTS:

Spud of new well.

*Entity added 10-15-92
JL*

WELL 2 COMMENTS:

WELL 3 COMMENTS:

WELL 4 COMMENTS:

WELL 5 COMMENTS:

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

RECEIVED

OCT 14 1992

DIVISION OF
OIL GAS & MINING

Robbie Schuman
Signature
Coordinator of Environmental
and Regulatory Affairs 10-9-92
Title Date

Phone No. (406) 259-7860

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

OCT 26 1992

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

DIVISION OF
OIL, GAS & MINING

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPPLICATE

CONFIDENTIAL

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator

EQUITABLE RESOURCES ENERGY COMPANY

3. Address and Telephone No.

P.O. Box 21017; Billings, MT 59104 (406) 259-7860

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NW SW Section 5, T8S, R25E

1605' FSL, 586' FWL

5. Lease Designation and Serial No.
U-063597A

6. If Indian, Allottee or Tribe Name
n/a

7. If Unit or CA, Agreement Designation
n/a

8. Well Name and No.
Balcron Coyote Federal # 13-5

9. API Well No.
43-047-32261

10. Field and Pool, or Exploratory Area
Coyote Basin/Green River

11. County or Parish, State
Uintah County, UTAH

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input checked="" type="checkbox"/> Other <i>change in rig</i>

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The drilling rig was released at 3 a.m. 10/19/92. Completion operations will be done by a completion rig by Cannon Well Service.

14. I hereby certify that the foregoing is true and correct

Signed *Bobbie Schuman*
Bobbie Schuman
(This space for Federal or State office use)

Coordinator of Environmental
and Regulatory Affairs

Date *10/20/92*

Approved by _____
Conditions of approval, if any: _____

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statement or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side



BALCRON OIL

*A Division of
Equitable Resources Energy Company*

P.O. Box 21017
1801 Lewis Avenue Building
Billings, Montana 59104
(406) 259-7860

November 16, 1992

Bureau of Land Management
170 South 500 East
Vernal, UT 84078

Gentlemen:

RE: Balcron Coyote Federal #13-5
NW SW Section 5, T8S, R25E
Uintah County, Utah

Enclosed is our notice of first production on the
referenced well.

Sincerely,

Bobbie Schuman
Coordinator of Operations,
Environmental and Regulatory Affairs

/rs

cc: State of Utah, Division of Oil, Gas and Mining

NOV 16 1992

DIVISION OF
OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPPLICATE

1. Type of Well
 Oil Gas Other

2. Name of Operator

EQUITABLE RESOURCES ENERGY COMPANY

3. Address and Telephone No.

P.O. Box 21017; Billings, MT 59104 (406) 259-7860

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NW SW Section 5, T8S, R25E

1605' FSL, 586' FWL

CONFIDENTIAL

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

U-063597A

6. If Indian, Allottee or Tribe Name
n/a

7. If Unit or CA, Agreement Designation
n/a

8. Well Name and No.

Balcon Coyote Federal 13-5

9. API Well No.
43-047-32261

10. Field and Pool, or Exploratory Area
Coyote Basin/Green River

11. County or Parish, State
Uintah County, UTAH

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent <input checked="" type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Abandonment <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input checked="" type="checkbox"/> Other <u>first production</u>

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drill give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

First production on this well was November 14, 1992.

RECEIVED

NOV 16 1992

DIVISION OF
OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Debbie Schuman
Signed Debbie Schuman
(This space for Federal or State office use)

Coordinator of Environmental
and Regulatory Affairs

Title

Date 11-16-92

Approved by _____
Conditions of approval, if any: _____

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statement or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side



BALCRON OIL

A Division of
Equitable Resources Energy Company

P.O. Box 21017
1601 Lewis Avenue Building
Billings, Montana 59104
(406) 259-7860

RECEIVED

DEC 10 1992

DIVISION OF
OIL GAS & MINING

December 7, 1992

State of Utah
Division of Oil, Gas & Mining
355 West North Temple
Salt Lake City, UT 84180

Gentlemen:

Enclosed are the Well Completion Reports and the Reports of Water Encountered for the following wells:

Balcron Monument Federal #11-6
NW NW Section 6, T9S, R17E
Duchesne County, Utah

Balcron Monument Federal #24-6
SE SW Section 6, T9S, R17E
Duchesne County, Utah

Balcron Coyote Federal #13-5
NW SW Section 5, T8S, R25E
Uintah County, Utah

Balcron Coyote Federal #13-7
NW SW Section 7, T8S, R25E
Uintah County, Utah

Federal #13-13
NW SW Section 13, T8S, R24E
Uintah County, Utah

Balcron Coyote Federal #33-5
NW SE Section 5, T8S, R25E
Uintah County, Utah

Sincerely,

Bobbie Schuman

Bobbie Schuman
Coordinator of Operations,
Environmental and Regulatory Affairs

/rs

Enclosures

RECEIVED

DEC 1 U 1992

REPORT OF WATER ENCOUNTERED DURING DRILLING - FORM 7

DIVISION OF

OIL, GAS & MIN.

1. Well name and number: Balcron Coyote Federal #13-5
API number: 43-047-32261

2. Well location: QQ NW AQ section 5 township 8S range 25E county Uintah

3. Well operator: BALCRON OIL
Address: P.O. Box 21017 phone: (406) 259-7860
Billings, MT 59104

4. Drilling contractor: Elenburg Exploration, Inc.
Address: P.O. Box 2440 phone: (307) 235-8609
CaSPER, WY 82602

5. Water encountered (continue on reverse side if necessary)

6. Formation tops: See Geologic Report sent separately.

If an analysis has been made of the water encountered, please attach a copy of the report to this form.

I certify that this report is true and complete to the best of my knowledge.

Name Bobbie Schuman

Name Bobbie Schramm
Title Coordinator of Environmental
and Regulatory Affairs

Signature Bobbie Schuman
Date December 7 1997

Date December 7, 1992

Comments:

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____1b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEPEN PLUG BACK DIFF. RESVR. 2. NAME OF OPERATOR: **BALCRON OIL**

3. ADDRESS OF OPERATOR: P.O. Box 21017; Billings, MT 59104

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface 1605' FSL, 586' FWL

At top prod. interval reported below

At total depth

RECEIVED

DEC 10 1992

DIVISION OF
OIL, GAS & MINING5. LEASE DESIGNATION AND SERIAL NO.
U-063597A6. IF INDIAN, ALLOTTEE OR TRIBE NAME
n/a7. UNIT AGREEMENT NAME
n/a

8. FARM OR LEASE NAME

Balcrong Coyote Federal

9. WELL NO.

#13-5

10. FIELD AND POOL, OR WILDCAT

Coyote Basin/Green River

11. SEC., T., R., M., OR BLOCK AND SECTION
OR AREA

NW SW Sec. 5, T8S, R25E

12. COUNTY: Uintah 13. STATE: UTAH

15. DATE SPUNDED 16. DATE T.D. REACHED 17. DATE COMPL. (Ready to prod.) 18. ELEVATION (DE. ASL, RT, GE, ETC.) 19. ELEV. Casinghead
10/9/92 10/17/92 11/10/92 (Plug & Add.) 4,580' GL20. TOTAL DEPTH, MD & TVD 21. PLUG BACK T.D., MD & TVD 22. IF MULTIPLE COMPL.,
HOW MANY 23. INTERVALS
DRILLED BY ROTARY TOOLS CABLE TOOLS
4,543' 4,503' → sfc. - TD n/a24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)
4,360'-4,407' Green River 25. WAS DIRECTIONAL
SURVEY MADE
no26. TYPE ELECTRIC AND OTHER LOGS RUN
DIL, FDC, CNL, NGT **COL 10-21-92** 27. WAS WELL CORED YES NO (Submit analysis)
DRILL STEM TEST YES NO (See reverse side)

CASING RECORD (Report all strings set in well)					28. CEMENTING RECORD	
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD		AMOUNT PULLED
8-5/8"	24#	258'	12-1/4"	190	SX G w/add.	none
5-1/2"	15.5#	4,543'	7-7/8"	180	SX G, 118 SX 50/50	none
				Poz	w/add.	

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
n/a					2-7/8"	4,342'	n/a

31. PERFORATION RECORD (Interval, size and number)				32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
DEPTH INTERVAL (MD)				AMOUNT AND KIND OF MATERIAL USED			
4,360'-4,364' 9 shots, 4" casing gun				46.000 16-30 sand in 15,300			
4,388'-4,397' 20 shots, 4" casing gun				gal. gelled water			
4,403'-4,407' 9 shots, 4" casing gun							

33. PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
11/14/92		Pumping				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
11/25/92	24	n/a	→	25	5	10	0.20
FLOW, TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
n/a	n/a	→	25	5	10	32	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
Used for fuel TEST WITNESSED BY
Scott Baese

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
Coordinator of Environmental
SIGNED **Bobbie Schuman** TITLE **and Regulatory Affairs** DATE **12/7/92**
Bobbie Schuman

See Spaces for Additional Data on Reverse Side

INSTRUCTIONS

This form should be completed in compliance with the Utah Oil and Gas Conservation General Rules. If not filed prior to this time, all logs, tests, and directional surveys as required by Utah Rules should be attached and submitted with this report.

ITEM 18: Indicate which elevation is used as reference for depth measurements given in other spaces on this form and on any attachments.

ITEMS 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

ITEM 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

ITEM 33: Submit a separate completion report on this form for each interval to be separately produced (see instruction for items 22 and 24 above).

37. SUMMARY OF POROUS ZONES:

Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

Formation	Top	Bottom	Description, contents, etc.
			No DSTs run

38. GEOLOGIC MARKERS

Name	Top	
	Meas. Depth	True Vert. Depth
See Geologic Report.		



MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:

•DAWN SCHINDLER
BALCRON OIL
PO BOX 21017
BILLINGS MT 59104

Utah Account No. N9890

Report Period (Month/Year) 1 / 93

Amended Report

Well Name	API Number	Entity	Location	Producing Zone	Days Oper	Production Volume		
						Oil (BBL)	Gas (MSCF)	Water (BBL)
BALCRON COYOTE FEDERAL 22-7	4304732256	11408	08S 25E	7	GRRV			
BALCRON COYOTE FEDERAL 42-6X	4304732346	11409	08S 25E	6	GRRV			
BALCRON COYOTE FEDERAL 13-7	4304732255	11412	08S 25E	7	GRRV			
FEDERAL 13-13	4304732196	11417	08S 24E	13	GRRV			
BALCRON MONUMENT FEDERAL 11-6	4301331362	11422	09S 17E	6	GRRV	—	W/W	
BALCRON COYOTE FEDERAL 33-5	4304732257	11424	08S 25E	5	GRRV			
BALCRON MONUMENT FEDERAL 24-6	4301331363	11426	09S 17E	6	GRRV	—	W/W	
BALCRON COYOTE FEDERAL 13-5	4304732261	11427	08S 25E	5	GRRV			
PARIETTE BENCH U #4	4304715681	99990	9S 19E	7	GRRV	—	WDW	
EAST RED WASH 2-5	43-047-20252	1112	8S 25E	5	GRRV			
BALCRON COYOTE FED 42-6	43-047-32258	11386	8S 25E	6				
BALCRON COYOTE FED 33-7	43-047-32259	99999	8S 25E	7				
ALLEN FEDERAL A-1	43-013-15780	1115	9S 17E	5	GRRV			
BALCRON MONUMENT FED 33-6	43-013-31361	11438	9S 17E	6	GRRV	—	W/W	
				TOTAL				

Comments (attach separate sheet if necessary)

I have reviewed this report and certify the information to be accurate and complete. Date _____

Authorized signature

Telephone _____



EQUITABLE RESOURCES ENERGY COMPANY,
BALCRON OIL DIVISION

1601 Lewis Avenue
P.O. Box 21017
Billings, MT 59104
(406) 259-7860
FAX: (406) 245-1368

March 4, 1993

State of Utah
Uintah County
152 East 100 North
Vernal, UT 84078

Gentlemen:

Effective March 1, 1993, the name of our company has changed from Balcron Oil Company to Equitable Resources Energy Company, Balcron Oil Division.

Please make the necessary changes in your records and let me know if there is anything else we need to do in order to effect the change for the 1993 Uintah County Business License.

Sincerely,

Bobbie Schuman

Bobbie Schuman
Coordinator of Operations,
Environmental and Regulatory Affairs

/rs

RECEIVED

MAR 08 1993

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1 LEC	7- CTB
2 DPS	8- LEC
3 VLC	✓
4 RJF	✓
5 RWM	✓
6 ADA	✓

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold)
 Designation of Operator

Designation of Agent
XXX Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 3-1-93)

TO (new operator) EQUITABLE RESOURCES ENERGY CO FROM (former operator) BALCRON OIL
(address) BALCRON OIL DIVISION (address) PO BOX 21017
PO BOX 21017 BILLINGS MT 59104
BILLINGS MT 59104 phone (406) 259-7860
phone (406) 259-7860 account no. N 9890 account no. N 9890

Well(s) (attach additional page if needed):

Name: **ALL WELLS**	API:	Entity:	Sec	Twp	Rng	Lease	Type:
Name:	API:	Entity:	Sec	Twp	Rng	Lease	Type:
Name:	API:	Entity:	Sec	Twp	Rng	Lease	Type:
Name:	API:	Entity:	Sec	Twp	Rng	Lease	Type:
Name:	API:	Entity:	Sec	Twp	Rng	Lease	Type:
Name:	API:	Entity:	Sec	Twp	Rng	Lease	Type:
Name:	API:	Entity:	Sec	Twp	Rng	Lease	Type:

OPERATOR CHANGE DOCUMENTATION

N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form).

Jec 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). (Ref'd 3-8-93)

Jec 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) yes If yes, show company file number: 134640.

* 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.

Jec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (3-19-93)

Jec 6. Cardex file has been updated for each well listed above. (3-19-93)

Jec 7. Well file labels have been updated for each well listed above. (3-19-93)

Jec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (3-19-93)

Jec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).

2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only) *#930319 Rec'd bond rider, eff. 3-4-93.*

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #5578314/80,000 Belcoron Oil, A Division of Equitable Resources Energy Company.

2. A copy of this form has been placed in the new and former operators' bond files.

3. The former operator has requested a release of liability from their bond (yes/no) . Today's date 19 . If yes, division response was made by letter dated 19 .

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19 , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.

2. Copies of documents have been sent to State Lands for changes involving State leases.
see comments below

FILMING

1. All attachments to this form have been microfilmed. Date: March 30 1993.

FILING

1. Copies of all attachments to this form have been filed in each well file.

2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

930308 Bm 15.7. No change necessary, they always recognized company name as "Equitable Resources Energy Company, Belcoron Oil Division".

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
ENTITY ACTION FORM - FORM 6

OPERATOR Balcone Oil
ADDRESS P.O. Box 21017
Billings MT 59104

OPERATOR ACCT. NO. 9870

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
D	01300	11500	4304720261	ERW 4-6	SW	SE	6	85	2SE	Uintah	7/1/93

WELL 1 COMMENTS:

Coyote Basin Unit

D	11409	11500	4304732346	<i>cont</i> Coyote 42-6X	SE	NE	6	85	2SE	Uintah	7/1/93
---	-------	-------	------------	-----------------------------	----	----	---	----	-----	--------	--------

WELL 2 COMMENTS:

D	11412	11500	4304732255	<i>cont</i> Coyote 13-7	NW	SW	7	85	2SE	Uintah	7/1/93
---	-------	-------	------------	----------------------------	----	----	---	----	-----	--------	--------

WELL 3 COMMENTS:

D	11427	11500	4304732261	<i>cont</i> Coyote 13-5	NW	SW	5	85	2SE	Uintah	7/1/93
---	-------	-------	------------	----------------------------	----	----	---	----	-----	--------	--------

WELL 4 COMMENTS:

D	11417	11500	4304732196	<i>cont</i> Coyote 13-13	NW	SW	13	85	24E	Uintah	7/1/93
---	-------	-------	------------	-----------------------------	----	----	----	----	-----	--------	--------

WELL 5 COMMENTS:

D	11418	11500	4304732197	<i>cont</i> Coyote 13-18	NW	SW	13	85	24E	Uintah	7/1/93
---	-------	-------	------------	-----------------------------	----	----	----	----	-----	--------	--------

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

RECEIVED

SEP 20 1993

DIVISION OF
OIL, GAS & MINING

Dawn Schindler
Signature
Prod. Act
Title
Phone No. (406) 259-7860
Date 9-15-93

Page 1 of 2

Balcrong Oil
DAILY OPERATING REPORT

DATE: 9/27/93

****JONAH UNIT PARTNERS' REPORT******BALCRON MONUMENT FEDERAL #13-5****--TIGHT HOLE--**

Operator: EREC/Balcrong
BOD WI: 79.78^t
Location: NW SW Section 5, T98, R17E
Duchesne County, Utah
Prospect: Jonah Unit, Monument Butte

9-24-93 Completion
 Continue surface equipment hookup. Start up @ 1430 hr. 4 SPM, 74" stroke.
 DC: \$990

BALCRON MONUMENT FEDERAL #32-11**--TIGHT HOLE--**

Operator: EREC/Balcrong
BOD WI: 79.78^t
Location: SW NE Section 11, T98, R16E
Duchesne County, Utah
Prospect: Jonah Unit, Monument Butte Field

9-24-93 Completion
 CP - 850 psig. TIH w/1 jt 2-7/8" tbq, 1 HD 5-1/2" packer, 1 SN & 2-7/8" tbq. Tag sand @ 4850' KB, set packer @ 4667' KB. Made 12 swab runs, recover 43 BF, trace of oil, no sand. TIH to sand fill @ 4863' KB. Circ clean to bridge plug, retrieve BP. TOOH w/2-7/8" t b g , p a c k e r & B P .
 Length Landed
 TIH w/1 jt 2-7/8" tbq, 2-7/8" EUE, J-55, 8RD, 6.5 30.10' 5263'
 1 perf sub 2-7/8" x 3' 3.04' 5233'
 1 seat nipple 1.10' 5230'
 1 jt 2-7/8" tbq EUE, J-55, 8RD, 6.5# 5219' 5229'
 ND BOP, NU wellhead. TIH w/1 BHP 2-1/2 x 1-1/2 x 16' RHAC & 60 3/4" rods. SDFN. Load to recover 375 BW.
 DC: \$9,802

9-25-93 Completion
 TIH w/149 3/4" x 25' rods, one 8' pony, one 4' pony, one 2' pony, & one 1-1/4" x 16' PR. Clamp rods off. RDMO.
 Rod string configuration:
 1 BHP 2-1/2 x 1-1/2 x 16' RHAC w/SM plunger
 209 rods 3/4" x 25' plain
 One 8' x 3/4" pony
 One 4' x 3/4" pony
 One 2' x 3/4" pony
 One 1-1/4" x 16' polish rod SM.
 DC: \$619

Page 1 of 4

Balcron Oil
DAILY OPERATING REPORT

DATE: 9/9/93

****REPORT TO WORKING INTEREST PARTNERS IN JONAH UNIT****

BALCRON MONUMENT FEDERAL #13-5 Operator: EREC/Balcron
BOD WI: 79.78%
--TIGHT HOLE-- Location: NW SW Section 5, T98, R17E
Duchesne County, Utah
Prospect: Jonah Unit, Monument Butte Field

9-8-93 Completion
CP - 0 psig, TP - 5 psig. Made 2 swab runs, recovered 12 bbls of fluid - 70% oil. TIH tag sand 5648' KB, circ clean to 5705', TOOH w/tbg & packer. RU Schlumberger to perf 4638'-49', 6 shots & 4789'-4804', 8 shots. RD Schlumberger. TIH w/RBP, 1 jt 2-7/8" tbg, 5-1/2" packer, SN & 150 jts tbg. Set BP @ 4700' KB, POOH w/4 jts tbg, set packer @ 4575' KB, btm 4614' KB. RU Halliburton to do break down on 4638'-49' perfs, pressure test surface equipment to 4000 psig. Start break down, initial break @ 3000 psig @ 2.4 BPM, start 1 ball per BOW, 1700 psig @ 4 BPM. No ball off, surge ball back, pump for rate 6.2 BPM 2500 spi. TIH, release BP, rest BP @ 4899' KB, set packer @ 4730' KB, EOT. Start break down on 4789'-4804', initial break 2800 to 2500 psig, 4 BPM start 1 ball per BOW. Surge ball back. Pump for rate 4.4 BPM @ 2500 psig. RD Schlumberger. SWIFN. Load used today - 161 BOW; Load recovered today - 4; Load to be recovered - 371 BOW.
DC: \$5,450

BALCRON MONUMENT FEDERAL #22-5 Operator: EREC/Balcron
BOD WI: 79.78%
--TIGHT HOLE-- Location: SE NW Section 5, T98, R17E
Duchesne County, Utah
Prospect: Jonah Unit, Monument Butte Field

9-9-93 TD: 5,850' (138') Day 9
Formation: Green River
Present Operation: LD Collars
Drill, circ for logs, strap out of hole & log well. TIH, circ, LD drill pipe & collars.
DC: \$18,503 CC: \$120,992



**EQUITABLE RESOURCES
ENERGY COMPANY**

BALCRON OIL DIVISION

1601 Lewis Avenue
P.O. Box 21017
Billings, MT 59104

RECEIVED

SEP 29 1993

Office: (406) 259-7860
FAX: (406) 245-1365
FAX: (406) 245-1361

September 27, 1993

**DIVISION OF
OIL, GAS & MINING**

-- VIA FEDERAL EXPRESS --

Bureau of Land Management
170 South 500 East
Vernal, UT 84078

Gentlemen:

RE: Paleontology Reports

Enclosed are Paleontology Reports for the following wellsites and access roads:

Balcrong Monument Federal #12-12J	43-013-31410	Sec 12 T 95 R 16E
Balcrong Monument Federal #14-12J	43-013-31411	Sec 12 T 95 R 16E
Balcrong Monument Federal #14-15	43-013-31384	Sec 15 T 95 R 16E
Balcrong Monument Federal #21-12J	43-013-31406	Sec 12 T 95 R 16E
Balcrong Monument Federal #24-12J	43-013-31409	Sec 12 T 95 R 16E
Balcrong Monument Federal #31-7J	43-013-31405	Sec 7 T 95 R 17E
Balcrong Monument Federal #42-1J	43-013-31404	Sec 1 T 95 R 16E
Balcrong Federal #24-4Y	43-013-31412	Sec 4 T 95 R 16E

Also enclosed are the Monitoring Reports submitted by the paleontologist for the following wellsites:

Balcrong Federal #21-9Y 43-013-31396 Sec 9 T 95 R 16E
Balcrong Monument Federal #13-5 43-047-32261 Sec 5 T 85 R 25E

Sincerely,

Bobbie Schuman

Bobbie Schuman
Coordinator of Operations,
Environmental and Regulatory Affairs

/rs

Enclosures

cc: Utah Division of Oil, Gas and Mining

BALCRON OIL

Balcron Monument Butte Federal #13-5

NW SW Section 5, T9S, R17E, SLB&M

Duchesne County, Utah

PALEONTOLOGY

MONITORING REPORT

WELLPAD LOCATION AND ACCESS ROAD

BY

ALDEN H. HAMBLIN
PALEONTOLOGIST
235 EAST MAIN
VERNAL, UTAH 84078

SEPTEMBER 6, 1993

RESULTS OF PALEONTOLOGY MONITORING OF INITIAL CONSTRUCTION AT BALCRON MONUMENT
BUTTE FEDERAL #13-5

The original paleontology report for Balcron Monument Butte Federal #13-5 described a site at the location with mammal bone fragments:

The fragments of mammal bone appear to possibly be part of the proximal end of the femur of a small to medium sized mammal. It is located 35 yards south 70 degrees east of the center stake.

Recommendation #1 of the original paleontology report was to further explore the immediate area of the mammal bone occurrence to see if it is an isolated piece (which it may be) or part of something larger.

On July 17 the location was visited again and the immediate area around the mammal bone fragments was explored to see if additional material was present. No additional bone material was found in this material. (See #13-5 Supplementary report.)

It was then recommended that the location could be constructed following items 3 and 4 of the original recommendations:

- 3) If the material is only an isolated piece of low significance, this spot, being lower than the rest of the location could perhaps just be covered over with fill and protected for the future in this manner. Top soil would have to be left as is on this lower section and just covered over. Removing topsoil would destroy the fossil material.
- 4) If construction does take place under the above recommendations, this construction should be monitored by a paleontologist because of the potential for encountering other fossil material in the layer to be effected.

On August 5, 1993, I met the wellpad construction people at #13-5 and monitored the beginning work on the access road and wellpad. As for the road, the catipillar was followed and disturbed material watched for any signs of fossil material. No additional fossil material was noted during road work.

Beginning construction was also monitored on the wellpad. As per recommendation #3, material from the more elevated part of the pad was pushed over the lower area where some fossil material had been found. Excavation of material on the higher part of the pad was monitored for fossils, but no addition material was found.

John H. Hamblin
Paleontologist

Date September 6, 1993

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

AUG 14 1995

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.
See attached listing

6. If Indian, Allottee or Tribe Name
n/a

7. If Unit or CA, Agreement Designation

Coyote Basin Unit

8. Well Name and No.
See attached listing

9. API Well No.
See attached listing

10. Field and Pool, or Exploratory Area.
Coyote Basin/Green River

11. County or Parish, State

Uintah County, UT

SUBMIT IN TRIPPLICATE

1. Type of Well
 Oil Well Gas Well Other

See attached listing

2. Name of Operator

Equitable Resources Energy Company, Balcrone Oil Division

3. Address and Telephone No.

1601 Lewis Avenue; Billings, MT 59102 (406) 259-7860

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

43047-32261

See attached listing

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input checked="" type="checkbox"/> Other <u>site security diagrams</u> <small>(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</small>

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Attached are revised site security diagrams for the wells on the attached list.

ORIGINAL: Bureau of Land Management (Vernal, UT)
COPY: Utah Division of Oil, Gas and Mining

14. I hereby certify that the foregoing is true and correct

Signed

Bobbie Schuman

(This space for Federal or State Office use)

Regulatory and
Environmental Specialist

Date

August 11, 1995

Approved by _____
Conditions of approval, if any: _____


Title _____

Date

WELL NAME	FIELD	LOCATION		COUNTY	STATUS	FORMATION	LEASE #	API #	FOOTAGES	UNIT
Amerada Guinand #1	Coyote Basin	SW NW	7 8S	25E Uintah	UT WIW	Green River	U-016271-V	43-047-20245	1920' FNL, 550' FWL	Coyote Basin
Balcron Coyote Fed. #12-5	Coyote Basin	SW NW	5 8S	25E Uintah	UT OSI	Green River	U-063597-A	43-047-32253	1980' FNL, 660' FWL	Coyote Basin
Balcron Coyote Fed. #13-5	Coyote Basin	NW SW	5 8S	25E Uintah	UT Oil	Green River	U-063597-A	43-047-32261	1605' FSL, 586' FWL	Coyote Basin
Balcron Coyote Fed. #13-7	Coyote Basin	NW SW	7 8S	25E Uintah	UT Oil	Green River	U-41377	43-047-32255	1980' FSL, 660' FWL	Coyote Basin
Balcron Coyote Fed. #21-5	Coyote Basin	NE NW	5 8S	25E Uintah	UT Oil	Green River	U-063597-A	43-047-32260	660' FNL, 1980' FWL	Coyote Basin
Balcron Coyote Fed. #22-7	Coyote Basin	SE NW	7 8S	25E Uintah	UT Oil	Green River	U-41377	43-047-32256	1749' FNL, 1601' FWL	Coyote Basin
Balcron Coyote Fed. #31-7	Coyote Basin	NW NE	7 8S	25E Uintah	UT Oil	Green River	U-020309-D	43-047-32254	561' FNL, 1977' FEL	Coyote Basin
Balcron Coyote Fed. #33-5	Coyote Basin	NW SE	5 8S	25E Uintah	UT Oil	Green River	U-063597-A	43-047-32257	1892' FSL, 2326' FEL	Coyote Basin
Balcron Coyote Fed. #42-6X	Coyote Basin	SE NE	6 8S	25E Uintah	UT OSI	Green River	U-017439-B	43-047-32346	1987' FNL, 682' FEL	Coyote Basin
Coyote Basin #1-12	Coyote Basin	NE SE	12 8S	24E Uintah	UT Oil	Green River	U-58226	43-047-20221	1830' FSL, 1980' FWL	Coyote Basin
Coyote Basin Federal #21-7	Coyote Basin	NE NW	7 8S	25E Uintah	UT Oil	Green River	U-41377	43-047-31673	591' FNL, 1858' FWL	Coyote Basin
Coyote Basin Federal #43-12	Coyote Basin	NE SE	12 8S	24E Uintah	UT Oil	Green River	U-038797	43-047-30943	2140' FSL, 820' FEL	Coyote Basin
East Red Wash Federal #1-12	Coyote Basin	SW NE	12 8S	24E Uintah	UT Oil	Green River	U-038797	43-047-20207	1980' FNL, 1980' FEL	Coyote Basin
East Red Wash Federal #1-5	Coyote Basin	SE NW	5 8S	25E Uintah	UT Oil	Green River	U-063597-A	43-047-20174	1989' FNL, 2105' FWL	Coyote Basin
East Red Wash Federal #1-6	Coyote Basin	SE NE	6 8S	25E Uintah	UT Oil	Green River	U-017439-B	43-047-20208	1980' FSL, 660' FEL	Coyote Basin
East Red Wash Federal #2-5	Coyote Basin	NW NW	5 8S	25E Uintah	UT OTA	Green River	U-063597-A	43-047-20252	800' FNL, 525' FWL	Coyote Basin
Federal #13-13	Coyote Basin	NW SW	13 8S	24E Uintah	UT Oil	Green River	U-67208	43-047-32196	1976' FSL, 598' FWL	Coyote Basin
Federal #14-4	Coyote Basin	SW SW	4 8S	25E Uintah	UT Oil	Green River	UTU-41376	43-047-15678	510' FSL, 660' FWL	Coyote Basin
TXO Federal #1	Coyote Basin	SW NE	5 8S	25E Uintah	UT Oil	Green River	U-41376	43-047-31406	1918' FNL, 1976' FEL	Coyote Basin

Equitable Resources Energy Company
 Balcron Coyote Federal 13-5
 Production Facility Diagram

Balcon Coyote Federal 13-5
 NW SW Sec. 5,T8S,R25E
 Uintah County, Utah
 Federal Lease #U-063597-A



VALVE DESCRIPTION		
	DURING PROD.	DURING SALES
VALVE #1	CLOSED	CLOSED
VALVE #2	OPEN	CLOSED
VALVE #3	OPEN	CLOSED
VALVE #4	CLOSED	OPEN
VALVE #5	CLOSED	OPEN

Plan Located At:



**EQUITABLE RESOURCES
 ENERGY COMPANY**
 BALCRON OIL DIVISION

1601 Lewis Avenue
 Suite 200, Ft. Worth, TX 76102
 (406) 359-7880

July 5, 1995

STATE OF UTAH
 DIVISION OF OIL, GAS AND MINING
 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

Page 7 of 11

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

BALCRON OIL DIVISION
 EQUITABLE RESOURCES ENERGY
 1601 LEWIS AVE
 BILLINGS MT 59102-4126

UTAH ACCOUNT NUMBER: N9890REPORT PERIOD (MONTH/YEAR): 3 / 96AMENDED REPORT (Highlight Changes)

Well Name	API Number	Entity	Location	Producing Zone	Well Status	Days Oper	Production Volumes		
							OIL(BBL)	GAS(MCF)	WATER(BBL)
✓ COYOTE FEDERAL 21-5	4304732260	11500	08S 25E	5	GRRV				
✓ COYOTE FEDERAL 13-5	4304732261	11500	08S 25E	5	GRRV				
✓ FEDERAL 22-10Y	4301331395	11501	09S 17E	10	GRRV				
✓ FEDERAL 41-21Y	4301331392	11505	09S 16E	21	GRRV				
✓ FEDERAL 44-14Y	4304732238	11506	09S 17E	14	GRRV				
✓ FEDERAL 21-13Y	4301331400	11510	09S 16E	13	GRRV				
✓ FEDERAL 21-9Y	4301331396	11513	09S 16E	9	GRRV				
✓ FEDERAL 21-25Y	4301331394	11530	09S 16E	25	GRRV				
✓ MONUMENT FEDERAL 11-25	4304732255	11625	08S 17E	25	GRRV				
✓ ALLEN FEDERAL 31-6G	4301331462	11642	09S 17E	6	GRRV				
✓ BALCRON FEDERAL 41-19Y	4304732504	11651	09S 18E	19	GRRV				
✓ BALCRON MONUMENT STATE 14-2	4301331425	11656	09S 17E	2	GRRV				
✓ FEDERAL 44-4Y	4301331452	11679	09S 17E	4	GRRV				
TOTALS									

COMMENTS:

I hereby certify that this report is true and complete to the best of my knowledge.

Date: 12-10-96Page 7 of 11

Name and Signature: _____

Telephone Number: _____



**EQUITABLE RESOURCES
ENERGY COMPANY**


BALCRON OIL DIVISION

1601 Lewis Avenue
Billings, MT 59102

Office: (406) 259-7860
FAX: (406) 245-1365
FAX: (406) 245-1361

March 22, 1996

Utah Division of Oil, Gas and Mining
355 West North Temple
Salt Lake City, UT 84180



Gentlemen:

Effective April 1, 1996, our name will change from Equitable Resources Energy Company, Balcron Oil Division to Equitable Resources Energy Company. Attached is a sundry notice reflecting that change. To simplify paperwork, I have done one sundry notice with copies for each of the wells. To this letter I have attached a list of our wells for your ease in filing the sundry notices in the well files. This should be sufficient for your purposes.

I have the listings on a spreadsheet so if it would be easier for you to have them sorted differently (for example, the Montana Board of Oil and Gas prefers them sorted by API number), please give me a call at (406) 259-7860, extension 240 and I would be glad to provide a list to your specifications.

This change affects only our company name. The physical locations of our offices and the personnel remain the same. We will be changing our well signs and ask for your patience and cooperation as this will be done as soon as possible but may take some time since we do have so many properties at which to make the change.

If you have any questions, please do not hesitate to give me a call.

sincerely,

Bobbie Schuman

Bobbie Schuman
Regulatory and
Environmental Specialist

/hs

Enclosures

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: <input type="checkbox"/> OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER: <u>See attached listing</u>	5. Lease Designation and Serial Number: <u>See attached listing</u>
2. Name of Operator: <u>Equitable Resources Energy Company, Balcron Oil Division</u>	6. If Indian, Allottee or Tribe Name: <u>n/a</u>
3. Address and Telephone Number: <u>1601 Lewis Avenue Avenue; Billings, MT 59102 (406) 259-7860</u>	7. Unit Agreement Name: <u>See attached listing</u>
4. Location of Well Footage: <u>See attached listing</u>	8. Well Name and Number: <u>See attached listing</u>
CO, Sec., T., R., M.: <u>See attached listing</u>	9. API Well Number: <u>See attached listing</u>
	10. Field and Pool, or Wildcat: <u>See attached listing</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)		SUBSEQUENT REPORT (Submit Original Form Only)	
<input type="checkbox"/> Abandon	<input type="checkbox"/> New Construction	<input type="checkbox"/> Abandon	<input type="checkbox"/> New Construction
<input type="checkbox"/> Repair Casing	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Repair Casing	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Reperforate
<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Reperforate	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat or Acidize	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat or Acidize	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Operator name change</u>	
<input type="checkbox"/> Other _____			
Date of work completion _____			
Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.			
* Must be accompanied by a cement verification report.			

Approximate date work will start _____

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective April 1, 1996, operator will change its name from Equitable Resources Energy Company, Balcron Oil Division TO: Equitable Resources Energy Company. Physical location of the operator remains as: 1601 Lewis Avenue; Billings, MT 59102 (406) 259-7860, FAX: (406) 145-1361. This is to report the operator name change only. It affects the wells on the attached listing.

13.


Name & Signature: Bobbie Schuman
Title: Bobbie Schuman

Regulatory and
Environmental Specialist Date: March 27, 1996

(This space for State use only)

UTAH - ALL

EQUITABLE RESOURCES ENERGY COMPANY, WESTERN REGION-OPERATED WELL LIST													
03/27/96		(CURRENT)							ST = State				
Revised 3/20/96									FED. OR STATE		BLM UNIT OR WELL		
WELL NAME	FIELD	QTR/QTR	SEC.	TWP.	RANGE	COUNTY	ST.	STATUS	ZONE	LEASE NO.	API NUMBER	FOOTAGES	OFFI FILE NO.
A. Anderson State #1-16	Monument Butte	SW SW	16	9S	17E	Duchesne	UT	Oil (St)	Green River	ML-3453	43-013-15582	660' FSL, 560' FWL	
Allen Federal #1-6	Monument Butte	SE SE	6	9S	17E	Duchesne	UT	W/W	Green River	U-020252-A	43-013-15779	660' FSL, 660' FWL	Vernal Jonah
Allen Federal #12-5	Monument Butte	SW NW	5	9S	17E	Duchesne	UT	Oil	Green River	U-020252	43-013-30611	1980' FNL, 660' FWL	Vernal Jonah
Allen Federal #12-6	Monument Butte	SW NW	6	9S	17E	Duchesne	UT	Oil	Green River	U-020252-A	43-013-30582	1980' FNL, 604' FWL	Vernal Jonah
Allen Federal #13-6	Monument Butte	NW SW	6	9S	17E	Duchesne	UT	W/W	Green River	U-020252-A	43-013-30918	2070' FSL, 578' FWL	Vernal Jonah
Allen Federal #21-5	Monument Butte	NE NW	5	9S	17E	Duchesne	UT	Oil	Green River	U-020252	43-013-30612	660' FNL, 1980' FWL	Vernal Jonah
Allen Federal #21-6	Monument Butte	NE NW	6	9S	17E	Duchesne	UT	Oil	Green River	U-020252-A	43-013-30584	660' FNL, 1980' FWL	Vernal Jonah
Allen Federal #22-6	Monument Butte	SE NW	6	9S	17E	Duchesne	UT	W/W	Green River	U-020252-A	43-013-30919	2141' FNL, 1902' FWL	Vernal Jonah
Allen Federal #23-6	Monument Butte	NE SW	6	9S	17E	Duchesne	UT	Oil	Green River	U-020252-A	43-013-30558	1980' FSL, 1980' FWL	Vernal Jonah
Allen Federal #31-6	Monument Butte	NW NE	6	9S	17E	Duchesne	UT	W/W	Green River	U-020252-A	43-013-31185	660' FNL, 1980' FWL	Vernal Jonah
Allen Federal #32-6	Monument Butte	SW NE	6	9S	17E	Duchesne	UT	Oil	Green River	U-020252-A	43-013-30559	1980' FNL, 1980' FWL	Vernal Jonah
Allen Federal #34-6	Monument Butte	SW SE	6	9S	17E	Duchesne	UT	Oil	Green River	U-020252-A	43-013-30586	662' FSL, 2075' FWL	Vernal Jonah
Allen Federal #41-6	Monument Butte	NE NE	6	9S	17E	Duchesne	UT	Oil	Green River	U-020252-A	43-013-30581	661' FNL, 655' FWL	Vernal Jonah
Allen Federal #43-6	Monument Butte	NE SE	6	9S	17E	Duchesne	UT	Oil	Green River	U-020252-A	43-013-30583	1980' FSL, 660' FWL	Vernal Jonah
Alien Federal A #1	Monument Butte	NW NW	5	9S	17E	Duchesne	UT	Oil	Green River	U-020252	43-013-15780	660' FNL, 660' FWL	Vernal Jonah
Amerada Guinland #1	Coyote Basin	SW NW	7	8S	25E	Uintah	UT	W/W	Green River	U-016271-V	43-047-20245	1920' FNL, 550' FWL	Vernal Coyote Basin
Asp Federal #1	Wildcat	C/SW	12	16S	19W	Millard	UT	PND	Paleozoic	UTU-69960		1320' FSL, 1320' FWL	Richfield
Balcont Alien Fed. #31-6G	Monument Butte	NW NE	6	9S	17E	Duchesne	UT	Gas	Green River	U-020252-A	43-013-31442	708' FNL, 2076' FWL	Vernal
Balcont Coyote Fed. #12-5	Coyote Basin	SW NW	5	8S	25E	Uintah	UT	OSI	Green River	U-063597-A	43-047-32253	1980' FNL, 660' FWL	Vernal Coyote Basin
Balcont Coyote Fed. #13-5	Coyote Basin	NW SW	5	8S	25E	Uintah	UT	Oil	Green River	U-063597-A	43-047-32261	1605' FSL, 586' FWL	Vernal Coyote Basin
Balcont Coyote Fed. #13-7	Coyote Basin	NW SW	7	8S	25E	Uintah	UT	Oil	Green River	U-41377	43-047-32255	1980' FSL, 660' FWL	Vernal Coyote Basin
Balcont Coyote Fed. #21-5	Coyote Basin	NE NW	5	8S	25E	Uintah	UT	Oil	Green River	U-063597-A	43-047-32260	660' FNL, 1980' FWL	Vernal Coyote Basin
Balcont Coyote Fed. #22-7	Coyote Basin	SE NW	7	8S	25E	Uintah	UT	Oil	Green River	U-41377	43-047-32256	1749' FNL, 1601' FWL	Vernal Coyote Basin
Balcont Coyote Fed. #23-5	Coyote Basin	NE SW	5	8S	25E	Uintah	UT	PND	Green River	U-065597A	43-047-32424	2110' FSL, 1980' FWL	Vernal Coyote Basin
Balcont Coyote Fed. #31-7	Coyote Basin	NW NE	7	8S	25E	Uintah	UT	Oil	Green River	U-020309-D	43-047-32254	561' FNL, 1977' FWL	Vernal Coyote Basin
Balcont Coyote Fed. #33-5	Coyote Basin	NW SE	5	8S	25E	Uintah	UT	PND	Green River	U-063597-A	43-047-32257	1892' FSL, 2326' FWL	Vernal Coyote Basin
Balcont Coyote Fed. #33-7	Coyote Basin	NW SE	7	8S	25E	Uintah	UT	PND	Green River	U-51004	43-047-32259	751' FSL, 1922' FWL	Vernal Coyote Basin



Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold)
 Designation of Operator

Designation of Agent
XXX Operator Name Change Only

Routing:
1. LEP 7-SJ
2. DTS 58-FILE
3. VLD (GIL)
4. RJE
5. LEP
6. FILM

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 4-1-96)

TO (new operator) **EQUITABLE RESOURCES ENERGY COEROM** (former operator)
(address) 1601 LEWIS AVE
BILLINGS MT 59102-4126

EQUITABLE RESOURCES ENERGY CO
BALCRON OIL DIVISION
1601 LEWIS AVE
BILLINGS MT 59102-4126

phone (406) 259-7860

account no. N 9890

phone (406) 259-7860

account no. N 9890

Well(s) (attach additional page if needed):

Name: **SEE ATTACHED**	API: <u>47-3226</u>	Entity: _____	Sec _____ Twp _____ Rng _____ Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____ Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____ Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____ Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____ Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____ Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____ Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

Y 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (Rec'd 4-4-96 & 4-8-96)

N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).

N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) ____ If yes, show company file number: _____

X 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.

Y 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) ~~for each well listed above.~~ (4-10-96)

Y 6. Cardex file has been updated for each well listed above. (4-11-96)

Y 7. Well file labels have been updated for each well listed above. (4-11-96)

Y 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (4-10-96)

Y 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

Yec 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).

N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only) # 5578314 (\$80,000) Schae Ins. Co. (Bond Rider In Progress)

Yec 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.

 2. A copy of this form has been placed in the new and former operators' bond files.

N/A 3. The former operator has requested a release of liability from their bond (yes/no) . Today's date 19 . If yes, division response was made by letter dated 19 .

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

N/A 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19 , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
4/26/96

OTS 2. Copies of documents have been sent to State Lands for changes involving State leases.
Sent to Ed Bonner - Trust Lands

FILMING

VDP 1. All attachments to this form have been microfilmed. Date: May 20 1996.

FILING

 1. Copies of all attachments to this form have been filed in each well file.

 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

9/6/96/10 BLM/BIA "Formal approval not necessary".

**WESTERN REGION**

(406) 259-7860 Telephone

(406) 245-1361 Fax

December 10, 1997

Lisha
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

Dear Lisha:

RE: Equitable Sale of Utah Properties


Effective September 30, 1997, Equitable Resources Energy Company sold all of its Utah properties to Inland Production Company.

Please feel free to contact me if you require additional information.

Sincerely,

Molly Conrad
Molly Conrad
Agent for Equitable Resources
Energy Company

/mc



Crazy Mountain Oil & Gas Services
P.O. Box 577
Laurel, MT 59044
(406) 628-4164
(406) 628-4165

TO: Lishae
St of Utah.

FROM. Molly Conrad
Crazy Mountain Oil & Gas Services
(406) 628-4164

Pages Attached - Including Cover Sheet 2.

NOTE: - Here is the letter you requested.
Call if you need anything
further.


RECEIVED

OCT 10 1997



October 7, 1997

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078



RE: Change of Operator
Duchesne & Vernal Counties, Utah

Dear Mr. Forsman:

Please find attached Sundry Notices and Reports on Wells for Change of Operator, previously operated by Equitable Resources Energy Company for approval.


If you should have questions regarding this matter, please do not hesitate to contact me at the number listed below.

Sincerely,

INLAND PRODUCTION COMPANY

Patsy Barzeau

/pb
encls.



STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL GAS OTHER:

2. Name of Operator:

Inland Production Company

RECEIVED

OCT 13 1997

3. Address and Telephone Number:

475 - 17th Street, Suite 1500, Denver, CO 80202

4. Location of Well

Footages: See Attached Exhibit

5. Lease Designation and Serial Number:
See Attached6. If Indian, Allottee or Tribe Name:
n/a7. Unit Agreement Name:
See Attached8. Well Name and Number:
See Attached9. API Well Number:
See Attached10. Field and Pool, or Wildcat:
See Attached

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

Abandon New Construction
 Repair Casing Pull or Alter Casing
 Change of Plans Recomplete
 Convert to Injection Reperforate
 Fracture Treat or Acidize Vent or Flare
 Multiple Completion Water Shut-Off
 Other Change of Operator

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

Abandon New Construction
 Repair Casing Pull or Alter Casing
 Change of Plans Reperforate
 Convert to Injection Vent or Flare
 Fracture Treat or Acidize Water Shut-Off
 Other Change of Operator

Date of work completion 9-30-97

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective September 30, 1997, Inland Production Company will take over operations of the wells on the attached list. The previous operator was :

Equitable Resources Energy Company
1601 Lewis Avenue
Billings, MT 59102

Effective September 30, 1997, Inland Production Company is responsible under the terms and conditions of the leases for operations conducted on the leased lands or a portion thereof under State of Utah Statewide Bond No. 4471291.

OCT 10 1997

13.

Name & Signature: Chris Potter

CHRIS A. POTTER, ATTORNEY-IN-FACT

Date: 9/30/97

This space for State use only

INLAND

Inland Resources Change of Operator							
WELL NAME	LOCATION	COUNTY	ST	FIELD NAME	API NUMBER	LEASE NO.	AGEEMENT
AMERADA GUINAND #1	SWNW 7 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-20245-00	UTU016271V	UTU72085A
COYOTE BASIN #1-12	NESE 128S 24E	UINTAH	UT	COYOTE BASIN	43-047-20221-00	UTU58226	UTU72085A
COYOTE BASIN #32-6	6 8S 25E	UINTA	UT	COYOTE BASIN	43-047-31835-00	UTU020309D	UTU72085A
COYOTE BASIN #42-6X	SENE 6 8S 25E	UINTA	UT	COYOTE BASIN	43-047-32346-00	UTU017439B	UTU72085A
COYOTE BASIN FED. #13-7	NWSW 7 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32255-00	UTU41377	UTU72085A
COYOTE BASIN FEDERAL #12-13	SWNW 138S 24E	UINTA	UT	COYOTE BASIN	43-047-31266-00		UTU72085A
COYOTE BASIN FEDERAL #13-5	NWSW 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32261-00	UTU063597A	UTU72085A
COYOTE BASIN FEDERAL #13-13	NWSW 138S 24E	UINTAH	UT	COYOTE BASIN	43-047-32196-00	UTU67208	UTU72085A
COYOTE BASIN FEDERAL #21-7	NENW 7 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-31673-00	UTU41377	UTU72085A
COYOTE BASIN FEDERAL #22-7	SENW 7 9S 25E	UINTAH	UT	COYOTE BASIN	43-047-32256-00	UTU41377	UTU72085A
COYOTE BASIN FEDERAL #33-5	NWSE 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32257-00	UTU063597A	UTU72085A
COYOTE BASIN FEDERAL #43-12	NESE 128S 24E	UINTA	UT	COYOTE BASIN	43-047-30943-00	UTU038797	UTU72085A
COYOTE FEDERAL #12-5	SWNW 5 8S 25E	UNITAH	UT	COYOTE BASIN	43-047-32253-00	UTU063597A	UTU72085A
COYOTE FEDERAL #21-5	NENW 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32260-00	UTU063597A	UTU72085A
COYOTE FEDERAL #31-7	NWNE 7 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32254-00	UTU020309D	UTU72085A
EAST RED WASH #2-5	NWNW 5 8S 25E	UINTA	UT	COYOTE BASIN	43-047-20252-00	UTU063597A	UTU72085A
EAST RED WASH FED. #1-12	SWNE 128S 24E	UINTA	UT	COYOTE BASIN	43-047-20207-00	UTU038797	UTU72085A
EAST RED WASH FED. #4-6	SWSE 6 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-20261-00	UTU020309D	UTU72085A
EAST RED WASH FEDERA #1-13	NENW 138S 24E	UINTA	UT	COYOTE BASIN	43-047-20222-00	UTU018073	UTU72085A
EAST RED WASH FEDERA #1-5	SENW 5 8S 25E	UINTA	UT	COYOTE BASIN	43-047-20174-00	UTU063597A	UTU72085A
EAST RED WASH FEDERA #1-6	NESE 6 8S 25E	UINTA	UT	COYOTE BASIN	43-047-20208-00	UTU017439B	UTU72085A
FEDERAL #14-4	SWSW 4 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-15678-00	UTU41376	UTU72085A
TXO FEDERAL #2	SENE 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-31567-00	UTU41376	UTU72085A
TXO FEDERAL #1	SWNE 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-31406-00	UTU41376	UTU72085A
BALCRON FEDERAL #12-20Y	SWNW 209S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32617-00	UTU64917	
BALCRON FEDERAL #31-19Y	NWNE 199S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32614-00	UTU65635	
BALCRON FEDERAL #32-19Y	SW NE 199S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32615-00	UTU65635	
BALCRON FEDERAL #42-19Y	SENE 199S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32616-00	UTU65635	
BALCRON FEDERAL #31-5Y	NWNE 5 9S 18E	UINTAH	UT	EIGHT MILE FLAT (U)	43-047-32503-00	UTU65970	
BALCRON FEDERAL #11-22Y	NW NW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31539-00	UTU66191	
BALCRON FEDERAL #12-22Y	SWNW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31476-00	UTU66191	
BALCRON FEDERAL #22-22Y	SE NW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31538-00	UTU76240	
FEDERAL #1-26	NENW 268S 17E	UINTAH	UT	MONUMENT BUTTE (22)	43-047-31953-00	UTU76240	
MONUMENT FEDERAL #13-22Y	NW SW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31583-00	UTU76240	
MONUMENT FEDERAL #23-22-8-17	NESW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31702-00	UTU76240	
MONUMENT FEDERAL ##31-22	NW NE 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31587-00	UTU76240	
MONUMENT FEDERAL #32-22-8-17	SW NE 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31586-00	UTU76240	
MONUMENT FEDERAL #33-22-8-17	NWSE 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31588-00	UTU76240	
BALCRON FEDERAL #11-20Y	NW NW 209S 18E	UINTAH	UT	MONUMENT BUTTE (8)	43-047-32712-00	UTU64917	

STATE OF UTAH
 DIVISION OF OIL, GAS AND MINING
 1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

Page 2 of 2

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

C/O CRAZY MTN O&G SVS'S
 EQUITABLE RESOURCES ENERGY
 PO BOX 577
 LAUREL MT 59044

UTAH ACCOUNT NUMBER: N9890REPORT PERIOD (MONTH/YEAR): 2 / 98AMENDED REPORT (Highlight Changes)

Well Name	API Number	Priority	Location	Producing Zone	Well Status	Days Oper	Production Volumes		
							OIL(BBL)	GAS(MCF)	WATER(BBL)
COYOTE BASIN 21-7-8-25	4304731673	11500	08S 25E	7	WSTC		141377	Coyote Basin (CR) Unit	
FEDERAL 13-13	4304732196	11500	08S 24E	13	GRRV		1417208	"	
COYOTE FEDERAL 12-5	4304732253	11500	08S 25E	5	GRRV		14063597A	"	
COYOTE FEDERAL 31-7	4304732254	11500	08S 25E	7	GRRV		14020309D	"	
COYOTE FEDERAL 13-7	4304732255	11500	08S 25E	7	GRRV		141377	"	
COYOTE FEDERAL 22-7	4304732256	11500	08S 25E	7	GRRV		141377	"	
COYOTE FEDERAL 33-5	4304732257	11500	08S 25E	5	GRRV		14063597A	"	
COYOTE FEDERAL 21-5	4304732260	11500	08S 25E	5	GRRV		14063597A	"	
COYOTE FEDERAL 13-5	4304732261	11500	08S 25E	5	GRRV		14063597A	"	
MONUMENT FEDERAL 43-10-9-16	4301331723	12065	09S 16E	10	GRRV				
MONUMENT FEDERAL 34-31-8-16	4301331715	12067	08S 16E	31	GRRV				
MONUMENT FEDERAL 33-10-9-16	4301331722	12087	09S 16E	10	GRRV				
Coyote Basin 32-6-8-25	4304731995	11500	08S 25E	6	DCRK	WSW	14020309D	"	
TOTALS									

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge.

Date: _____

Name and Signature: _____


Telephone Number: _____



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



March 30, 1998

Inland Production Company
475 17th Street, Suite 1500
Denver, Colorado 80202

Re: Coyote Basin (Green River) Unit
Uintah County, Utah

Gentlemen:

On March 20, 1998, we received an indenture dated December 10, 1997, whereby Equitable Resources Energy Company resigned as Unit Operator and Inland Production Company was designated as Successor Unit Operator for the Coyote Basin (Green River) Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective March 30, 1998. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Coyote Basin (Green River) Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0056 will be used to cover all operations within the Coyote Basin (Green River) Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: District Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group U-932
File - Coyote Basin (Green River) Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron/Fluid Chron
U-931:TAThompson:tt:3/30/98

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
-------	------------	-----------	-----	---------	----------	-------	-------------	----------


** Inspection Item: UTU72085A

UTU41376	4304731406	1 COYOTE BASIN FED	SWNE	5 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU41376	4304715678	1 EAST RED WASH	SWSW	4 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU063597A	4304720174	1 EAST RED WASH	SENW	5 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU016271V	4304720245	1 USA-GUINAND	SWNW	7 T 8S	R25E	WIW	EQUITABLE RESOURCES ENERGY CO
UTU58226	4304720221	1-12 COYOTE BASIN	NESW	12 T 8S	R24E	OSI	EQUITABLE RESOURCES ENERGY CO
UTU038797	4304720207	1-12 EAST RED WASH	SWNE	12 T 8S	R24E	POW	EQUITABLE RESOURCES ENERGY CO
UTU018073	4304720222	1-13 E RED WASH FED	NENW	13 T 8S	R24E	POW	EQUITABLE RESOURCES ENERGY CO
UTU017439B	4304720208	1-6 EAST RED WASH	NESE	6 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU018073	4304731266	12-13 FEDERAL	SWNW	13 T 8S	R24E	POW	EQUITABLE RESOURCES ENERGY CO
UTU063597A	4304732253	12-5 BALCRON COYOTE	SWNW	5 T 8S	R25E	OSI	EQUITABLE RESOURCES ENERGY CO
UTU67208	4304732196	13-13	NWSW	13 T 8S	R24E	POW	EQUITABLE RESOURCES ENERGY CO
UTU063597A	4304732261	13-5 BALCRON COYOTE	NWSW	5 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU41377	4304732255	13-7	NWSW	7 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU41376	4304731567	2 COYOTE BASIN FED	SENE	5 T 8S	R25E	TA	EQUITABLE RESOURCES ENERGY CO
UTU063597A	4304720252	2-5 EAST RED WASH	NWNW	5 T 8S	R25E	WIWSI	EQUITABLE RESOURCES ENERGY CO
UTU065397A	4304732260	21-5 BALCRON COYOTE	NENW	5 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU41377	4304731673	21-7 COYOTE BASIN	NENW	7 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU41377	4304732256	22-7	SENW	7 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU020309D	4304732254	31-7 BALCRON COYOTE	NWNE	7 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU020309D	4304731835	32-6 COYOTE BASIN	SWNE	6 T 8S	R25E	WSW	EQUITABLE RESOURCES ENERGY CO
UTU063597A	4304732257	33-5 BALCRON COYOTE	NWSE	5 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU020309D	4304720261	4-6 EAST RED WASH	SWSE	6 T 8S	R25E	WIW	EQUITABLE RESOURCES ENERGY CO
UTU017439B	4304732258	42-6	SENE	6 T 8S	R25E	ABD	EQUITABLE RESOURCES ENERGY CO
UTU017439B	4304732346	42-6X	SENE	6 T 8S	R25E	WIW	EQUITABLE RESOURCES ENERGY CO
UTU038797	4304730943	43-12 COYOTE BASIN	NESE	12 T 8S	R24E	POW	EQUITABLE RESOURCES ENERGY CO

COYOTE BASIN (GREEN RIVER) UNIT

Uintah County, Utah

EFFECTIVE: JULY 1, 1993



24E

25E

— UNIT AGREEMENT (UTU72085A)
2,801.54 ACRES

SECONDARY ALLOCATION
FEDERAL 99.3125% STATE .6875%

OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change.

Initial each listed item when completed. Write N/A if item is not applicable.

ROUTING	
1-LFC	6-LEC
2-GHM	7-KAS
3-DMS	8-SL
4-VLD	9-FILE
5-JRB	

 Change of Operator (well sold) Designation of Agent Designation of Operator Operator Name Change OnlyThe operator of the well(s) listed below has changed, effective: 9-30-97

TO: (new operator) INLAND PRODUCTION COMPANY
 (address) PO BOX 1446
ROOSEVELT UT 84066

Phone: (435) 722-5103
 Account no. N5160

FROM: (old operator)
 (address)

EQUITABLE RESOURCES ENERGY
C/O CRAZY MTN O&G SVS'S
PO BOX 577
LAUREL MT 59044

Phone: (406) 628-4164
 Account no. N9890

WELL(S) attach additional page if needed:

*COYOTE BASIN (GREEN RIVER) UNIT

Name: <u>**SEE ATTACHED**</u>	API: <u>43-047-32261</u>	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____

OPERATOR CHANGE DOCUMENTATION

1. (r649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator (attach to this form). *(Rec'd 12-10-97)*
2. (r649-8-10) Sundry or other legal documentation has been received from the **NEW** operator (Attach to this form). *(Rec'd 10-20-97)*
3. The **Department of Commerce** has been contacted if the new operator above is not currently operating any wells in Utah. Is the company **registered with the state?** (yes/no) _____ If yes, show company file number: _____
4. **FOR INDIAN AND FEDERAL WELLS ONLY.** The BLM has been contacted regarding this change. Make note of BLM status in comments section of this form. BLM approval of **Federal** and **Indian** well operator changes should ordinarily take place prior to the division's approval, and before the completion of **steps 5 through 9** below.
5. Changes have been entered in the **Oil and Gas Information System** (3270) for each well listed above. *(4-3-98) * 41C Due to Pro 2 DBase 4-3-98.*
6. **Cardex** file has been updated for each well listed above. *4-9-98*
7. Well **file labels** have been updated for each well listed above. *4-9-98*
8. Changes have been included on the monthly "Operator, Address, and Account Changes" **memo** for distribution to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc. *(4-3-98)*
9. A folder has been set up for the **Operator Change file**, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

Yec 1. (r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) ____ If entity assignments were changed, attach copies of Form 6, Entity Action Form.

N/A *Yec* 2. Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures of entity changes.

BOND VERIFICATION - (FEE WELLS ONLY)

N/A *Yec* 1. (r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.

— 2. A copy of this form has been placed in the new and former operator's bond files.

— 3. The FORMER operator has requested a release of liability from their bond (yes/no) ____, as of today's date _____. If yes, division response was made to this request by letter dated _____.

LEASE INTEREST OWNER NOTIFICATION OF RESPONSIBILITY

N/A *Yec* 1. Copies of documents have been sent on _____ to _____ at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.

N/A *Yec* 2. (r649-2-10) The former operator of any fee lease wells listed above has been contacted and informed by letter dated _____ 19 __, of their responsibility to notify all interest owners of this change.

FILMING

VS 1. All attachments to this form have been microfilmed. Today's date: 4-27-98.

FILING

CHP 1. Copies of all attachments to this form have been filed in each well file.

CHP 2. The original of this form, and the original attachments are now being filed in the Operator Change file.

COMMENTS

980403 BLM/54 Aprv. 3-30-98

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

INLAND PRODUCTION COMPANY

3. Address and Telephone No.

475 17TH STREET, SUITE 1500, DENVER, COLORADO 80202 (303) 292-0900

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)

1605 FSL 0586 FWL NW/SW Section 5, T08S R25E

12. **CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice


Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other **Site Security**

Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Attached please find the site security diagram for the above referenced well.



14. I hereby certify that the foregoing is true and correct

Signed

Title

Manager, Regulatory Compliance

Date

10/30/98

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

CC: UTAH DOGM

5. Lease Designation and Serial No.

U-063597A

6. If Indian, Allottee or Tribe Name

NA

7. If Unit or CA, Agreement Designation

COYOTE BASIN

8. Well Name and No.

COYOTE FEDERAL 13-5

9. API Well No.

43-047-32261

10. Field and Pool, or Exploratory Area

COYOTE BASIN

11. County or Parish, State

UINTAH COUNTY, UTAH

Inland Production Company

Site Facility Diagram

Coyote Basin 13-5

NW/SW Sec. 5, T8S, 25E

Uintah County

May 12, 1998

Site Security Plan is held at the Roosevelt Office,
Roosevelt Utah

Production Phase:

- 1) Valves 1 and 3 sealed closed
- 2) Valves 2 and 4 sealed open


Sales Phase:

- 1) Valves 3 & 4 sealed closed
- 2) Valves 1 open

Draining Phase:

- 1) Valve 3 open

Emulsion Line
Load Line
Water Line
Gas Sales



COYOTE BASIN UNIT
Uintah County, Utah

List of Wells
Sorted by API #

	WELL NAME	API NUMBER	WELL STATUS	TOWNSHIP / RANGE	SECTION	WELL SPOT
1	Federal 14-4	4304715678	PR	8S-25E	4	SWSW
2	East Red Wash 1-5	4304720174	PR	8S-25E	5	SENW
3	East Red Wash Federal 1-12	4304720207	SI	8S-24E	12	SWNE
4	East Red Wash 1-6	4304720208	SI	8S-25E	6	NESE
5	Coyote Basin 1-12	4304720221	SI	8S-24E	12	NESW
6	East Red Wash 1-13	4304720222	SI	8S-24E	13	NENW
7	Amerada Guinand 1	4304720245	INJ/SI	8S-25E	7	SWNW
8	East Red Wash 4-6	4304720261	INJ/SI	8S-25E	6	SWSE
9	Coyote Basin 43-12	4304730943	PR	8S-24E	12	NESE
10	Coyote Basin Federal 12-13	4304731266	PR	8S-24E	13	SWNW
11	TXO Federal 1	4304731406	PR	8S-25E	5	SWNE
12	TXO Federal 2	4304731567	SI	8S-25E	5	SENE
13	Coyote Basin Federal 21-7	4304731673	PR	8S-25E	7	NENW
14	Coyote Basin 32-6	4304731835	SI	8S-25E	6	SWNE
15	Coyote Basin Federal 13-13	4304732196	PR	8S-24E	13	NWSW
16	Coyote Federal 12-5	4304732253	SI	8S-25E	5	SWNW
17	Coyote Basin Federal 31-7	4304732254	PR	8S-25E	7	NWNE
18	Coyote Basin Federal 13-7	4304732255	PR	8S-25E	7	NWSW
19	Coyote Basin Federal 22-7	4304732256	PR	8S-25E	7	SENW
20	Coyote Basin Federal 33-5	4304732257	SI	8S-25E	5	NWSE
21	Coyote Federal 21-5	4304732260	PR	8S-25E	5	NENW
22	Coyote Basin Federal 13-5	4304732261	PR	8S-25E	5	NWSW
23	Coyote Federal 42-6X	4304732346	INJ	8S-25E	6	SENE

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

8/5/2004

FROM: (Old Operator): N5160-Inland Production Company 1401 17th St, Suite 1000 Denver, CO 80202 Phone: 1-(303) 893-0102	TO: (New Operator): N1570-P&M Petroleum Management, LLC 518 17th St, Suite 230 Denver, CO 80202 Phone: 1-(303) 260-7129
--	---

CA No. Unit: COYOTE BASIN (GREEN RIVER)

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
E RED WASH FED 1-12	12	080S	240E	4304720207	11500		1 OW	S
COYOTE 1-12	12	080S	240E	4304720221	11500		1 OW	S
COYOTE BASIN 43-12-8-24	12	080S	240E	4304730943	11500		1 OW	P
E RED WASH FED 1-13	13	080S	240E	4304720222	11500		1 OW	S
COYOTE BASIN FED 12-13	13	080S	240E	4304731266	11500		1 OW	P
FEDERAL 13-13	13	080S	240E	4304732196	11500		1 OW	P
FEDERAL 14-4	04	080S	250E	4304715678	11500		1 OW	P
E RED WASH 1-5	05	080S	250E	4304720174	11500		1 OW	P
TXO FEDERAL 1	05	080S	250E	4304731406	11500		1 OW	P
TXO FEDERAL 2	05	080S	250E	4304731567	11500		1 OW	TA
COYOTE FEDERAL 12-5	05	080S	250E	4304732253	11500		1 OW	S
COYOTE FEDERAL 33-5	05	080S	250E	4304732257	11500		1 OW	S
COYOTE FEDERAL 21-5	05	080S	250E	4304732260	11500		1 OW	P
COYOTE FEDERAL 13-5	05	080S	250E	4304732261	11500		1 OW	P
E RED WASH FED 1-6	06	080S	250E	4304720208	11500		1 OW	S
COYOTE BASIN 32-6-8-25	06	080S	250E	4304731835	11500		1 WS	A
COYOTE BASIN 21-7-8-25	07	080S	250E	4304731673	11500		1 OW	P
COYOTE FEDERAL 31-7	07	080S	250E	4304732254	11500		1 OW	P
COYOTE FEDERAL 13-7	07	080S	250E	4304732255	11500		1 OW	P
COYOTE FEDERAL 22-7	07	080S	250E	4304732256	11500		1 OW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/20/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/20/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 9/30/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5587520-0161
- If **NO**, the operator was contacted on:

6a. (R649-9-2) Waste Management Plan has been received on: IN PLACE
 6b. Inspections of LA PA state/fee well sites complete on: n/a

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM *** BIA n/a

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: ***

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 9/30/2004

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 9/30/2004

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/30/2004

3. Bond information entered in RBDMS on: n/a

4. Fee/State wells attached to bond in RBDMS on: n/a

5. Injection Projects to new operator in RBDMS on: 9/30/2004

6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UT-1005

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEES & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number n/a

2. The FORMER operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ

2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

6/1/2009

FROM: (Old Operator):
 N1570-P&M Petroleum Management
 518 17th Street, Suite 1105
 Denver, CO 80202

Phone: 1 (303) 260-7129

TO: (New Operator):
 N3580-Advantage Resources, Inc.
 1775 Sherman Street, Suite 1700
 Denver, CO 80203

Phone: 1 (303) 831-1912

CA No.	Unit:	COYOTE BASIN (GRRV)						
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/18/2009
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/18/2009
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 5/28/2009
- 4a. Is the new operator registered in the State of Utah: Business Number: 1249524-0143
- 5a. (R649-9-2)Waste Management Plan has been received on: requested 5/28/2009
- 5b. Inspections of LA PA state/fee well sites complete on: n/a
- 5c. Reports current for Production/Disposition & Sundries on: ok
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA
7. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
8. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
9. **Underground Injection Control ("UIC")** approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 5/18/2009

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 5/28/2009
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/28/2009
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: 5/28/2009
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B004939
2. Indian well(s) covered by Bond Number: n/a
- 3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number n/a
- 3b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

4. (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: per Jerry Calley, P&M, San Juan County wells are plugged, he will submit reports.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL	OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input checked="" type="checkbox"/>	OTHER <u>Injectors</u>	5. LEASE DESIGNATION AND SERIAL NUMBER:					
2. NAME OF OPERATOR:	ADVANTAGE RESOURCES, INC. - BLM Bond # <u>3004939</u>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
3. ADDRESS OF OPERATOR:	1775 Sherman St., # 1700	CITY	Denver	STATE	CO	ZIP	80203	PHONE NUMBER:	7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL	<u>N3580</u>				(303) 831-1912				8. WELL NAME and NUMBER:
FOOTAGES AT SURFACE:									9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:									10. FIELD AND POOL, OR WILDCAT:
									Coyote Basin
									COUNTY: Uintah
									STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
Approximate date work will start: <u>4/1/2009</u>	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
Date of work completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

P&M Petroleum Management, LLC N1570
518 17th Street, Suite 1105
Denver, CO 80202

Name (Please Print) Brad C. Ackman

Signature Brad C. Ackman
Date 5/14/09

See Attached Exhibit A for a list of wells in Coyote Basin Field (Field # 570)

NAME (PLEASE PRINT) Brad C. Ackman
SIGNATURE Brad C. Ackman

TITLE VP
DATE 5/14/09

(This space for State use only)

APPROVED 5/18/09
Earlene Russell
Division of Oil, Gas and Mining (See Instructions on Reverse Side)
Earlene Russell, Engineering Technician

(5/2000)

RECEIVED
MAY 18 2009
DIV. OF OIL, GAS & MINING


Exhibit A - Current Wells in Coyote Basin Field (570)

FEDERAL 14-4	04	080S	250E	4304715678	11500	Federal	OW	S	COYOTE BASIN (GRRV)	SWSW	GRRV	U-41376	N1570
E RED WASH 1-5	05	080S	250E	4304720174	11500	Federal	OW	S	COYOTE BASIN (GRRV)	SENW	GRRV	U-063597	N1570
E RED WASH FED 1-12	12	080S	240E	4304720207	11500	Federal	OW	S	COYOTE BASIN (GRRV)	SWNE	GRRV	U-038797	N1570
E RED WASH FED 1-6	06	080S	250E	4304720208	11500	Federal	OW	S	COYOTE BASIN (GRRV)	NESE	GRRV	U-017439-B	N1570
COYOTE 1-12	12	080S	240E	4304720221	11500	Federal	OW	S	COYOTE BASIN (GRRV)	NESW	GRRV	U-58226	N1570
E RED WASH FED 1-13	13	080S	240E	4304720222	11500	Federal	OW	S	COYOTE BASIN (GRRV)	NENW	GRRV	U-018073	N1570
AMERADA GUINAND 1	07	080S	250E	4304720245	11500	Federal	WI	A	COYOTE BASIN (GRRV)	SWNW	GRRV	U-016271-V	N1570
EAST RED WASH FED 4-6	06	080S	250E	4304720261	11500	Federal	WI	A	COYOTE BASIN (GRRV)	SWSE	GRRV	U-020309	N1570
COYOTE BASIN 43-12-8-24	12	080S	240E	4304730943	11500	Federal	OW	S	COYOTE BASIN (GRRV)	NESE	WSTC	U-38797	N1570
COYOTE BASIN FED 12-13	13	080S	240E	4304731266	11500	Federal	OW	S	COYOTE BASIN (GRRV)	SWNW	GRRV	U-018073	N1570
TXO FEDERAL 1	05	080S	250E	4304731406	11500	Federal	OW	S	COYOTE BASIN (GRRV)	SWNE	GRRV	U-41376	N1570
TXO FEDERAL 2	05	080S	250E	4304731567	11500	Federal	OW	TA	COYOTE BASIN (GRRV)	SENE	GRRV	U-41376	N1570
COYOTE BASIN 21-7-8-25	07	080S	250E	4304731673	11500	Federal	OW	S	COYOTE BASIN (GRRV)	NENW	WSTC	U-41377	N1570
COYOTE BASIN 32-6-8-25	06	080S	250E	4304731835	11500	Federal	WS	A	COYOTE BASIN (GRRV)	SWNE	DGCRK	U-020309D	N1570
FEDERAL 13-13	13	080S	240E	4304732196	11500	Federal	OW	S	COYOTE BASIN (GRRV)	NWSW	GRRV	U-67208	N1570
COYOTE FEDERAL 12-5	05	080S	250E	4304732253	11500	Federal	OW	S	COYOTE BASIN (GRRV)	SWNW	GRRV	U-063597-A	N1570
COYOTE FEDERAL 31-7	07	080S	250E	4304732254	11500	Federal	OW	S	COYOTE BASIN (GRRV)	NWNE	GRRV	U-020309-D	N1570
COYOTE FEDERAL 13-7	07	080S	250E	4304732255	11500	Federal	OW	P	COYOTE BASIN (GRRV)	NWSW	GRRV	U-41377	N1570
COYOTE FEDERAL 22-7	07	080S	250E	4304732256	11500	Federal	OW	S	COYOTE BASIN (GRRV)	SENW	GRRV	U-41377	N1570
COYOTE FEDERAL 33-5	05	080S	250E	4304732257	11500	Federal	OW	S	COYOTE BASIN (GRRV)	NWSE	GRRV	U-063597A	N1570
COYOTE FEDERAL 21-5	05	080S	250E	4304732260	11500	Federal	OW	S	COYOTE BASIN (GRRV)	NENW	GRRV	U-063597A	N1570
COYOTE FEDERAL 13-5	05	080S	250E	4304732261	11500	Federal	OW	S	COYOTE BASIN (GRRV)	NWSW	GRRV	U-063597A	N1570
COYOTE FED 42-6X	06	080S	250E	4304732346	11500	Federal	WI	A	COYOTE BASIN (GRRV)	SENE	GRRV	U-017439-B	N1570

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: U-063597A
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL Oil Well		7. UNIT or CA AGREEMENT NAME: COYOTE BASIN (GRRV)
2. NAME OF OPERATOR: ADVANTAGE RESOURCES INC		8. WELL NAME and NUMBER: COYOTE FEDERAL 13-5
3. ADDRESS OF OPERATOR: 1775 Sherman St 1700 , Denver, CO, 80203		9. API NUMBER: 43047322610000
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1605 FSL 0586 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSW Section: 05 Township: 08.0S Range: 25.0E Meridian: S		9. FIELD and POOL or WILDCAT: COYOTE BASIN
		COUNTY: UINTAH
		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 11/10/2011	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER
<input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:		<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input type="text" value="Production Facility Plat"/>
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Updated Production Facility Plat		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY		
NAME (PLEASE PRINT) Brian W. Ackman	PHONE NUMBER 303 831-1912	TITLE VP Exploration
SIGNATURE N/A	DATE 11/15/2011	

PRODUCTION FACILITY DIAGRAM

COYOTE FEDERAL #13-5
NW SW Sec. 5-8S-25E
UINTAH COUNTY, UTAH
FEDERAL LEASE: U-063597-A



PLAN LOCATED AT:
ADVANTAGE'S
DENVER OFFICE &
42-6X INJECTION
FACILITY

◀ = Oil Flow Direction
◀ = Gas Flow Direction
◀ = Water Flow Direction

VALVE DESCRIPTION		
VALVE #	DURING PROD.	DURING SALES
1	OPEN	CLOSED
2	CLOSED	OPEN
3	CLOSED	CLOSED
4	OPEN	OPEN

Nov. 15, 2011




ADVANTAGE RESOURCES, INC.
1775 Sherman Street, Suite 1700
Denver, CO. 80203
303-831-1912
December 2011

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: U-063597A
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL Oil Well		7. UNIT or CA AGREEMENT NAME: COYOTE BASIN (GRRV)
2. NAME OF OPERATOR: ADVANTAGE RESOURCES INC		8. WELL NAME and NUMBER: COYOTE FEDERAL 13-5
3. ADDRESS OF OPERATOR: 1775 Sherman St 1700 , Denver, CO, 80203		9. API NUMBER: 43047322610000
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1605 FSL 0586 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSW Section: 05 Township: 08.0S Range: 25.0E Meridian: S		9. FIELD and POOL or WILDCAT: COYOTE BASIN
		COUNTY: UINTAH
		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 11/10/2011	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER
<input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:		<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input type="text" value="Production Facility Plat"/>
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Updated Production Facility Plat		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY		
NAME (PLEASE PRINT) Brian W. Ackman	PHONE NUMBER 303 831-1912	TITLE VP Exploration
SIGNATURE N/A	DATE 11/15/2011	

PRODUCTION FACILITY DIAGRAM

COYOTE FEDERAL #13-5
NW SW Sec. 5-8S-25E
UINTAH COUNTY, UTAH
FEDERAL LEASE: U-063597-A



PLAN LOCATED AT:
ADVANTAGE'S
DENVER OFFICE &
42-6X INJECTION
FACILITY

◀ = Oil Flow Direction
↖ = Gas Flow Direction
↙ = Water Flow Direction

VALVE DESCRIPTION		
VALVE #	DURING PROD.	DURING SALES
1	OPEN	CLOSED
2	CLOSED	OPEN
3	CLOSED	CLOSED
4	OPEN	OPEN

Nov. 15, 2011



ADVANTAGE RESOURCES, INC.
1775 Sherman Street, Suite 1700
Denver, CO. 80203
303-831-1912
December 2011

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING

CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

8/1/2012

FROM: (Old Operator):
 N3580- Advantage Resources, Inc.
 1775 Sherman Street, Suite 1700
 Denver, CO 80203

Phone: 1 (303) 831-1912

TO: (New Operator):
 N3890- Wold Oil Properties, Inc.
 139 West 2nd Street, Suite 200
 Casper, WY 82601

Phone: 1 (307) 265-7252

CA No.		Unit:	Coyote Basin (GRRV)					
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
See Attached List								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/24/2012
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/24/2012
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 10/15/2012
- 4a. Is the new operator registered in the State of Utah: _____ Business Number: 8351065-0143
- 5a. (R649-9-2)Waste Management Plan has been received on: N/A
- 5b. Inspections of LA PA state/fee well sites complete on: N/A
- 5c. Reports current for Production/Disposition & Sundries on: 10/15/2012
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM Not Yet BIA
7. **Federal and Indian Units:**
 The BLM or BIA has approved the successor of unit operator for wells listed on: Not Yet
8. **Federal and Indian Communization Agreements ("CA"):**
 The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
9. **Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/3/2012

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/15/2102
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/15/2012
3. Bond information entered in RBDMS on: N/A
4. Fee/State wells attached to bond in RBDMS on: N/A
5. Injection Projects to new operator in RBDMS on: N/A
6. Receipt of Acceptance of Drilling Procedures for APD/New on: 10/3/2012

BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UTB000513
2. Indian well(s) covered by Bond Number: _____
- 3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number N/A
- 3b. The **FORMER** operator has requested a release of liability from their bond on: N/A

LEASE INTEREST OWNER NOTIFICATION:

4. (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

Advantage Resources, Inc. (N3580) to Wold Oil Properties, Inc. (N3890)
Effective

Well Name	Sec	TWP	RNG	API Number	Entity	Lease	Well Type	Well Status
AMERADA GUINAND 1	07	080S	250E	4304720245	11500	Federal	WI	A
EAST RED WASH FED 4-6	06	080S	250E	4304720261	11500	Federal	WI	A
COYOTE BASIN 32-6-8-25	06	080S	250E	4304731835	11500	Federal	WS	A
COYOTE FED 42-6X	06	080S	250E	4304732346	11500	Federal	WI	A
COYOTE BASIN 7-7	07	080S	250E	4304752111		Federal	OW	APD
COYOTE BASIN 11-7	07	080S	250E	4304752112		Federal	OW	APD
COYOTE BASIN 2-13	13	080S	240E	4304752113		Federal	OW	APD
COYOTE BASIN 6-13	13	080S	240E	4304752114		Federal	OW	APD
COYOTE BASIN FED 14-13	13	080S	240E	4304752115		Federal	OW	APD
FEDERAL 14-4	04	080S	250E	4304715678	11500	Federal	OW	P
COYOTE BASIN 43-12-8-24	12	080S	240E	4304730943	11500	Federal	OW	P
COYOTE BASIN FED 12-13	13	080S	240E	4304731266	11500	Federal	OW	P
TXO FEDERAL 1	05	080S	250E	4304731406	11500	Federal	OW	P
COYOTE BASIN 21-7-8-25	07	080S	250E	4304731673	11500	Federal	OW	P
FEDERAL 13-13	13	080S	240E	4304732196	11500	Federal	OW	P
COYOTE FEDERAL 31-7	07	080S	250E	4304732254	11500	Federal	OW	P
COYOTE FEDERAL 13-7	07	080S	250E	4304732255	11500	Federal	OW	P
COYOTE FEDERAL 22-7	07	080S	250E	4304732256	11500	Federal	OW	P
COYOTE FEDERAL 33-5	05	080S	250E	4304732257	11500	Federal	OW	P
COYOTE 1-12	12	080S	240E	4304720221	11500	Federal	OW	PA
E RED WASH 1-5	05	080S	250E	4304720174	11500	Federal	OW	S
E RED WASH FED 1-12	12	080S	240E	4304720207	11500	Federal	OW	S
E RED WASH FED 1-6	06	080S	250E	4304720208	11500	Federal	OW	S
E RED WASH FED 1-13	13	080S	240E	4304720222	11500	Federal	OW	S
COYOTE FEDERAL 21-5	05	080S	250E	4304732260	11500	Federal	OW	S
COYOTE FEDERAL 13-5	05	080S	250E	4304732261	11500	Federal	OW	S
TXO FEDERAL 2	05	080S	250E	4304731567	11500	Federal	OW	TA
COYOTE FEDERAL 12-5	05	080S	250E	4304732253	11500	Federal	OW	TA

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

RECEIVED

SEP 24 2012

FORM 9

DIV. OF OIL, GAS & MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL	OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	OTHER _____	5. LEASE DESIGNATION AND SERIAL NUMBER: See Exhibit B	
2. NAME OF OPERATOR:	WOLD OIL PROPERTIES, INC. N3890			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
3. ADDRESS OF OPERATOR:	139 W. 2ND ST, STE 200	CITY CASPER	STATE WY	ZIP 82601-2462	7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL				PHONE NUMBER: (307) 265-7252	8. WELL NAME and NUMBER: See Exhibit B
FOOTAGES AT SURFACE:				BOND # <i>UTB 000 513</i>	10. FIELD AND POOL, OR WILDCAT: COYOTE BASIN
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	SEE	EXH B	STATE: UTAH	9. API NUMBER: Exhibit B	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION		
Approximate date work will start: <i>8/1/2012</i>	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL		
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON		
Date of work completion: _____	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR		
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE		
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL		
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF		
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____		
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION			


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.



Title: *X Sec.*

Signature
Name (Please Print): *Brian W. Ackman*
Date: *X 9/19/2012*
ADVANTAGE RESOURCES, INC. #N3580
1775 Sherman St, #1700, Denver, CO 80203
(303) 831-1912

N 3580

NAME (PLEASE PRINT): *KEVIN MEENAN* TITLE: *CORPORATE SECRETARY*
SIGNATURE:  DATE: *9/18/12*

(This space for State use only)

APPROVED

OCT 15 2012

DIV. OIL GAS & MINING
BY: *Rachel Medina*

Exhibit B - Wells

<u>Well Name</u>	<u>API Number</u>	<u>Twp</u>	<u>Rng</u>	<u>Sec</u>	<u>Desc</u>	<u>Status</u>	<u>ARI Lease No.</u>	<u>State/BLM</u>
							<u>80039-</u>	<u>Lease No.</u>
Coyote Basin 43-12-8-24	43 047 30943	8 S	24 E	12	NE SE	P	80039-003-01	UTU 038797
Coyote Basin Fed 12-13	43 047 31266	8 S	24 E	13	SW NW	P	80039-004-01	UTU 018073
Federal 13-13	43 047 32196	8 S	24 E	13	NW SW	P	80039-007-01	UTU 67208
Coyote Federal 21-5	43 047 32260	8 S	25 E	5	NE NW	OGW	80039-009-01	UTU 063597A
E Red Wash 1-5	43 047 20174	8 S	25 E	5	SE NW	OGW	80039-009-01	UTU 063597A
TXO Federal 1	43 047 31406	8 S	25 E	5	SW NE	P	80039-008-01	UTU 41376
Coyote Federal 33-5	43 047 32257	8 S	25 E	5	NW SE	P	80039-009-01	UTU 063597A
Coyote Federal 13-5	43 047 32261	8 S	25 E	5	NW SW	OGW	80039-009-01	UTU 063597A
Coyote Federal 31-7	43 047 32254	8 S	25 E	7	NW NE	SI	80039-013-01	UTU 020309D
Coyote Basin 21-7-8-25	43 047 31673	8 S	25 E	7	NE NW	P	80039-012-01	UTU 41377
Coyote Federal 22-7	43 047 32256	8 S	25 E	7	SE NW	P	80039-012-01	UTU 41377
Coyote Federal 13-7	43 047 32255	8 S	25 E	7	NW SW	P	80039-012-01	UTU 41377
E Red Wash Fed 1-12	43 047 20207	8 S	24 E	12	SW NE	SI	80039-003-01	UTU 038797
Coyote 1-12	43 047 20221	8 S	24 E	12	NE SW	P&A		UTU 58226
E Red Wash Fed 1-13	43 047 20222	8 S	24 E	13	NE NW	SI	80039-004-01	UTU 018073
Federal 14-4	43 047 15678	8 S	25 E	4	SW SW	P	80039-008-01	UTU 41376
Coyote Federal 12-5	43 047 32253	8 S	25 E	5	SW NW	SI	80039-009-01	UTU 063597A
TXO Federal 2	43 047 31567	8 S	25 E	5	SE NE	SI	80039-008-01	UTU 41376
E Red Wash Fed 1-6	43 047 20208	8 S	25 E	6	NE SE	SI	80039-011-01	UTU 017439B
Coyote Fed 42-6X	43 047 32346	8 S	25 E	6	SE NE	Inj	80039-011-01	UTU 017439B
E Redwash 4-6	43 047 20261	8 S	25 E	6	SW SE	Inj	80039-013-01	UTU 020309D
Amerada Guinand 1	43 047 20245	8 S	25 E	7	SW NW	Inj	80039-016-01	UTU 016271V
Coyote Basin 32-6	43 047 31835	8 S	25 E	6	SW NE	Wtr	80039-013-01	UTU 020309D
<u>Permitted Wells</u>								
Coyote Basin 7-7	43 047 52111	8 S	25 E	7		Permit		UTU 020309D
Coyote Basin 11-7	43 047 52112	8 S	25 E	7		Permit		UTU 41377
Coyote Basin 6-13	43 047 52114	8 S	24 E	13		Permit		UTU 018073
Coyote Basin 2-13	43 047 52113	8 S	24 E	13		Permit		UTU 038797
Coyote Basin Fed 14-13	43 047 52115	8 S	24 E	13		Permit		UTU 67208

Effective Date:

12/1/2017

FORMER OPERATOR:	NEW OPERATOR:
WOLD OIL PROPERTIES, INC 1775 SHERMAN STREET STE 1700 Denver, CO 80203	PO&G Operating, LLC (POGO) 5847 San Felipe Suite 3200 Houston, TX 77057

Groups: Coyote Basin (GRRV) Enhanced Recovery

WELL INFORMATION:

Well Name	API Number	Town	Dir	Range	Dir	Sec	Entity Number	Type	Status
See Exhibit "B" 24 wells									

OPERATOR CHANGES DOCUMENTATION:1. Sundry or legal documentation was received from the **FORMER** operator on:

1/26/2018

2. Sundry or legal documentation was received from the **NEW** operator on:

1/30/2018

3. New operator Division of Corporations Business Number:

10623355-0161

REVIEW:

Receipt of Acceptance of Drilling Procedures for APD on:

na

Reports current for Production/Disposition & Sundries:

na

OPS/SI/TA well(s) reviewed for full cost bonding: Approved by Dustin

na

UIC5 on all disposal/injection/storage well(s) Approved on: Approved by Mark

na

Surface Facility(s) included in operator change:

na

NEW OPERATOR BOND VERIFICATION:

State/fee well(s) covered by Bond Number(s):

na

DATA ENTRY:

Well(s) update in the RBDMS on:

3/28/2018

Group(s) update in RDBMS on:

3/28/2018

Surface Facilities update in RBDMS on:

na

Entities Updated in RBDMS on:

na

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL	OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	OTHER _____	5. LEASE DESIGNATION AND SERIAL NUMBER: See Exhibit B	
2. NAME OF OPERATOR:	P.O.&G. OPERATING, LLC <input checked="" type="checkbox"/>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
3. ADDRESS OF OPERATOR:	5847 San Felipe, Ste 3200	CITY Houston	STATE TX	ZIP 77057	7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL				PHONE NUMBER: (713) 244-0779	8. WELL NAME and NUMBER: See Exhibit B
FOOTAGES AT SURFACE:				10. FIELD AND POOL, OR WILDCAT: Coyote Basin	
				9. API NUMBER: Exhibit B	

FOOTAGES AT SURFACE: COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: See EXH B STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
Approximate date work will start: <u>12/1/2017</u>	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
Date of work completion: <u></u>	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

RECEIVED

FEB 01 2018

DIV. OF OIL, GAS & MINING


(Signature)

Title: Attorney in Fact and Secretary

Name: Kevin P. Meenan

Date: May 26, 2018

Wold Oil Properties, LLC
fka Wold Oil Properties, Inc.
139 West 2nd St., Suite 200
Casper, WY 82601

APPROVED


MAR 28 2018

DIV. OIL GAS & MINING

BY: BW

NAME (PLEASE PRINT) Christopher A. Moore

TITLE EVP

SIGNATURE 

DATE 1/30/2018

(This space for State use only)

COYOTE BASIN (GREEN RIVER) UNIT, UINTAH COUNTY, UTAH
OIL/GAS/INJECTION WELL LIST

Well Name	API Number	Twp	Rng	Sec	Description	Status	State/BLM Lease No.
Coyote Basin 43-12-8-24	43 047 30943 ✓ P	8 S	24 E	12	NE SE	P	UTU 038797
Coyote Basin Fed 12-13	43 047 31266 ✓ P	8 S	24 E	13	SW NW	P	UTU 018073
Federal 13-13	43 047 32196 ✓	8 S	24 E	13	NW SW	P	UTU 67208
Coyote Federal 21-5	43 047 32260 ✓ PA	8 S	25 E	5	NE NW	P&A 7/2014	UTU 063597A
E Red Wash 1-5	43 047 20174 ✓ SI	8 S	25 E	5	SE NW	SI	UTU 063597A
TXO Federal 1	43 047 31406 ✓ P	8 S	25 E	5	SW NE	P	UTU 41376
Coyote Federal 33-5	43 047 32257 ✓ SI	8 S	25 E	5	NW SE	SI	UTU 063597A
Coyote Federal 13-5	43 047 32261 ✓ SI	8 S	25 E	5	NW SW	TA SI	UTU 063597A
Coyote Federal 31-7	43 047 32254 ✓ SI	8 S	25 E	7	NW NE	SI	UTU 020309D
Coyote Basin 21-7-8-25	43 047 31673 ✓ P	8 S	25 E	7	NE NW	P	UTU 41377
Coyote Federal 22-7	43 047 32256 ✓ P	8 S	25 E	7	SE NW	P	UTU 41377
Coyote Federal 13-7	43 047 32255 ✓ SI	8 S	25 E	7	NW SW	SI	UTU 41377
E Red Wash Fed 1-12	43 047 20207 ✓ PA	8 S	24 E	12	SW NE	TA PA	UTU 038797
Coyote 1-12	43 047 20221 ✓ PA	8 S	24 E	12	NE SW	P&A 9/2010	UTU 58226
E Red Wash Fed 1-13	43 047 20222 ✓ TA	8 S	24 E	13	NE NW	TA	UTU 018073
Federal 14-44	43 047 15678 ✓ P	8 S	25 E	4	SWSW	P	UTU 41376
Coyote Federal 12-5	43 047 32253 ✓ PA	8 S	25 E	5	SW NW	P&A, 2014	UTU 063597A
TXO Federal 2	43 047 31567 ✓ TA	8 S	25 E	5	SE NE	TA	UTU 41376
E Red Wash Fed 1-6	43 047 20208 ✓ SI	8 S	25 E	6	NE SE	SI	UTU 017439B
Coyote Feed 42-6X	43 047 32346 ✓ WNW	8 S	25 E	6	SE NE	Wtr Inj	UTU 017439B
E Redwash 4-6	43 047 20261 ✓ WNW	8 S	25 E	6	SW SE	P&A 6/2014	UJU 020309D
Amerada Guinand 1	43 047 20245 ✓ WNW PA	8 S	25 E	7	SW NW	Wtr Inj	UTU 016271V
Coyote Basin 32-6	43 047 31835 WS	8 S	25 E	6	SW NE	Wtr Source	UTU 020309D
Coyote Basin 6-13	43 047 52114 ✓ P	8 S	24 E	13	SE NW	P	UTU 018073

24

APPROVED

MAR 28 2018

DIV. OIL GAS & MINING

BY:

BN



Christopher A. Moore
Executive Vice President
Business Development and Planning

5847 San Felipe, Suite 3200
Houston, Texas 77057
713-244-9986 Direct
713-244-0650 Fax
christopher_moore@pogresources.com

January 31, 2018

DELIVERED VIA FEDEX

Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

RECEIVED
FEB 01 2018
DIV. OF OIL, GAS & MINING

RE: CHANGE OF OPERATOR – Coyote Basin (Green River) Unit
Uintah County, UT

To whom it may concern:

PO&G Resources Fund, LP (PO&G) has acquired all right, title and interest in the Coyote Basin (Green River) Unit in Uintah County, UT from Wold Operating, LLC. Through our affiliate, P.O.&G. Operating, LLC (POGO), we intend to assume operations of the unit. POGO is registered as operator #104365. All operations within the Coyote Basin (Green River) Unit Agreement will be covered by bond no. E235864.

Enclosed is a Form 9, executed by both Wold and POGO, to affect the change of operator. The wells included in the unit are shown on Exhibit B. We have also included a Certificate of Conversion from the State of Wyoming, where Wold Oil Properties, Inc. became Wold Oil Properties, LLC.

If there is any further documentation required to efficiently approve the operator change, or for any questions on the enclosed documents, please do not hesitate to contact me.

Kindest regards,

A handwritten signature in blue ink that reads "Christopher A. Moore".

APPROVED

MAR 28 2018

DIV. OIL GAS & MINING
BY: blw

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9	
SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: U-063597A	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF TRIBAL, ALLOTTEE OR TRIBE NAME:	
1. TYPE OF WELL Oil Well		8. WELL NAME and NUMBER: Coyote Federal 13-5	
2. NAME OF OPERATOR: PO&G Operating, LLC (POGO)		9. API NUMBER: 43047322610000	
3. ADDRESS OF OPERATOR: 5847 San Felipe, Suite 3200 , Houston, TX, 77057		9. FIELD and POOL or WILDCAT: COYOTE BASIN	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1605 FSL 586 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSW Section: 5 Township: 8S Range: 25E Meridian: S		COUNTY: UNTAH	
		STATE: UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 6/27/2022	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input checked="" type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input checked="" type="checkbox"/> PRODUCTION START OR RESUME <input checked="" type="checkbox"/> REPERFORATE CURRENT FORMATION <input checked="" type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	OTHER: <input type="text"/>		
<input type="checkbox"/> SPUD REPORT Date of Spud:			
<input type="checkbox"/> DRILLING REPORT Report Date:			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. PO&G intends to reactivate the well that last produced in 2007. Our plans are to use the next available workover rig, with an expected start date no early than June 27, 2022. Actions taken will include the following: • Hot oil down the casing and pull out of hole with rods and pump • Pull out of hole with tubing, scanning for leaks and bad joints • Reperforate in the original producing zone from 4403' to 4364' • Run in hole with tubing, including any replacement joints • Run in hole with pump and rod string • Move in pumping unit and put on production			
Approved by the Utah Division of Oil, Gas and Mining			
Date: <u>July 14, 2022</u> By: <u>David K. Duff</u>			
NAME (PLEASE PRINT) Charlotte Nash		PHONE NUMBER 713-589-8186	TITLE Regulatory Analyst
SIGNATURE N/A		DATE 6/16/2022	